




Image 1 = home page; where the BBox shows Nigeria imagery.

Besides the LandIQ is the hand bugger menu. It should have the layer icon, zoom in and zoom out



Intelligence Analysis

Configure parameters for detailed site evaluation

AREA (HA)

0.00



VIEW AS

City Planner



GEOSPATIAL COORDINATES

Paste polygon vertices or boundary points...

BOUNDARY IMPORT



Upload Survey Document

Drag and drop or click to browse



Map

Analyse



Report



History

Image 2 (analyse page and uploading of survey)




Image 2.1 Upload of survey successful




Image 3. Report section.




Image 4-History section.




Images 5 - setting and profile stays here at the hand bugger menu
What should be found under hand bugger menu
Profile

Settings: show carry

1. The light and dark mode (as light mode is our default mode) toggle
2. Policy and others


The above could have more pages like this below 📌



The design should be sleek and minimalistic imitating this in it exact form for mobile responsive mess, also remember tab user in the design too.

This is a sample of how the report might look like, I said might look like again (leave the report

style as Time New Roman, there are some changes we would make on the design style...



OVERALL RISK

● Amber

Proceed with Caution

DIMENSIONS

0.8 Plots

425 Sqm (Approximate)

ENVIRONMENTAL

 Medium

Seasonal Waterlogging Risk

Primary Analytical Summary

The designated parcel carries an **Amber Status** primarily due to hydrological vulnerability. Remote sensing data indicates significant depression trends, suggesting peak seasonal waterlogging between **June and October**. While the parcel is viable for development, it requires a high-foundation specification. Most critically, the digital record for this specific coordinates shows a cadastral gap; a physical [SURCON surveyor search](#) at the State Ministry of Lands is mandatory before any financial commitment.

 Critical Property Indicators

 Title Verification Status

Manual search required. No active C of O found in recent digital buffers.

 Seasonal Environmental Variance

Potential for depression-based pooling. Hydro-RIVERS data suggests 350m proximity to secondary basins.

Remote Sensing Constraints

High cloud cover in recent Sentinel-2 passes. Vegetation indices (NDVI) skipped for manual ground truth.

☒ Due Diligence Protocol

1 Critical: State Ministry Search

Retain a licensed lawyer to perform a physical Title search at the State Ministry of Lands.

2 High: Beacon & Perimeter Audit

Invite a SURCON-registered surveyor to locate physical beacons and verify perimeter match.

3 Medium: On-Site Video Proof

Request a timestamped 360-degree video walkthrough of the parcel boundaries and neighboring access points.

Technical Appendix

GIS Professional Data Verification Layer

LOG LEVEL:

VERBOSE_SPATIAL

SPATIAL DATA		ENVIRONMENTAL		INFRASTRUCTURE	
Centroid	5.00018 N, 7.98194 E	Terrain Model	SRTM v3 DEM	OSM Road Prox	120m (Lateral)
CRS	MNWA / Nigeria West	Hydro Proximity	350m (Basin 4)	Growth Buffer	2km (Primary)
Calculated Area	0.0425 Ha	NDWI Index	SKIPPED	Grid Access	Available

Indicator	Source	Era	Confidence	Status
Hydro-Distance	HydroRIVERS v1.1	2024 Archival	94%	VALID
Road Proximity	OpenStreetMap (OSM)	Real-time API	88%	VALID
Topography	SRTM Digital Elevation	30m Global Grid	91%	VALID
Vegetation	Sentinel-2 MSI	Last 14 Days	12%	LOW_VIS
Cadastral Title	Registry Buffer	Semi-Annual	65%	MISSING

LIABILITY DISCLAIMER

This document is a digital screening generated by the Landintel platform. It is based on remote sensing, GIS datasets, and crowd-sourced infrastructure mappings. This is **NOT a legal deed, a signed land survey, or a certificate of occupancy**. Landintel does not guarantee the accuracy of government records or physical ground markers. Users must conduct physical due diligence through licensed legal and survey professionals before concluding any land transaction.



OVERALL RISK	DIMENSIONS	ENVIRONMENTAL
Amber	O.B. Plots	Medium
Proceed with Caution	425 Sqm (Approximate)	Seasonal Waterlogging Risk

Primary Analytical Summary

The designated parcel carries an **Amber Status** primarily due to hydrological vulnerability. Remote sensing data indicates significant depression trends, suggesting peak seasonal waterlogging between **June and October**. While the parcel is viable for development, it requires a high-foundation specification. Most critically, the digital record for this specific coordinates shows a cadastral gap; a physical [SURCON surveyor search](#) at the State Ministry of Lands is mandatory before any financial commitment.

- Critical Property Indicators**
- Title Verification Status**
Manual search required. No active C of O found in recent digital buffers.
 - Seasonal Environmental Variance**
Potential for depression-based pooling. Hydro-RIVERS data suggests 350m proximity to secondary basins.
 - Remote Sensing Constraints**
High cloud cover in recent Sentinel-2 passes. Vegetation indices (NDVI) skipped for manual ground truth.

- Due Diligence Protocol**
- Critical: State Ministry Search**
Retain a licensed lawyer to perform a physical Title search at the State Ministry of Lands.
 - High: Beacon & Perimeter Audit**
Invite a SURCON-registered surveyor to locate physical beacons and verify perimeter match.
 - Medium: On-Site Video Proof**
Request a timestamped 360-degree video walkthrough of the parcel boundaries and neighboring access points.

Technical Appendix

GIS Professional Data Verification Layer


LOG LEVEL: VERBOSE_SPATIAL

SPATIAL DATA	ENVIRONMENTAL	INFRASTRUCTURE
Centroids: 80018 N, 7.98194 E	Terrain Model	SRM v3 DEM
CRS: WGS84 / Nigeria West	Hydro Proximity	350m (Basin 4)
Calculated Area: 0.4425 Ha	NDWI Index	SKIPPED
		Grid Access Available

INDICATOR	SOURCE	ERA	CONFIDENCE	STATUS
Hydro-Distance	HydroRIVERS v1.1	2014 Archival	94%	VALID
Road Proximity	OpenStreetMap (OSM)	Real-time API	88%	VALID
Topography	SRM Digital Elevation	30m Global Grid	90%	VALID
Vegetation	Sentinel-2 MSI	Last 14 Days	12%	LOW_VIS
Cadastral Title	Registry Buffer	Semi-Annual	65%	MISSING

LIABILITY DISCLAIMER

This document is a digital screening generated by the Landintel platform. It is based on remote sensing, GIS datasets, and crowd-sourced infrastructure mappings. This is **NOT a legal deed, a signed land survey, or a certificate of occupancy**. Landintel does not guarantee the accuracy of government records or physical ground markers. Users must conduct physical due diligence through licensed legal and survey professionals before concluding any land transaction.



The guide

Other sample Idea styles below, error messages etc, snackbar, loading states tooltip simple clear according to the design guide, not looking AI'shi but nice and clear simple and minimal,

Wind Turbine Overview

Q Search

⌵

Wind Turbine Status

Total Turbines
12 Turbines

Active Turbines
8 Turbines

Maintenance Turbines
2 Turbines

Offline Turbines
2 Turbines

Total Output
320 MW

CO₂ Saved
1,250 tons

Turbine List

All

Active

Maintenance

Offline

WT-01

Capacity: 2.5 MW

Output: 2.0 MW

Active

WT-02

Capacity: 2.5 MW

Output: 0.0 MW

Offline

WT-03

Capacity: 2.5 MW

Output: 0.8 MW

Maintenance

WT-04

Capacity: 2.5 MW

Output: 2.0 MW

Active

WT-05

Capacity: 2.5 MW

Output: 2.0 MW

Active

WT-07

Capacity: 2.5 MW

Active

Current Output

1.8 MW

Wind Speed

12.4 m/s

Location

-7,118, 110.462

Last Maintenance

2025-07-30