Resource Catalogue Interface Control Document

EOEPCA.SDD.xxx

TVUK System Team

Version 0.1, dd/mm/yyyy:

Resource Catalogue Interface Control Document

EO Exploitation Platform Common Architecture
Resource Catalogue Interface Control Document
EOEPCA.SDD.xxx

COMMENTS and ISSUES	PDF
If you would like to raise comments or issues on this document, please do so by raising an Issue at the following URL https://github.com/EOEPCA/rm-resource-catalogue/issues.	This document is available in PDF format here.
EUROPEAN SPACE AGENCY CONTRACT REPORT The work described in this report was done under ESA contract. Responsibility for the contents resides in the author or organisation that prepared it.	**TELESPAZIO VEGA UK Ltd** 350 Capability Green, Luton, Bedfordshire, LU1 3LU, United Kingdom. Tel: +44 (0)1582 399000 www.telespazio-vega.com

AMENDMENT HISTORY

This document shall be amended by releasing a new edition of the document in its entirety. The Amendment Record Sheet below records the history and issue status of this document.

Table 1. Amendment Record Sheet

ISSUE	DATE	REASON
0.1	dd/mm/yyyy	Initial in-progress draft

Chapter 1. Introduction

1.1. Purpose and Scope

This document presents the Resource Catalogue Interfaces for the Common Architecture.

1.2. Structure of the Document

Section 2 - Overview

Provides an over of the Resource Catalogue component, within the context of the wider Common Architecture design.

Section 3 - [mainDesign]

Provides the design of the Resource Catalogue component.

1.3. Reference Documents

The following is a list of Reference Documents with a direct bearing on the content of this document.

Reference	Document Details	Version
[EOEPCA-UC]	EOEPCA - Use Case Analysis EOEPCA.TN.005 https://eoepca.github.io/use-case-analysis	Issue 1.0, 02/08/2019
[EP-FM]	Exploitation Platform - Functional Model, ESA-EOPSDP-TN-17-050	Issue 1.0, 30/11/2017
[TEP-OA]	Thematic Exploitation Platform Open Architecture, EMSS-EOPS-TN-17-002	Issue 1, 12/12/2017
[WPS-T]	OGC Testbed-14: WPS-T Engineering Report, OGC 18-036r1, http://docs.opengeospatial.org/per/18-036r1.html	18-036r1, 07/02/2019
[WPS-REST-JSON]	OGC WPS 2.0 REST/JSON Binding Extension, Draft, OGC 18-062, https://raw.githubusercontent.com/opengeospatial/wps-rest-binding/develop/docs/18-062.pdf	1.0-draft
[CWL]	Common Workflow Language Specifications, https://www.commonwl.org/v1.0/	v1.0.2
[TB13-AP]	OGC Testbed-13, EP Application Package Engineering Report, OGC 17-023, http://docs.opengeospatial.org/per/17-023.html	17-023, 30/01/2018

Reference	Document Details	Version
[TB13-ADES]	OGC Testbed-13, Application Deployment and Execution Service Engineering Report, OGC 17-024, http://docs.opengeospatial.org/per/17-024.html	17-024, 11/01/2018
[TB14-AP]	OGC Testbed-14, Application Package Engineering Report, OGC 18-049r1, http://docs.opengeospatial.org/per/18-049r1.html	18-049r1, 07/02/2019
[TB14-ADES]	OGC Testbed-14, ADES & EMS Results and Best Practices Engineering Report, OGC 18-050r1, http://docs.opengeospatial.org/per/18-050r1.html	18-050r1, 08/02/2019
[OS-GEO-TIME]	OpenSearch GEO: OpenSearch Geo and Time Extensions, OGC 10-032r8, http://www.opengeospatial.org/standards/opensearchgeo	10-032r8, 14/04/2014
[OS-EO]	OpenSearch EO: OGC OpenSearch Extension for Earth Observation, OGC 13-026r9, http://docs.opengeospatial.org/is/13-026r8/13-026r8.html	13-026r9, 16/12/2016
[GEOJSON-LD]	OGC EO Dataset Metadata GeoJSON(-LD) Encoding Standard, OGC 17-003r1/17-084	17-003r1/17-084
[GEOJSON-LD-RESP]	OGC OpenSearch-EO GeoJSON(-LD) Response Encoding Standard, OGC 17-047	17-047
[PCI-DSS]	The Payment Card Industry Data Security Standard, https://www.pcisecuritystandards.org/document_library?category=pcidss&document=pci_dss	v3.2.1
[CEOS-OS-BP]	CEOS OpenSearch Best Practise, http://ceos.org/ourwork/workinggroups/wgiss/access/opensearch/	v1.2, 13/06/2017
[OIDC]	OpenID Connect Core 1.0, https://openid.net/specs/openid-connect-core-1_0.html	v1.0, 08/11/2014
[OARec]	OGC API - Records - Part 1: Core, OGC 20-004, https://docs.ogc.org/DRAFTS/20-004.html	v1.0, 13/01/2020
[STAC-API]	SpatioTemporal Asset Catalog API, https://github.com/radiantearth/stac-api-spec	v1.0.0-beta.2, 01/06/2020
[CQL]	OGC API - Features - Part 3: Filtering and the Common Query Language (CQL), OGC 19-079r1, https://docs.ogc.org/DRAFTS/19-079.html	v1.0.0-draft.2, 27/01/2021

Reference	Document Details	Version
[OGC-CSW]	OGC Catalogue Services 3.0 Specification - HTTP Protocol Binding (Catalogue Services for the Web), OGC 12-176r7, http://docs.opengeospatial.org/is/12-176r7/12-176r7.html	v3.0, 10/06/2016
[OGC-WMS]	OGC Web Map Server Implementation Specification, OGC 06-042, http://portal.opengeospatial.org/files/?artifact_id=14416	v1.3.0, 05/03/2006
[OGC-WMTS]	OGC Web Map Tile Service Implementation Standard, OGC 07-057r7, http://portal.opengeospatial.org/files/?artifact_id=35326	v1.0.0, 06/04/2010
[OGC-WFS]	OGC Web Feature Service 2.0 Interface Standard – With Corrigendum, OGC 09-025r2, http://docs.opengeospatial.org/is/09-025r2/09-025r2.html	v2.0.2, 10/07/2014
[OGC-WCS]	OGC Web Coverage Service (WCS) 2.1 Interface Standard - Core, OGC 17-089r1, http://docs.opengeospatial.org/is/17-089r1/17-089r1.html	v2.1, 16/08/2018
[OGC-WCPS]	Web Coverage Processing Service (WCPS) Language Interface Standard, OGC 08-068r2, http://portal.opengeospatial.org/files/?artifact_id=32319	v1.0.0, 25/03/2009
[AWS-S3]	Amazon Simple Storage Service REST API, https://docs.aws.amazon.com/AmazonS3/latest/API	API Version 2006-03-01
[OGC-OpenSearch-EO]	OGC OpenSearch Extension for Earth Observation, OGC 13-026r9, http://docs.opengeospatial.org/is/13-026r9/13-026r9.html	v1.1, 25/11/2019
[ISO-19115:2003]	ISO 19115:2003 Geographic information — Metadata, ISO 19115:2003, https://www.iso.org/standard/26020.html	v1, 01/05/2003
[ISO-19115-2:2009]	ISO 19115-2:2009 Geographic information — Metadata — Part 2: Extensions for imagery and gridded data, ISO 19115-2:2009, https://www.iso.org/standard/39229.html	v1, 01/02/2009

1.4. Terminology

The following terms are used in the Master System Design.

Term	Meaning
Admin	User with administrative capability on the EP

Term	Meaning
Algorithm	A self-contained set of operations to be performed, typically to achieve a desired data manipulation. The algorithm must be implemented (codified) for deployment and execution on the platform.
Analysis Result	The *Products* produced as output of an *Interactive Application* analysis session.
Analytics	A set of activities aimed to discover, interpret and communicate meaningful patters within the data. Analytics considered here are performed manually (or in a semi-automatic way) on-line with the aid of *Interactive Applications*.
Application Artefact	The 'software' component that provides the execution unit of the *Application Package.*
Application Deployment and Execution Service (ADES)	WPS-T (REST/JSON) service that incorporates the Docker execution engine, and is responsible for the execution of the processing service (as a WPS request) within the 'target' Exploitation Platform.
Application Descriptor	A file that provides the metadata part of the *Application Package.* Provides all the metadata required to accommodate the processor within the WPS service and make it available for execution.
Application Package	A platform independent and self-contained representation of a software item, providing executable, metadata and dependencies such that it can be deployed to and executed within an Exploitation Platform. Comprises the *Application Descriptor* and the *Application Artefact*.
Bulk Processing	Execution of a *Processing Service* on large amounts of data specified by AOI and TOI.
Code	The codification of an algorithm performed with a given programming language - compiled to Software or directly executed (interpretted) within the platform.
Compute Platform	The Platform on which execution occurs (this may differ from the Host or Home platform where federated processing is happening)
Consumer	User accessing existing services/products within the EP. Consumers may be scientific/research or commercial, and may or may not be experts of the domain
Catalogue Service for the Web (CSW)	OGC standard that provides a simple HTTP interface for searching collections of descriptive metadata for data, services and relation information objects.
Data Access Library	An abstraction of the interface to the data layer of the resource tier. The library provides bindings for common languages (including python, Javascript) and presents a common object model to the code.

Term	Meaning
Development	The act of building new products/services/applications to be exposed within the platform and made available for users to conduct exploitation activities. Development may be performed inside or outside of the platform. If performed outside, an integration activity will be required to accommodate the developed service so that it is exposed within the platform.
Discovery	User finds products/services of interest to them based upon search criteria.
Execution	The act to start a *Processing Service* or an *Interactive Application*.
Execution Management Service (EMS)	The EMS is responsible for the orchestration of workflows, including the possibility of steps running on other (remote) platforms, and the on-demand deployment of processors to local/remote ADES as required.
Expert	User developing and integrating added-value to the EP (Scientific Researcher or Service Developer)
Exploitation Tier	The Exploitation Tier represents the end-users who exploit the services of the platform to perform analysis, or using high-level applications built-in on top of the platform's services
External Application	An application or script that is developed and executed outside of the Exploitation Platform, but is able to use the data/services of the EP via a programmatic interface (API).
Guest	An unregistered User or an unauthenticated Consumer with limited access to the EP's services
Home Platform	The Platform on which a User is based or from which an action was initiated by a User
Host Platform	The Platform through which a Resource has been published
Identity Provider (IdP)	The source for validating user identity in a federated identity system, (user authentication as a service).
Interactive Application	A stand-alone application provided within the exploitation platform for on-line hosted processing. Provides an interactive interface through which the user is able to conduct their analysis of the data, producing *Analysis Results* as output. Interactive Applications include at least the following types: console application, web application (rich browser interface), remote desktop to a hosted VM.
Interactive Console Application	A simple *Interactive Application* for analysis in which a console interface to a platform-hosted terminal is provided to the user. The console interface can be provided through the user's browser session or through a remote SSH connection.

Term	Meaning
Interactive Remote Desktop	An Interactive Application for analysis provided as a remote desktop session to an OS-session (or directly to a 'native' application) on the exploitation platform. The user will have access to a number of applications within the hosted OS. The remote desktop session is provided through the user's web browser.
Interactive Web Application	An Interactive Application for analysis provided as a rich user interface through the user's web browser.
Key-Value Pair	A key-value pair (KVP) is an abstract data type that includes a group of key identifiers and a set of associated values. Key-value pairs are frequently used in lookup tables, hash tables and configuration files.
Kubernetes (K8s)	Container orchestration system for automating application deployment, scaling and management.
Login Service	An encapsulation of Authenticated Login provision within the Exploitation Platform context. The Login Service is an OpenID Connect Provider that is used purely for authentication. It acts as a Relying Party in flows with external IdPs to obtain access to the user's identity.
EO Network of Resources	The coordinated collection of European EO resources (platforms, data sources, etc.).
Object Store	A computer data storage architecture that manages data as objects. Each object typically includes the data itself, a variable amount of metadata, and a globally unique identifier.
OGC API - Records (OARec)	Draft OGC API standard that provides the capability to create, modify, and query metadata on the Web. The draft specification enables the discovery of geospatial resources by standardizing the way collections of descriptive information about the resources (metadata) are exposed. OARec is the successor to OGC CSW specification.
On-demand Processing Service	A *Processing Service* whose execution is initiated directly by the user on an ad-hoc basis.
Platform (EP)	An on-line collection of products, services and tools for exploitation of EO data
Platform Tier	The Platform Tier represents the Exploitation Platform and the services it offers to end-users
Processing	A set of pre-defined activities that interact to achieve a result. For the exploitation platform, comprises on-line processing to derive data products from input data, conducted by a hosted processing service execution.
Processing Result	The *Products* produced as output of a *Processing Service* execution.
Processing Service	A non-interactive data processing that has a well-defined set of input data types, input parameterisation, producing *Processing Results* with a well-defined output data type.

Term	Meaning
Products	EO data (commercial and non-commercial) and Value-added products and made available through the EP. *It is assumed that the Hosting Environment for the EP makes available an existing supply of EO Data*
Resource	A entity, such as a Product, Processing Service or Interactive Application, which is of interest to a user, is indexed in a catalogue and can be returned as a single meaningful search result
Resource Tier	The Resource Tier represents the hosting infrastructure and provides the EO data, storage and compute upon which the exploitation platform is deployed
Reusable Research Object	An encapsulation of some research/analysis that describes all aspects required to reproduce the analysis, including data used, processing performed etc.
Scientific Researcher	Expert user with the objective to perform scientific research. Having minimal IT knowledge with no desire to acquire it, they want the effort for the translation of their algorithm into a service/product to be minimised by the platform.
Service Developer	Expert user with the objective to provide a performing, stable and reliable service/product. Having deeper IT knowledge or a willingness to acquire it, they require deeper access to the platform IT functionalities for optimisation of their algorithm.
Software	The compilation of code into a binary program to be executed within the platform on-line computing environment.
Systematic Processing Service	A *Processing Service* whose execution is initiated automatically (on behalf of a user), either according to a schedule (routine) or triggered by an event (e.g. arrival of new data).
Terms & Conditions (T&Cs)	The obligations that the user agrees to abide by in regard of usage of products/services of the platform. T&Cs are set by the provider of each product/service.
Transactional Web Processing Service (WPS-T)	Transactional extension to WPS that allows adhoc deployment / undeployment of user-provided processors.
User	An individual using the EP, of any type (Admin/Consumer/Expert/Guest)
Value-added products	Products generated from processing services of the EP (or external processing) and made available through the EP. This includes products uploaded to the EP by users and published for collaborative consumption
Visualisation	To obtain a visual representation of any data/products held within the platform - presented to the user within their web browser session.
Web Coverage Service (WCS)	OGC standard that provides an open specification for sharing raster datasets on the web.

Term	Meaning
Web Coverage Processing Service (WCPS)	OGC standard that defines a protocol-independent language for the extraction, processing, and analysis of multi-dimentional coverages representing sensor, image, or statistics data.
Web Feature Service (WFS)	OGC standard that makes geographic feature data (vector geospatial datasets) available on the web.
Web Map Service (WMS)	OGC standard that provides a simple HTTP interface for requesting geo-registered map images from one or more distributed geospatial databases.
Web Map Tile Service (WMTS)	OGC standard that provides a simple HTTP interface for requesting map tiles of spatially referenced data using the images with predefined content, extent, and resolution.
Web Processing Services (WPS)	OGC standard that defines how a client can request the execution of a process, and how the output from the process is handled.
Workspace	A user-scoped 'container' in the EP, in which each user maintains their own links to resources (products and services) that have been collected by a user during their usage of the EP. The workspace acts as the hub for a user's exploitation activities within the EP

1.5. Glossary

The following acronyms and abbreviations have been used in this report.

Term	Definition
AAI	Authentication & Authorization Infrastructure
ABAC	Attribute Based Access Control
ADES	Application Deployment and Execution Service
ALFA	Abbreviated Language For Authorization
AOI	Area of Interest
API	Application Programming Interface
CMS	Content Management System
CQL	Common Query Language
CSW	Catalogue Service for the Web
CWL	Common Workflow Language
DAL	Data Access Library
EMS	Execution Management Service
EO	Earth Observation
EP	Exploitation Platform
FUSE	Filesystem in Userspace

Term	Definition
GeoXACML	Geo-specific extension to the XACML Policy Language
IAM	Identity and Access Management
IdP	Identity Provider
ISO	International Organization for Standardization
JSON	JavaScript Object Notation
K8s	Kubernetes
KVP	Key-value Pair
M2M	Machine-to-machine
OARec	OGC API - Records
OGC	Open Geospatial Consortium
PDE	Processor Development Environment
PDP	Policy Decision Point
PEP	Policy Enforcement Point
PIP	Policy Information Point
RBAC	Role Based Access Control
REST	Representational State Transfer
SSH	Secure Shell
STAC	SpatioTemporal Asset Catalog
TOI	Time of Interest
UMA	User-Managed Access
VNC	Virtual Network Computing
WCS	Web Coverage Service
WCPS	Web Coverage Processing Service
WFS	Web Feature Service
WMS	Web Map Service
WMTS	Web Map Tile Service
WPS	Web Processing Service
WPS-T	Transactional Web Processing Service
XACML	eXtensible Access Control Markup Language

Chapter 2. Overview

This Interface Control Document (ICD) is a companion to the System Design Document for the Resource Catalogue. The ICD provides a Building Block level specification of the interfaces exposed by the RC to other EOEPCA components.

Chapter 3. Data Discovery Interfaces

3.1. Endpoints

3.1.1. OGC API - Records

3.1.1.1. Landing page

`GET /catalogue`

3.1.1.1.1. Description

Returns an overview of the service, endpoints, and contact.

3.1.1.1.2. Parameters

Query Parameters

Name	Description	Required
f	The output format of the response. One of `json` or `html`.	

3.1.1.1.3. Content Type

- application/json
- text/html

3.1.1.1.4. Responses

Code	Message	Datatype
200	The landing page	application/json
200	The landing page	text/html
400	Bad request	application/json
400	Bad request	text/html

3.1.1.2. OpenAPI

`GET /catalogue/openapi`

3.1.1.2.1. Description

Provides an OpenAPI document describing service endpoints, models, perameters, and other API information.

3.1.1.2.2. Parameters

Query Parameters

Name	Description	Required
f	The output format of the response. One of `json` or `html`.	

3.1.1.2.3. Content Type

- application/json
- text/html

3.1.1.2.4. Responses

Code	Message	Datatype
200	The OpenAPI document	application/vnd.oai.openapi+json;version=3.0
200	The OpenAPI document via Swagger	text/html
400	Bad request	application/json
400	Bad request	text/html

3.1.1.3. Conformance

`GET /catalogue/conformance`

3.1.1.3.1. Description

Returns a list of supported OGC API conformance classes.

3.1.1.3.2. Parameters

Query Parameters

Name	Description	Required
f	The output format of the response. One of `json` or `html`.	

3.1.1.3.3. Content Type

- application/json
- text/html

3.1.1.3.4. Responses

Code	Message	Datatype
200	The conformance page	application/json
200	The conformance page	text/html
400	Bad request	application/json
400	Bad request	text/html

3.1.1.4. Collections

GET /catalogue/collections

3.1.1.4.1. Description

Returns a list of collections of metadata.

3.1.1.4.2. Parameters

Query Parameters

Name	Description	Required
f	The output format of the response. One of json or html.	

3.1.1.4.3. Content Type

- application/json
- text/html

3.1.1.4.4. Responses

Code	Message	Datatype
200	The listing of metadata collections	application/json
200	The listing of metadata collections	text/html
400	Bad request	application/json
400	Bad request	text/html

3.1.1.5. Main collection

GET /catalogue/collections/metadata:main

3.1.1.5.1. Description

Returns a description of the main collection of metadata.

3.1.1.5.2. Parameters

Query Parameters

Name	Description	Required
f	The output format of the response. One of `json` or `html`.	

3.1.1.5.3. Content Type

- application/json
- text/html

3.1.1.5.4. Responses

Code	Message	Datatype
200	The description of the main metadata collection	application/json
200	The description of the main metadata collection	text/html
400	Bad request	application/json
400	Bad request	text/html

3.1.1.6. Main collection queryables

`GET /catalogue/collections/metadata:main/queryables`

3.1.1.6.1. Description

Returns a listing of all queryables of the main collection of metadata.

3.1.1.6.2. Parameters

Query Parameters

Name	Description	Required
f	The output format of the response. One of `json` or `html`.	

3.1.1.6.3. Content Type

- application/json
- text/html

Code	Message	Datatype
200	The main metadata collection's queryables	application/json
200	The main metadata collection's queryables	text/html
400	Bad request	application/json
400	Bad request	text/html

3.1.1.7. Metadata collection items

GET /catalogue/collections/metadata:main/items
POST /catalogue/collections/metadata:main/items

3.1.1.7.1. Description

Returns metadata items as a result of query.

3.1.1.7.2. Parameters

Query Parameters

Name	Description	Required
f	The output format of the response. One of `json` or `html`.	
q	Free-text search terms to query.	
bbox	The record bounding bounding box to filter on. Expressed as 'minx,minyx,maxx,maxy' in CRS84.	
datetime	The temporal period to filter on. Expressed as 'minx,minyx,maxx,maxy' in CRS84.	
startindex	The page/offset on which to apply on the result set.	
limit	The limit on which to apply on the result set.	
filter	The CQL TEXT filter to apply when querying records.	

JSON Body Parameters

Name	Description	Required
`<object>`	JSON payload conforming to an OGC CQL expression	X

3.1.1.8. Metadata collection item

`GET /catalogue/collections/metadata:main/items/{recordId}`

3.1.1.8.1. Description

Returns a single metadata item.

3.1.1.8.2. Parameters

Query Parameters

Name	Description	Required
f	The output format of the response. One of `json`, `xml` or `html`.	

3.1.1.8.3. Content Type

- application/json
- application/xml
- text/html

3.1.1.8.4. Responses

Code	Message	Datatype
200	The single record result	application/json
200	The single record result	application/xml
200	The single record result	text/html
400	Bad request	application/json
400	Bad request	text/html
404	Record not found	application/json
404	Record not found	text/html

3.1.2. OGC CSW 3.0 / OpenSearch

3.1.2.1. GET Capabilities / Description Document

`GET /catalogue/csw`

3.1.2.1.1. Description

Returns the Capabilities XML or OpenSearch description document.

3.1.2.1.2. Parameters

Query Parameters

Name	Description	Required
service	The OWS service to use. Fixed to 'CSW' in this request.	X
version	The OWS service version to use. One of '3.0.0' or '2.0.2'.	X
request	The OWS request type to use. Fixed to 'GetCapabilities' in this request.	X
mode	The mode flag to use. Fixed to 'opensearch' in this request.	

3.1.2.1.3. Content Type

- application/xml

3.1.2.1.4. Responses

Code	Message	Datatype
200	Capabilities XML	application/xml
200	The OpenSearch Description Document (if 'mode=opensearch' is specified)	application/xml
400	Bad request	application/xml

3.1.2.2. GET Domain Values

GET /catalogue/csw

3.1.2.2.1. Description

Returns unique values of properties and API parameters.

3.1.2.2.2. Parameters

Query Parameters

Name	Description	Required
service	The OWS service to use. Fixed to 'CSW' in this request.	X
version	The OWS service version to use. One of '3.0.0' or '2.0.2'.	X

Name	Description	Required
request	The OWS request type to use. Fixed to 'GetDomain' in this request.	X
valuereference	The property name to query	
parametername	The API parameter to query	

3.1.2.2.3. Content Type

- application/xml

3.1.2.2.4. Responses

Code	Message	Datatype
200	GetDomain response XML	application/xml
400	Bad request	application/xml

3.1.2.3. GET Records

GET /catalogue/csw

3.1.2.3.1. Description

Returns metadata records based on search request parameters.

3.1.2.3.2. Parameters

Query Parameters

Name	Description	Required
service	The OWS service to use. Fixed to 'CSW' in this request.	X
version	The OWS service version to use. One of '2.0.2' or '3.0.0'.	X
request	The OWS request type to use. Fixed to 'GetRecords' in this request.	X
mode	The mode to to use. Fixed to 'opensearch' in this request.	
typenames	Metadata record type to query. Fixed to 'csw:Record' in this request.	X
elementsetname	Metadata subset. One of 'brief', 'summary' or 'full' (default).	X

Name	Description	Required
outputformat	The metadata encoding to use. One of 'application/xml' or 'application/json'	
outputschema	The metadata record schema to use. One of 'http://www.opengis.net/cat/csw/3.0' or 'http://www.isotc211.org/2005/gmd'	
recordids	Comma-separated list of 1..n record ids to return	
q	Free-text search terms to query.	
bbox	The record bounding bounding box to filter on. Expressed as 'minx,minyx,maxx,maxy' in CRS84.	
time	The temporal period to filter on. Expressed as 'minx,minyx,maxx,maxy' in CRS84.	
start	The starting temporal period to filter on. Expressed as ISO8601.	
start	The ending temporal period to filter on. Expressed as ISO8601.	
startposition	The page/offset on which to apply on the result set.	
maxrecords	The limit on which to apply on the result set.	
eo:cloudCover	Percentage of cloud cover to filter on (number).	
eo:instrument	Instrument to filter on.	
eo:platform	Platform to filter on.	
eo:orbitDirection	Orbit direction to filter on. One of 'DESCENDING' or 'ASCENDING'	
eo:orbitNumber	Orbit number to filter on.	
eo:processingLevel	The processing level applied to the entry	
eo:productType	Product type to filter on.	
eo:productType	Product type to filter on.	
eo:sensorType	Sensor type to filter on.	
eo:snowCover	Percentage of snow cover to filter on (number).	
eo:spectralRange	Sensor spectral range to filter on.	

3.1.2.3.3. Content Type

- application/xml
- application/atom+xml
- application/json

3.1.2.3.4. Responses

Code	Message	Datatype
200	The result set corresponding to a given search	application/xml
200	The result set corresponding to a given search (if 'mode=opensearch' is specified)	application/atom+xml
200	The result set corresponding to a given search	application/json
400	Bad request	application/xml

3.1.2.4. GET Record by Identifier

GET /catalogue/csw

3.1.2.4.1. Description

Returns a single metadata record by identifier.

3.1.2.4.2. Parameters

Query Parameters

Name	Description	Required
service	The OWS service to use. Fixed to 'CSW' in this request.	X
version	The OWS service version to use. One of '3.0.0' or '2.0.2'.	X
request	The OWS request type to use. Fixed to 'GetRecordById' in this request.	X
id	The mode flag to use. Fixed to 'opensearch' in this request.	X
elementsetname	Metadata subset. One of 'brief', 'summary' or 'full' (default).	
outputformat	The metadata encoding to use. One of 'application/xml' or 'application/json'	
outputschema	The metadata record schema to use. One of 'http://www.opengis.net/cat/csw/3.0' or 'http://www.isotc211.org/2005/gmd'	

3.1.2.4.3. Content Type

- application/xml
- application/json

3.1.2.4.4. Responses

Code	Message	Datatype
200	Metadata record document	application/xml
200	Metadata record document	application/json
400	Bad request	application/xml

3.1.2.5. GET Record by Identifier in Native format

`GET /catalogue/csw`

3.1.2.5.1. Description

Returns a single metadata record by identifier in its native metadata format.

3.1.2.5.2. Parameters

Query Parameters

Name	Description	Required
service	The OWS service to use. Fixed to 'CSW' in this request.	X
version	The OWS service version to use. One of '3.0.0' or '2.0.2'.	X
request	The OWS request type to use. Fixed to 'GetRepositoryItem' in this request.	X
id	The mode flag to use. Fixed to 'opensearch' in this request.	X

3.1.2.5.3. Content Type

- application/xml
- application/json

3.1.2.5.4. Responses

Code	Message	Datatype
200	Metadata record document	application/xml
200	Metadata record document	application/json

Code	Message	Datatype
400	Bad request	application/xml
404	Record not found	application/xml

3.1.3. SpatioTemporal Asset Catalog

3.1.3.1. Landing page

`GET /catalogue`

3.1.3.1.1. Description

Returns an overview of the service, endpoints, and contact.

3.1.3.1.2. Parameters

Query Parameters

Name	Description	Required
f	The output format of the response. One of `json` or `html`.	

3.1.3.1.3. Content Type

- application/json
- text/html

3.1.3.1.4. Responses

Code	Message	Datatype
200	The landing page	application/json
200	The landing page	text/html
400	Bad request	application/json
400	Bad request	text/html

3.1.3.2. Metadata collection search

`GET /catalogue/search`
`POST /catalogue/search`

3.1.3.2.1. Description

Returns metadata items as a result of query.

3.1.3.2.2. Parameters

Query Parameters

Name	Description	Required
f	The output format of the response. One of `json` or `html`.	
q	Free-text search terms to query.	
bbox	The record bounding bounding box to filter on. Expressed as 'minx,minyx,maxx,maxy' in CRS84.	
datetime	The temporal period to filter on. Expressed as 'minx,minyx,maxx,maxy' in CRS84.	
startindex	The page/offset on which to apply on the result set.	
limit	The limit on which to apply on the result set.	
filter	The CQL TEXT filter to apply when querying records.	

JSON Body Parameters

Name	Description	Required
bbox	The record bounding bounding box to filter on. Expressed as 'minx,minyx,maxx,maxy' in CRS84.	
datetime	The temporal period to filter on. Expressed as 'minx,minyx,maxx,maxy' in CRS84.	
limit	The limit on which to apply on the result set.	

3.1.3.3. Metadata collection item

GET /catalogue/collections/metadata:main/items/{recordId}

3.1.3.3.1. Description

Returns a single metadata item.

3.1.3.3.2. Parameters

Query Parameters

Name	Description	Required
f	The output format of the response. One of `json`, `xml` or `html`.	

3.1.3.3.3. Content Type

- application/json

- application/xml

- text/html

3.1.3.3.4. Responses

Code	Message	Datatype
200	The single record result	application/json
200	The single record result	application/xml
200	The single record result	text/html
400	Bad request	application/json
400	Bad request	text/html
404	Record not found	application/json
404	Record not found	text/html

<< End of Document >>