



Pricing Engine Interface Control Document ***EOEPCA.ICD.xxx***

TVUK System Team

Version 1.0, 30/11/2020:

Pricing Engine Interface Control Document

1. Introduction	2
1.1. Purpose and Scope	2
2. Overview	3
3. Policy Decision Point Interfaces	4
3.1. Endpoints	4
3.1.1. Pricing Calculation	4
3.1.1.1. Pricing Events Calculation	4
3.1.1.1.1. Description	4
3.1.1.1.2. Parameters	4
3.1.1.1.3. Return Type	4
3.1.1.1.4. Responses	4
3.1.1.1.5. Samples	4
3.1.2. Pricing Management	4
3.1.2.1. Pricing GET	4
3.1.2.1.1. Description	5
3.1.2.1.2. Parameters	5
3.1.2.1.3. Return Type	5
3.1.2.1.4. Content Type	5
3.1.2.1.5. Responses	5
3.1.2.1.6. Samples	5
3.1.2.2. Pricing DELETE (ID)	5
3.1.2.2.1. Description	5
3.1.2.2.2. Parameters	5
3.1.2.2.3. Return Type	6
3.1.2.2.4. Responses	6
3.1.2.2.5. Samples	6
3.1.2.3. Pricing Value GET (ID)	6
3.1.2.3.1. Description	6
3.1.2.3.2. Parameters	6
3.1.2.3.3. Return Type	6
3.1.2.3.4. Content Type	6
3.1.2.3.5. Responses	7
3.1.2.3.6. Samples	7
3.1.2.4. Pricing PUT (ID)	7
3.1.2.4.1. Description	7
3.1.2.4.2. Parameters	7
3.1.2.4.3. Body Parameter	7
3.1.2.4.4. Return Type	7

3.1.2.4.5. Responses	7
3.1.2.4.6. Samples	8
3.1.2.5. Pricing POST	8
3.1.2.5.1. Description	8
3.1.2.5.2. Parameters	8
3.1.2.5.3. Body Parameter	8
3.1.2.5.4. Return Type	8
3.1.2.5.5. Content Type	8
3.1.2.5.6. Responses	8
3.1.2.5.7. Samples	8
3.2. Models	8
3.2.1. <i>NewEventValue</i>	8

EO Exploitation Platform Common Architecture

Pricing Engine Interface Control Document

EOEPCA.ICD.xxx

COMMENTS and ISSUES If you would like to raise comments or issues on this document, please do so by raising an Issue at the following URL https://github.com/EOEPCA/um-pricing-engine/issues .	PDF This document is available in PDF format here .
EUROPEAN SPACE AGENCY CONTRACT REPORT The work described in this report was done under ESA contract. Responsibility for the contents resides in the author or organisation that prepared it.	TELESPAZIO VEGA UK Ltd 350 Capability Green, Luton, Bedfordshire, LU1 3LU, United Kingdom. Tel: +44 (0)1582 399000 www.telespazio-vega.com

AMENDMENT HISTORY

This document shall be amended by releasing a new edition of the document in its entirety. The Amendment Record Sheet below records the history and issue status of this document.

Table 1. Amendment Record Sheet

ISSUE	DATE	REASON
0.1	dd/mm/yyyy	Initial in-progress draft

Chapter 1. Introduction

1.1. Purpose and Scope

This document presents the Pricing Engine Interfaces for the Common Architecture. It servers as a complementary document to its corresponding Software Design Document.

Chapter 2. Overview

This Interface Control Document (ICD) is a companion to the System Design Document for the Pricing Engine. The ICD provides a Building Block level specification of the interfaces exposed by the Pricing Engine to the rest of EOEPKA components.

Section [\[Interfaces\]](#)

Provides the interface specification of the Building Block.

Chapter 3. Policy Decision Point Interfaces

Abstract

*This OpenAPI Document describes the endpoints exposed by Policy Decision Point Building Block deployments.

 Using this API will allow to register policies that support the protection of policies using both the Login Service and the Policy Decision Point and to perform checks based on XACML requests and responses*

3.1. Endpoints

3.1.1. Pricing Calculation

3.1.1.1. Pricing Events Calculation

POST /pricing/calculate

Rates and prices for events

3.1.1.1.1. Description

This operation calculates rates and prices for the event received in the JSON Request and then store the value in the database.

3.1.1.1.2. Parameters

3.1.1.1.3. Return Type

-

3.1.1.1.4. Responses

Table 2. http response codes

Code	Message	Datatype
200	OK	<<>>

3.1.1.1.5. Samples

3.1.2. Pricing Management

3.1.2.1. Pricing GET

GET /pricing

List all rates and prices from the database

3.1.2.1.1. Description

This operation lists all rates and prices filtered by event ID. Event ID is extracted from the JSON Request

3.1.2.1.2. Parameters

Header Parameters

Name	Description	Required
Authorization	JWT or Bearer Token	-

3.1.2.1.3. Return Type

array[[[rate](#) or [price](#)]]

3.1.2.1.4. Content Type

- application/json

3.1.2.1.5. Responses

Table 3. http response codes

Code	Message	Datatype
200	OK	List[[rates and/or prices]]

3.1.2.1.6. Samples

3.1.2.2. Pricing DELETE (ID)

DELETE /pricing/{event_id}

Deletes a value from the database

3.1.2.2.1. Description

This operation removes an existing value owned by the event.

3.1.2.2.2. Parameters

Path Parameters

Name	Description	Required
event_id	Unique Event ID	X

Header Parameters

Name	Description	Required
Authorization	JWT or Bearer Token	-

3.1.2.2.3. Return Type

-

3.1.2.2.4. Responses

Table 4. http response codes

Code	Message	Datatype
200	OK	<<>>
401	UNAUTHORIZED	<<>>
404	NOT FOUND	<<>>

3.1.2.2.5. Samples

3.1.2.3. Pricing Value GET (ID)

GET /pricing/{event_id}

Retrieve a specific owned rate or price value

3.1.2.3.1. Description

This operation retrieves the value for the event.

3.1.2.3.2. Parameters

Path Parameters

Name	Description	Required
event_id	Unique Event ID	X

Header Parameters

Name	Description	Required
Authorization	JWT or Bearer Token	-

3.1.2.3.3. Return Type

[event_value]

3.1.2.3.4. Content Type

- application/json

3.1.2.3.5. Responses

Table 5. http response codes

Code	Message	Datatype
200	OK	[event_value]
404	NOT FOUND	<<>>

3.1.2.3.6. Samples

3.1.2.4. Pricing PUT (ID)

PUT /pricing/{event_id}

Updates an existing rate or price reference in the Platform

3.1.2.4.1. Description

This operation updates an existing value for a specific event.

3.1.2.4.2. Parameters

Path Parameters

Name	Description	Required
event_id	Unique Event ID	X

3.1.2.4.3. Body Parameter

Name	Description	Required
Event Value	[event_value]	X

Header Parameters

Name	Description	Required
Authorization	JWT or Bearer Token	-

3.1.2.4.4. Return Type

-

3.1.2.4.5. Responses

Table 6. http response codes

Code	Message	Datatype
200	OK	<<>>
401	UNAUTHORIZED	<<>>
404	NOT FOUND	<<>>

3.1.2.4.6. Samples

3.1.2.5. Pricing POST

POST /pricing

Stores rates and prices reference in the Platform

3.1.2.5.1. Description

This operation stores the rate or price in the database.

3.1.2.5.2. Parameters

3.1.2.5.3. Body Parameter

Name	Description	Required
NewEventValue	[NewValue]	X

Header Parameters

Name	Description	Required
Authorization	JWT or Bearer Token	-

3.1.2.5.4. Return Type

[event_value]

3.1.2.5.5. Content Type

- application/json

3.1.2.5.6. Responses

Table 7. http response codes

Code	Message	Datatype
200	OK	[event_value]
401	UNAUTHORIZED	<<>>
404	NOT FOUND	<<>>

3.1.2.5.7. Samples

3.2. Models

3.2.1. NewEventValue

Field Name	Required	Type	Description	Format
event_id		String	ID of the event	

<< End of Document >>