

| Frame Frame Tubes FR A0100 Frame 25CM04; 30°1.5, 25°1.5, 20°1.5, 15°1.5 m 1 R R R R R R R R R | system | assembly | sub_assembly | assembly_no | part | part_comments | makebuy | part_quantity | part_no |
|--|--------|----------------------|--------------|-------------|---------------------------|--|---------|---------------|--------------------|
| R | FR | Frame / Frame Tubes | FR A0100 | | | | | | |
| Record R | FR | Frame / Frame Tubes | | FR_A0100 | Frame | 25CrMo4; 30*1,5, 25*1,5, 20*15, 15*1,5 | m | | 1 FR 01001 |
| Bodywork | FR | Bodywork | FR A0200 | | | | | | |
| R | FR | Bodywork | | FR_A0200 | Nose | Nose of the bodywork | b | | 1 FR 02001 |
| Re | FR | Bodywork | | FR_A0200 | Side plates | Side plate from the front hoop to main | b | | 2 FR 02002 |
| Receipt Rece | FR | Bodywork | | FR_A0200 | Additional plates | Lower side plate with holes | b | | 2 FR 02003 |
| Pedals (Accelerator) | FR | Bodywork | | FR_A0200 | Push-clips | Attachement of the nose to the frame | b | | 4 FR 02004 |
| Pedals (Accelerator) | FR | Bodywork | | FR_A0200 | Hook and loop belts | Attachement of the bodywork to the frame | b | | 20 <u>FR 02005</u> |
| Pedals (Accelerator) | FR | Pedals (Accelerator) | FR A0300 | | | | | | |
| Pedals (Accelerator) | FR | Pedals (Accelerator) | | FR_A0300 | Frame throttle | laser cut and soldered | m | | 1 FR 03001 |
| FR Pedals (Accelerator) FR_A0300 Throttle fixing rail allow position adjustment m 2 FR_03005 FR Pedals (Accelerator) FR_A0300 Throttle Threated Rod to position rails m 2 FR_03005 FR Pedals (Accelerator) FR_A0300 Throttle Threated Rod to position rails m 2 FR_03006 FR Pedals (Accelerator) FR_A0300 Negative Mechanical Stop to protect potentiometers m 1 FR_03008 FR Pedals (Accelerator) FR_A0300 Positive Mechanical Stop to protect potentiometers m 1 FR_03008 FR Pedals (Accelerator) FR_A0300 Positive Mechanical Stop to protect potentiometers m 1 FR_03009 FR Pedals (Accelerator) FR_A0300 Positive Mechanical Stop to protect potentiometers m 1 FR_03008 FR Pedals (Accelerator) FR_A0300 Throttle Fibrage bridge | FR | Pedals (Accelerator) | | FR_A0300 | Footrest | laser cut and bended | m | | 1 FR 03002 |
| FR Pedals (Accelerator) FR. A0300 Throttle rail wedge laser cut m 2 FR. 03005 FR Pedals (Accelerator) FR. A0300 Throttle Front Rail Wedge laser cut m 2 FR. 03006 FR Pedals (Accelerator) FR. A0300 Negative Mechanical Stop to protect potentiometers m 1 FR. 03008 FR Pedals (Accelerator) FR. A0300 Negative Mechanical Stop to protect potentiometers m 1 FR. 03008 FR Pedals (Accelerator) FR. A0300 Throttle pedal bearing allow soft rotation b 2 FR. 03010 FR Pedals (Accelerator) FR. A0300 Springs bring back the pedal b 2 FR. 03011 FR Pedals (Accelerator) FR. A0300 Springs bring back the pedal b 2 FR. 03011 FR Pedals (Accelerator) FR. A0300 Throttle Frheaded rods to position frame b 1 FR. 03013 FR Pedals (Accelerator) FR. A0300 Throttle Frhreaded rods to position frame b 1 FR. 03014 FR Pedals (Accelerator) | FR | Pedals (Accelerator) | | FR_A0300 | Throttle pedal stick | link frame and footrest | m | | 1 FR 03003 |
| FR Pedals (Accelerator) FR A0300 Throttle Threated Rod to position rails m 2 FR 03006 FR Pedals (Accelerator) FR A0300 Throttle Front Rail Wedge laser cut m 2 FR 03007 FR Pedals (Accelerator) FR A0300 Postive Mechanical Stop to protect potentiometers m 1 FR 03008 FR Pedals (Accelerator) FR A0300 Positive Mechanical Stop to protect potentiometers m 1 FR 03009 FR Pedals (Accelerator) FR A0300 Throttle pedal bearing allow soft rotation b 2 FR 03010 FR Pedals (Accelerator) FR A0300 Springs bring back the pedal b 2 FR 03012 FR Pedals (Accelerator) FR A0300 Potentiometer Detects pedal position b 2 FR 03012 FR Pedals (Accelerator) FR A0300 Throttle F Threaded rods to position frame b 1 FR 03013 FR Pedals (Accelerator) FR A0300 Axie Spacer allow good position m 1 FR 03014 FR Pedals (Accelerator) FR A0300 Potentiom R Threaded Rod fx potentiom to frame b 1 FR 03016 FR Pedals (Brake) FR A0400 Frame brake laser cut | FR | Pedals (Accelerator) | | FR_A0300 | Throttle fixing rail | allow position adjustment | m | | 2 FR 03004 |
| FR Pedals (Accelerator) FR_A0300 Throttle Front Rail Wedge laser cut m 2 FR_03007 FR Pedals (Accelerator) FR_A0300 Negative Mechanical Stop to protect potentiometers m 1 FR_03008 FR Pedals (Accelerator) FR_A0300 Positive Mechanical Stop to protect potentiometers m 1 FR_03009 FR Pedals (Accelerator) FR_A0300 Throttle pedal bearing allow soft rotation b 2 FR_03010 FR Pedals (Accelerator) FR_A0300 Springs bring back the pedal b 2 FR_03011 FR Pedals (Accelerator) FR_A0300 Potentiometer Detects pedal position b 2 FR_03012 FR Pedals (Accelerator) FR_A0300 Throttle F Threaded rods to position frame b 1 FR_03013 FR Pedals (Accelerator) FR_A0300 Throttle F Threaded rods to position frame b 1 FR_03014 FR Pedals (Accelerator) FR_A0300 Throttle F Threaded rods to position frame b 1 FR_03015 FR Pedal | FR | Pedals (Accelerator) | | FR_A0300 | Throttle rail wedge | laser cut | m | | 2 FR 03005 |
| FR Pedals (Accelerator) FR_A0300 Negative Mechanical Stop to protect potentiometers m 1 FR_03008 FR Pedals (Accelerator) FR_A0300 Positive Mechanical Stop to protect potentiometers m 1 FR_03009 FR Pedals (Accelerator) FR_A0300 Throttle pedal bearing allow soft rotation b 2 FR_03011 FR Pedals (Accelerator) FR_A0300 Springs bring back the pedal b 2 FR_03011 FR Pedals (Accelerator) FR_A0300 Potentiometer Detects pedal position b 2 FR_03011 FR Pedals (Accelerator) FR_A0300 Throttle RThreaded rods to position frame b 1 FR_03013 FR Pedals (Accelerator) FR_A0300 Throttle RThreaded rods to position frame b 1 FR_03013 FR Pedals (Accelerator) FR_A0300 Throttle RThreaded rods to position frame b 1 FR_03013 FR Pedals (Accelerator) FR_A0300 Axle Spacer allow good position m 1 FR_03014 FR Pedals (Accelerator) FR_A0300 Axle Spacer allow good position m 1 FR_03015 FR Pedals (Accelerator) FR_A0300 Frame brake laser cut and solded m 1 FR_03016 FR Pedals (Brake) FR_A0400 Frame brake laser cut and solded m 1 FR_04001 FR Pedals (Brake) FR_A0400 Brake pedal Stick link frame and footrest m 1 FR_04002 FR Pedals (Brake) FR_A0400 Master cylinder medge link master cylinder and stick m 2 FR_04000 FR Pedals (Brake) FR_A0400 Master cylinder wedge link master cylinder and stick m 2 FR_04000 FR Pedals (Brake) FR_A0400 Brake Frxing Rail Wedge rear wedges m 2 FR_04000 FR Pedals (Brake) FR_A0400 Brake Frxing Rail Wedge front wedges m 2 FR_04000 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Rake Axle link cylinder to ball joint b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Rake Axle link cylinder to ball joint b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylind | FR | Pedals (Accelerator) | | FR_A0300 | Throttle Threated Rod | to position rails | m | | 2 FR 03006 |
| FR Pedals (Accelerator) FR_A0300 Positive Mechanical Stop to protect potentiometers m 1 FR_03009 FR Pedals (Accelerator) FR_A0300 Throttle pedal bearing allow soft rotation b 2 FR_03010 FR Pedals (Accelerator) FR_A0300 Springs boring back the pedal b b 2 FR_030112 FR Pedals (Accelerator) FR_A0300 Potentiometer Detects pedal position b 2 FR_03012 FR Pedals (Accelerator) FR_A0300 Throttle R Threaded rods to position frame b 1 FR_03013 FR Pedals (Accelerator) FR_A0300 Throttle FThreaded rods to position frame b 1 FR_03013 FR Pedals (Accelerator) FR_A0300 Axie Spacer allow good position m 1 FR_03015 FR Pedals (Accelerator) FR_A0300 Potentiom R Threaded Rod Fix potentiom to frame b 1 FR_03015 FR Pedals (Accelerator) FR_A0300 Potentiom R Threaded Rod Fix potentiom to frame b 1 FR_03015 FR Pedals (Brake) FR_0300 Potentiom R Threaded Rod Fix potentiom to frame b 1 FR_03016 FR Pedals (Brake) FR_0300 Frame brake laser cut and solded m 1 FR_04001 FR Pedals (Brake) FR_0400 Frame brake laser cut and solded m 1 FR_04001 FR Pedals (Brake) FR_0400 Frotrest laser cut and bended m 1 FR_04002 FR Pedals (Brake) FR_0400 Master cylinder pressurize brake liquid b FR_04003 FR Pedals (Brake) FR_0400 Master cylinder pressurize brake liquid b FR_04005 FR Pedals (Brake) FR_0400 Master cylinder pressurize brake liquid b FR_04005 FR Pedals (Brake) FR_0400 Master cylinder wedge link master cylinder and stick m 2 FR_04005 FR Pedals (Brake) FR_0400 Brake Fixing Rail Wedge front wedges m 2 FR_04005 FR Pedals (Brake) FR_0400 Brake Fixing Rail Wedge front wedges m 2 FR_04000 FR Pedals (Brake) FR_0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04001 FR Pedals (Brake) FR_04000 Distribution Axle Tread maintain Brake Axle b 2 FR_04011 FR Pedals (Brake) FR_04000 Distribution Axle Tread maintain Brake Axle b 1 FR_04011 FR Pedals (Brake) FR_04000 Distribution Axle Tread maintain Brake Axle b 1 FR_04011 FR Pedals (Brake) FR_04000 Distribution Brale Axle link cylinder to ball joint b 1 FR_04011 FR Pedals (Brake) FR_04000 Distribution Axle | FR | Pedals (Accelerator) | | FR_A0300 | Throttle Front Rail Wedge | laser cut | m | | 2 FR 03007 |
| FR Pedals (Accelerator) FR_A0300 Throttle pedal bearing allow soft rotation b 2 FR_03010 FR Pedals (Accelerator) FR_A0300 Springs bring back the pedal b 2 FR_03011 FR Pedals (Accelerator) FR_A0300 Potentiometer Detects pedal position b 2 FR_03012 FR Pedals (Accelerator) FR_A0300 Throttle R Threaded rods to position frame b 1 FR_03013 FR Pedals (Accelerator) FR_A0300 Throttle R Threaded rods to position frame b 1 FR_03013 FR Pedals (Accelerator) FR_A0300 Axle Spacer allow good position m 1 FR_03014 FR Pedals (Accelerator) FR_A0300 Axle Spacer allow good position m 1 FR_03015 FR Pedals (Accelerator) FR_A0300 Potentiom R Threaded Rod Fix potentiom to frame b 1 FR_03016 FR Pedals (Brake) FR_A0400 FR Pedals (Brake) FR_A0400 FR Pedals (Brake) FR_A0400 Frame brake laser cut and solded m 1 FR_04001 FR Pedals (Brake) FR_A0400 Footrest laser cut and bended m 1 FR_04002 FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04003 FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04004 FR Pedals (Brake) FR_A0400 Master cylinder wedge link master cylinder and stick m 2 FR_04005 FR Pedals (Brake) FR_A0400 Master cylinder wedge link master cylinder and stick m 2 FR_04005 FR Pedals (Brake) FR_A0400 Brake Fixing Rail Wedge rear wedges m 2 FR_04005 FR Pedals (Brake) FR_A0400 Brake Fixing Rail Wedge rear wedges m 2 FR_04005 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Brake Axle b 2 FR_04000 FR Pedals (Brake) FR_A0400 Distribution Daxle Tread maintain Brake Axle b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Daxle Tread maintain Brake Axle b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Daxle Tread maintain Brake Axle b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Daxle Tread maintain Brake Axle b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Daxle Tread maintain Brake Axle b 1 FR_A04011 FR Pedals (Brake) FR_A0400 Distribution Daxle Tread maintain Brake Axle b 1 FR_A04011 FR Pedals (B | FR | Pedals (Accelerator) | | FR_A0300 | Negative Mechanical Stop | to protect potentiometers | m | | 1 FR 03008 |
| FR Pedals (Accelerator) FR_A0300 Springs bring back the pedal b 2 FR_03011 FR Pedals (Accelerator) FR_A0300 Potentiometer Detects pedal position b 2 FR_03012 FR Pedals (Accelerator) FR_A0300 Throttle RThreaded rods to position frame b 1 FR_03013 FR Pedals (Accelerator) FR_A0300 Throttle FThreaded rods to position frame b 1 FR_03014 FR Pedals (Accelerator) FR_A0300 Axle Spacer allow good position m 1 FR_03015 FR Pedals (Accelerator) FR_A0300 Axle Spacer allow good position m 1 FR_03016 FR Pedals (Accelerator) FR_A0300 Potentiom RThreaded Rod Fix potentiom to frame b 1 FR_03016 FR Pedals (Brake) FR_A0400 FR Pedals (Brake) FR_A0400 Frame brake alser cut and solded m 1 FR_04001 FR Pedals (Brake) FR_A0400 Footrest alser cut and bended m 1 FR_04002 FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04004 FR Pedals (Brake) FR_A0400 Master cylinder wedge link master cylinder and stick m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake Fxing Rail Wedge rear wedges m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake Fxing Rail Wedge rear wedges m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake Fxing Rail Wedge front wedges m 2 FR_04006 FR Pedals (Brake) FR_A0400 Distribution Brake Axle b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Brake Axle b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Explance Axle b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Brake Axle b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Explance Axle b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Explance Axle b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Distribution Explance Axle b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Distribution Explance Axle b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 | FR | Pedals (Accelerator) | | FR_A0300 | Positive Mechanical Stop | to protect potentiometers | m | | 1 FR 03009 |
| FR Pedals (Accelerator) FR_A0300 Potentiometer Detects pedal position b 2 FR_03012 FR Pedals (Accelerator) FR_A0300 Throttle R Threaded rods to position frame b 1 FR_03013 FR Pedals (Accelerator) FR_A0300 Throttle F Threaded rods to position frame b 1 FR_03014 FR Pedals (Accelerator) FR_A0300 Axle Spacer allow good position m 1 FR_03015 FR Pedals (Accelerator) FR_A0300 Potentiom R Threaded Rod Fix potentiom to frame b 1 FR_03016 FR Pedals (Brake) FR_A0400 FR Pedals (Brake) FR_A0400 Frame brake laser cut and solded m 1 FR_04001 FR Pedals (Brake) FR_A0400 Brake pedal Stick link frame and footrest m 1 FR_04002 FR Pedals (Brake) FR_A0400 Footrest laser cut and bended m 1 FR_04003 FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04004 FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04004 FR Pedals (Brake) FR_A0400 Master cylinder wedge link master cylinder and stick m 2 FR_04005 FR Pedals (Brake) FR_A0400 Brake fixing rail allow position adjustment m 2 FR_04005 FR Pedals (Brake) FR_A0400 Brake Fixing Rail Wedge rear wedges m 2 FR_04005 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04003 FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04011 | FR | Pedals (Accelerator) | | FR_A0300 | Throttle pedal bearing | allow soft rotation | b | | 2 FR 03010 |
| FR Pedals (Accelerator) FR_A0300 Throttle R Threaded rods to position frame b 1 FR_03013 FR Pedals (Accelerator) FR_A0300 Throttle F Threaded rods to position frame b 1 FR_03014 FR Pedals (Accelerator) FR_A0300 Axle Spacer allow good position mm 1 FR_03015 FR Pedals (Accelerator) FR_A0300 Potentiom R Threaded Rod Fix potentiom to frame b 1 FR_03016 FR Pedals (Brake) FR_A0400 Potentiom R Threaded Rod Fix potentiom to frame b 1 FR_04001 FR Pedals (Brake) FR_A0400 Frame brake laser cut and solded m 1 FR_04001 FR Pedals (Brake) FR_A0400 Brake pedal Stick link frame and footrest m 1 FR_04002 FR Pedals (Brake) FR_A0400 Footrest laser cut and bended m 1 FR_04002 FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04004 FR Pedals (Brake) FR_A0400 Master cylinder wedge link master cylinder and stick m 2 FR_04005 FR Pedals (Brake) FR_A0400 Brake R Fixing rail allow position adjustment m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake R Fixing Rail Wedge rear wedges m 2 FR_04007 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04008 FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 | FR | Pedals (Accelerator) | | FR_A0300 | Springs | bring back the pedal | b | | 2 FR 03011 |
| FR Pedals (Accelerator) FR_A0300 Throttle F Threaded rods to position frame b 1 FR_03014 FR Pedals (Accelerator) FR_A0300 Axle Spacer allow good position m 1 FR_03015 FR Pedals (Accelerator) FR_A0300 Potentiom R Threaded Rod Fix potentiom to frame b 1 FR_03016 FR Pedals (Brake) FR_A0400 FR Pedals (Brake) FR_A0400 Frame brake laser cut and solded m 1 FR_04001 FR Pedals (Brake) FR_A0400 Brake pedal Stick link frame and footrest m 1 FR_04002 FR Pedals (Brake) FR_A0400 Footrest laser cut and bended m 1 FR_04003 FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04004 FR Pedals (Brake) FR_A0400 Master cylinder wedge link master cylinder and stick m 2 FR_04005 FR Pedals (Brake) FR_A0400 Brake fixing rail allow position adjustment m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake Fixing Rail Wedge rear wedges m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake Fixing Rail Wedge front wedges m 2 FR_04008 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Brake Axle support for ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Brake Axle support for ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Provincer support for ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Sultinor Support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Distribution Brake Axle support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Distribution Brake Axle support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Distribution Brake Axle support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Distribution Brake Axle support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Distribution Brake Axle support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Distribution Brake Axle support for ball joint b 1 FR_04 | FR | Pedals (Accelerator) | | FR_A0300 | Potentiometer | Detects pedal postition | b | | 2 FR_03012 |
| FR Pedals (Accelerator) FR_A0300 Axle Spacer allow good position m 1 FR_03015 FR Pedals (Accelerator) FR_A0300 Potentiom R Threaded Rod Fix potentiom to frame b 1 FR_03016 FR Pedals (Brake) FR_A0400 FR Pedals (Brake) FR_A0400 Frame brake laser cut and solded m 1 FR_04001 FR Pedals (Brake) FR_A0400 Brake pedal Stick link frame and footrest m 1 FR_04002 FR Pedals (Brake) FR_A0400 Footrest laser cut and bended m 1 FR_04003 FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04004 FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04004 FR Pedals (Brake) FR_A0400 Brake fixing rail allow position adjustment m 2 FR_04005 FR Pedals (Brake) FR_A0400 Brake R Fixing Rail Wedge rear wedges m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake F Fixing Rail Wedge front wedges m 2 FR_04008 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Prake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Prake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Prake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Drake Tread maintain Brake Axle b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04011 FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04011 | FR | Pedals (Accelerator) | | FR_A0300 | Throttle R Threaded rods | to position frame | b | | 1 FR_03013 |
| FR Pedals (Accelerator) FR_A0300 Potentiom R Threaded Rod Fix potentiom to frame b 1 FR_03016 FR Pedals (Brake) FR_A0400 FR Pedals (Brake) FR_A0400 Frame brake laser cut and solded m 1 FR_04001 FR Pedals (Brake) FR_A0400 Brake pedal Stick link frame and footrest m 1 FR_04002 FR Pedals (Brake) FR_A0400 Footrest laser cut and bended m 1 FR_04003 FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04004 FR Pedals (Brake) FR_A0400 Master cylinder wedge link master cylinder and stick m 2 FR_04005 FR Pedals (Brake) FR_A0400 Brake fixing rail allow position adjustment m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake R Fixing Rail Wedge rear wedges m 2 FR_04007 FR Pedals (Brake) FR_A0400 Brake F Fixing Rail Wedge front wedges m 2 FR_04007 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 2 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Cylinder support for ball joint b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04001 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04011 FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04011 | FR | Pedals (Accelerator) | | FR_A0300 | Throttle F Threaded rods | to position frame | b | | 1 FR 03014 |
| FR Pedals (Brake) FR A0400 FR Pedals (Brake) FR A0400 Frame brake laser cut and solded m 1 FR 04001 FR Pedals (Brake) FR A0400 Brake pedal Stick link frame and footrest m 1 FR 04002 FR Pedals (Brake) FR A0400 Footrest laser cut and bended m 1 FR 04003 FR Pedals (Brake) FR A0400 Master cylinder pressurize brake liquid b FR 04004 FR Pedals (Brake) FR A0400 Master cylinder wedge link master cylinder and stick m 2 FR 04005 FR Pedals (Brake) FR A0400 Brake fixing rail allow position adjustment m 2 FR 04006 FR Pedals (Brake) FR A0400 Brake R Fixing Rail Wedge rear wedges m 2 FR 04007 FR Pedals (Brake) FR A0400 Brake F Fixing Rail Wedge front wedges m 2 FR 04008 FR Pedals (Brake) FR A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR 04009 FR Pedals (Brake) FR A0400 Distribution Axle Tread maintain Brake Axle b 2 FR 04011 FR Pedals (Brake) FR A0400 Distribution Cylinder support for ball joint b 1 FR 04011 FR Pedals (Brake) FR A0400 Distribution Ball Joint allows rotation b 1 FR 04011 FR Pedals (Brake) FR A0400 Distribution Ball Joint allows rotation b 1 FR 04011 FR Pedals (Brake) FR A0400 Distribution Ball Joint support for ball joint b 1 FR 04011 FR Pedals (Brake) FR A0400 Distribution Ball Joint support for ball joint b 1 FR 04011 FR Pedals (Brake) FR A0400 Distribution Ball Joint support for ball joint b 1 FR 04011 FR Pedals (Brake) FR A0400 Distribution Ball Joint support the BOTS m 1 FR 04011 FR Pedals (Brake) FR A0400 BOTS Support support the BOTS m 1 FR 04011 | FR | Pedals (Accelerator) | | FR_A0300 | Axle Spacer | allow good position | m | | 1 FR 03015 |
| FR Pedals (Brake) FR_A0400 Frame brake laser cut and solded m 1 FR_04001 FR Pedals (Brake) FR_A0400 Brake pedal Stick link frame and footrest m 1 FR_04002 FR Pedals (Brake) FR_A0400 Footrest laser cut and bended m 1 FR_04003 FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04004 FR Pedals (Brake) FR_A0400 Master cylinder wedge link master cylinder and stick m 2 FR_04005 FR Pedals (Brake) FR_A0400 Brake fixing rail allow position adjustment m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake Fixing Rail Wedge rear wedges m 2 FR_04007 FR Pedals (Brake) FR_A0400 Brake Fixing Rail Wedge front wedges m 2 FR_04007 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 2 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Cylinder support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 BOTS security if brakes don't work b 1 FR_04011 FR 04013 FR 04014 | FR | Pedals (Accelerator) | | FR_A0300 | Potentiom R Threaded Rod | Fix potentiom to frame | b | | 1 FR_03016 |
| FR Pedals (Brake) FR_A0400 Brake pedal Stick link frame and footrest m 1 FR_04002 FR Pedals (Brake) FR_A0400 Footrest laser cut and bended m 1 FR_04003 FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04004 FR Pedals (Brake) FR_A0400 Master cylinder wedge link master cylinder and stick m 2 FR_04005 FR Pedals (Brake) FR_A0400 Brake fixing rail allow position adjustment m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake R_Fixing Rail Wedge rear wedges m 2 FR_04007 FR Pedals (Brake) FR_A0400 Brake F Fixing Rail Wedge front wedges m 2 FR_04008 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 2 FR_04010 FR Pedals (Brake) FR_A0400 Distribution Cylinder support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 BOTS support support the BOTS m 1 FR_04013 FR Pedals (Brake) FR_A0400 BOTS security if brakes don't work b 1 FR_04014 | FR | Pedals (Brake) | FR A0400 | | | | | | |
| FR Pedals (Brake) FR_A0400 Footrest laser cut and bended m 1 FR_04003 FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04004 FR Pedals (Brake) FR_A0400 Master cylinder wedge link master cylinder and stick m 2 FR_04005 FR Pedals (Brake) FR_A0400 Brake fixing rail allow position adjustment m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake R Fixing Rail Wedge rear wedges m 2 FR_04007 FR Pedals (Brake) FR_A0400 Brake F Fixing Rail Wedge front wedges m 2 FR_04008 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 2 FR_04010 FR Pedals (Brake) FR_A0400 Distribution Cylinder support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04012 FR Pedals (Brake) FR_A0400 BOTS support support the BOTS m 1 FR_04013 FR Pedals (Brake) FR_A0400 BOTS security if brakes don't work b 1 FR_04014 | FR | Pedals (Brake) | | FR_A0400 | Frame brake | laser cut and solded | m | | 1 FR_04001 |
| FR Pedals (Brake) FR_A0400 Master cylinder pressurize brake liquid b FR_04004 FR Pedals (Brake) FR_A0400 Master cylinder wedge link master cylinder and stick m 2 FR_04005 FR Pedals (Brake) FR_A0400 Brake fixing rail allow position adjustment m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake R Fixing Rail Wedge rear wedges m 2 FR_04007 FR Pedals (Brake) FR_A0400 Brake F Fixing Rail Wedge front wedges m 2 FR_04008 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 2 FR_04010 FR Pedals (Brake) FR_A0400 Distribution Cylinder support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04012 FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04013 FR Pedals (Brake) FR_A0400 BOTS security if brakes don't work b 1 FR_04014 | FR | Pedals (Brake) | | FR_A0400 | Brake pedal Stick | link frame and footrest | m | | 1 FR_04002 |
| FR Pedals (Brake) FR_A0400 Master cylinder wedge link master cylinder and stick m 2 FR_04005 FR Pedals (Brake) FR_A0400 Brake fixing rail allow position adjustment m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake R Fixing Rail Wedge rear wedges m 2 FR_04007 FR Pedals (Brake) FR_A0400 Brake F Fixing Rail Wedge front wedges m 2 FR_04008 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 2 FR_04010 FR Pedals (Brake) FR_A0400 Distribution Cylinder support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04012 FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04013 FR Pedals (Brake) FR_A0400 BOTS security if brakes don't work b 1 FR_04014 | FR | Pedals (Brake) | | FR_A0400 | Footrest | laser cut and bended | m | | 1 FR 04003 |
| FR Pedals (Brake) FR_A0400 Brake fixing rail allow position adjustment m 2 FR_04006 FR Pedals (Brake) FR_A0400 Brake R Fixing Rail Wedge rear wedges m 2 FR_04007 FR Pedals (Brake) FR_A0400 Brake F Fixing Rail Wedge front wedges m 2 FR_04008 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 2 FR_04010 FR Pedals (Brake) FR_A0400 Distribution Cylinder support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04011 FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04013 FR Pedals (Brake) FR_A0400 BOTS security if brakes don't work b 1 FR_04014 | FR | Pedals (Brake) | | FR_A0400 | Master cylinder | pressurize brake liquid | b | | FR_04004 |
| FR Pedals (Brake) FR_A0400 Brake R Fixing Rail Wedge rear wedges m 2 FR_04007 FR Pedals (Brake) FR_A0400 Brake F Fixing Rail Wedge front wedges m 2 FR_04008 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 2 FR_04010 FR Pedals (Brake) FR_A0400 Distribution Cylinder support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04012 FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04013 FR Pedals (Brake) FR_A0400 BOTS security if brakes don't work b 1 FR_04014 | FR | Pedals (Brake) | | FR_A0400 | Master cylinder wedge | link master cylinder and stick | m | | 2 FR_04005 |
| FR Pedals (Brake) FR_A0400 Brake F Fixing Rail Wedge front wedges m 2 FR_04008 FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 2 FR_04010 FR Pedals (Brake) FR_A0400 Distribution Cylinder support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04012 FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04013 FR Pedals (Brake) FR_A0400 BOTS security if brakes don't work b 1 FR_04014 | FR | Pedals (Brake) | | FR_A0400 | Brake fixing rail | allow position adjustment | m | | 2 FR 04006 |
| FR Pedals (Brake) FR_A0400 Distribution Brake Axle link cylinder to ball joint b 1 FR_04009 FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 2 FR_04010 FR Pedals (Brake) FR_A0400 Distribution Cylinder support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04012 FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04013 FR Pedals (Brake) FR_A0400 BOTS security if brakes don't work b 1 FR_04014 | FR | Pedals (Brake) | | FR_A0400 | Brake R Fixing Rail Wedge | rear wedges | m | | 2 FR 04007 |
| FR Pedals (Brake) FR_A0400 Distribution Axle Tread maintain Brake Axle b 2 FR_04010 FR Pedals (Brake) FR_A0400 Distribution Cylinder support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04012 FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04013 FR Pedals (Brake) FR_A0400 BOTS security if brakes don't work b 1 FR_04014 | FR | Pedals (Brake) | | FR_A0400 | Brake F Fixing Rail Wedge | front wedges | m | | 2 FR 04008 |
| FR Pedals (Brake) FR_A0400 Distribution Cylinder support for ball joint b 1 FR_04011 FR Pedals (Brake) FR_A0400 Distribution Ball Joint allows rotation b 1 FR_04012 FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04013 FR Pedals (Brake) FR_A0400 BOTS security if brakes don't work b 1 FR_04014 | FR | Pedals (Brake) | | FR_A0400 | Distribution Brake Axle | link cylinder to ball joint | b | | 1 FR 04009 |
| FRPedals (Brake)FR_A0400Distribution Ball Jointallows rotationb1 FR_04012FRPedals (Brake)FR_A0400BOTS Supportsupport the BOTSm1 FR_04013FRPedals (Brake)FR_A0400BOTSsecurity if brakes don't workb1 FR_04014 | FR | Pedals (Brake) | | FR_A0400 | Distribution Axle Tread | maintain Brake Axle | b | | 2 <u>FR_04010</u> |
| FR Pedals (Brake) FR_A0400 BOTS Support support the BOTS m 1 FR_04013 FR Pedals (Brake) FR_A0400 BOTS security if brakes don't work b 1 FR_04014 | FR | Pedals (Brake) | | FR_A0400 | Distribution Cylinder | support for ball joint | b | | 1 FR 04011 |
| FR Pedals (Brake) FR_A0400 BOTS security if brakes don't work b 1 FR_04014 | FR | Pedals (Brake) | | FR_A0400 | Distribution Ball Joint | allows rotation | b | | 1 FR_04012 |
| | FR | Pedals (Brake) | | FR_A0400 | BOTS Support | support the BOTS | m | | 1 FR 04013 |
| FR Pedals (Brake) FR_A0400 Brake Pedal Hose Wedge to maintain brake hose m 1 FR_04015 | FR | Pedals (Brake) | | FR_A0400 | BOTS | security if brakes don't work | b | | 1 FR 04014 |
| | FR | Pedals (Brake) | | FR_A0400 | Brake Pedal Hose Wedge | to maintain brake hose | m | | 1 FR_04015 |


| FR | Pedals (Brake) | | FR_A0400 | Distribution Cylinder | link axle and axle thread | b | 2 <u>FR_04016</u> |
|----|-------------------|----------|----------|-----------------------|--|---|-------------------|
| FR | Pedals (Brake) | | FR_A0400 | Brake Pedale Bearing | allow soft rotation | b | 2 <u>FR 04017</u> |
| FR | Pedals (Brake) | | FR_A0400 | Brake Threated Rod | to position frame | b | 2 <u>FR_04018</u> |
| FR | Impact Attenuator | FR_A0500 | | | | | |
| FR | Impact Attenuator | | FR_A0500 | Impact Attenuator | Approved by event | b | 1 <u>FR 05001</u> |
| FR | Impact Attenuator | | FR_A0500 | Anti-intrusion Plate | Steel, (thickness 1.5mm) | m | 1 <u>FR_05002</u> |
| FR | Floor Pan | FR_A0600 | | | | | |
| FR | Floor Pan | | FR_A0600 | Front plate | Floor pan from front hoop to front car | m | 1 <u>FR 06001</u> |
| FR | Floor Pan | | FR_A0600 | Cockpit plate | Floor pan from front hoop to main hoop | m | 1 <u>FR 06002</u> |

| FR | Frame / Fram FR_A0100 | | | | | Retour |
|----|-----------------------|----------|-------|----------------|------------|--------|
| FR | Frame / Frame Tubes | FR_A0100 | Frame | 25CrMo4 ; 30 m | 1 FR_01001 | |







| FR | Bodywork | FR_A0200 | | | | | Retour |
|----|----------|----------|----------|---------------|--------------------|-------------|--------|
| FR | Bodywork | | FR_A0200 | Nose | Nose of the bob | 1 FR_02001 | |
| FR | Bodywork | | FR_A0200 | Side plates | Side plate fror b | 2 FR_02002 | |
| FR | Bodywork | | FR_A0200 | Additional pl | a Lower side plab | 2 FR_02003 | |
| FR | Bodywork | | FR_A0200 | Push-clips | Attachement b | 4 FR_02004 | |
| FR | Bodywork | | FR_A0200 | Hook and loo | or Attachement - b | 20 FR_02005 | |















| FR | Pedals (Accele FR_A0300 | | | Retour |
|----|-------------------------|----------|----------------------------------|------------|
| FR | Pedals (Accelerator) | FR_A0300 | Frame throttlelaser cut and 5 m | 1 FR_03001 |
| FR | Pedals (Accelerator) | FR_A0300 | Footrest laser cut and I m | 1 FR_03002 |
| FR | Pedals (Accelerator) | FR_A0300 | Throttle pedallink frame and m | 1 FR_03003 |
| FR | Pedals (Accelerator) | FR_A0300 | Throttle fixing allow position m | 2 FR_03004 |
| FR | Pedals (Accelerator) | FR_A0300 | Throttle rail w laser cut m | 2 FR_03005 |
| FR | Pedals (Accelerator) | FR_A0300 | Throttle Threato position rai m | 2 FR_03006 |
| FR | Pedals (Accelerator) | FR_A0300 | Throttle Front laser cut m | 2 FR_03007 |
| FR | Pedals (Accelerator) | FR_A0300 | Negative Mec to protect pot m | 1 FR_03008 |
| FR | Pedals (Accelerator) | FR_A0300 | Positive Mech to protect pot m | 1 FR_03009 |
| FR | Pedals (Accelerator) | FR_A0300 | Throttle pedal allow soft rotab | 2 FR_03010 |
| FR | Pedals (Accelerator) | FR_A0300 | Springs bring back the b | 2 FR_03011 |
| FR | Pedals (Accelerator) | FR_A0300 | Potentiomete Detects pedal b | 2 FR_03012 |
| FR | Pedals (Accelerator) | FR_A0300 | Throttle R Thr to position fra b | 1 FR_03013 |
| FR | Pedals (Accelerator) | FR_A0300 | Throttle F Thr to position frab | 1 FR_03014 |
| FR | Pedals (Accelerator) | FR_A0300 | Axle Spacer allow good pom | 1 FR_03015 |
| FR | Pedals (Accelerator) | FR_A0300 | Potentiom R 1 Fix potentiom b | 1 FR_03016 |














































| | Retou |
|---|-------|
| FR Pedals (Brake) FR_A0400 Frame brake laser cut and 9 m 1 FR_04 | 001 |
| FR Pedals (Brake) FR_A0400 Brake pedal Silink frame and m 1 FR_04 | 002 |
| FR Pedals (Brake) FR_A0400 Footrest laser cut and I m 1 FR_04 | 003 |
| FR Pedals (Brake) FR_A0400 Master cylind pressurize bra b FR_04 | 004 |
| FR Pedals (Brake) FR_A0400 Master cylind link master cy m 2 FR_04 | 005 |
| FR Pedals (Brake) FR_A0400 Brake fixing ra allow position m 2 FR_04 | 006 |
| FR Pedals (Brake) FR_A0400 Brake R Fixing rear wedges m 2 FR_04 | 007 |
| FR Pedals (Brake) FR_A0400 Brake F Fixing front wedges m 2 FR_04 | 800 |
| FR Pedals (Brake) FR_A0400 Distribution B link cylinder to 1 FR_04 | 009 |
| FR Pedals (Brake) FR_A0400 Distribution A maintain Brak b 2 FR_04 | 010 |
| FR Pedals (Brake) FR_A0400 Distribution C support for bab 1 FR_04 | 011 |
| FR Pedals (Brake) FR_A0400 Distribution B allows rotatio b 1 FR_04 | 012 |
| FR Pedals (Brake) FR_A0400 BOTS Support support the Bim 1 FR_04 | 013 |
| FR Pedals (Brake) FR_A0400 BOTS security if bralb 1 FR_04 | 014 |
| FR Pedals (Brake) FR_A0400 Brake Pedal H to maintain bi m 1 FR_04 | 015 |
| FR Pedals (Brake) FR_A0400 Distribution C link axle and a b 2 FR_04 | 016 |
| FR Pedals (Brake) FR_A0400 Brake Pedale allow soft rotab 2 FR_04 | 017 |
| FR Pedals (Brake) FR_A0400 Brake Threate to position fra b 2 FR_04 | 018 |













































| FR | Impact Atenu; FR_A0600 | | | | | Retour |
|----|------------------------|----------|---------------|------------------|------------|--------|
| FR | Impact Attenuator | FR_A0500 | Front plate | Floor pan fron m | 1 FR_05001 | |
| FR | Impact Attenuator | FR_A0500 | Cockpit plate | Floor pan fron m | 1 FR_05002 | |

