

Data preparation and contribution instructions for the indoor air quality database

First of all, thank you for your time and effort in submitting your data. Collectively, we are creating the first global pilot IAQ database that will allow for answering crucial research questions towards a better and more sustainable built environment. This document provides instructions on how to prepare metadata and IAQ data.

1. Instructions on submitting metadata

The aim of collecting metadata is to label the actual IAQ data with relevant information related to buildings, spaces, occupancy, and instruments, so the end user can filter and analyze the data according to their interest. Also, information related to your study will be optionally collected to facilitate attribution. Metadata are classified into three levels of importance.

Mandatory: metadata which is crucial for creating a structured database, without which data submission will not be accepted.

Recommended: metadata which is highly useful for end users exploring the database.

Optional: metadata which is useful but difficult to collect, or metadata purely for acknowledging data contributors.

1.1 Two approaches to provide metadata

1.1.1 Using the online data entry form

The recommended approach is to fill in metadata using the web tool:


<https://iaqdb-dev.epfl.ch/#/contribute>

The tool contains three main pages. It will always save your input locally on your browser until you clear your caches.

- 1) Study information. Here, mandatory information includes name of your study and at least one contributor with a valid email address, for the database management team to contact you in case further information is needed. You can choose whether to disclose your email to the end users.

Fill in description of your study for visibility and impacts.

The IAQ data were collected in the context of a study. In this step you will provide as much as possible information about the motivation of this study, its time frame, an information contact, the license to use the data and the research publication details for further reference.



The screenshot shows a web form with the following fields:

- Name**: A text input field containing the word "Test".
- Test**: A text input field, currently empty.
- Name of the project**: A text input field, currently empty.
- Description 1**: A large text area for detailed description, containing the number "1".

Below the form, there is a small text label: "Detailed description of the project and of its motivations." and a small icon of a pencil.


Click "Add Contributor" to add name and email address. Up to two contributors can be added per study.

Data contributors

Information about the data contributors who may be contacted for further details.

No contributors defined yet.


[+ ADD CONTRIBUTOR](#)

- 2) Buildings and spaces information.
- Please start from “Add Building”. Mandatory information includes identifier (must be unique within your study, for associating actual IAQ data), Country, City, and Building type. It is also possible to duplicate information for similar buildings by clicking the  icon.

In this step, you will describe each building and spaces where the IAQ was measured. At a minimum, for each building you will provide its approximate location and all the associated spaces/spaces where measurement devices were in operation.

No buildings defined yet.

[+ ADD BUILDING](#)

Within a building, you may add multiple spaces. Adjacent outdoor space or personalized monitoring is also considered a “space” here. However, only add them if there is an adjacent indoor space where IAQ data are available. Mandatory information includes identifier (must be unique within the building, for linking with actual IAQ data) and space type. It is also possible to duplicate information for similar spaces by clicking the  icon.

- 3) Instrument information. Please add instruments used in the study and provide information about detection/analysis method and uncertainty. All fields are optional but highly recommended as provide information about reliability of measurement for the end users.

Identifier
1

Instrument unique identifier in the study.

Manufacturer

Instrument manufacturer.

Model

Instrument model.

Equipment grade rating
Unknown

Instrument grade rating.

Placement
Unknown

Instrument placement.

Parameters

No parameters defined yet.

[+ ADD PARAMETER](#)

- 4) Afterward, please proceed to upload your actual IAQ data.

1.1.2 Using the spreadsheet template

For larger studies consisting of data from many buildings, it is also possible to fill in information in the provided excel spreadsheet and then upload it to the web tool. Information will be automatically recognized and filled in corresponding fields.

The template uses macro functions, so please choose to enable macros when opening the file.

An example is provided to illustrate the expected input format. Please **delete** the existing rows when filling in the sheets. **Please do not add or delete columns or change their names.**

Please fill in the first five sheets **in order**, ranging from Study to Instrument.
Special notes:

- 1) Under sheet Study, the form asks for whether the study investigated any indoor environmental impact on occupants (e.g., comfort and health) and any other environmental parameters. These two questions allow for multiple selection. However, for removing an answer, you will need to clear the cell and start again (the cell doesn't allow for removing an answer).

A	B	C	D	E	F	G	H	I	J	K	L	M
Name Mandatory	Description Recommended	Website Optional	Start year Recommended	End year Recommended	Duration Recommended	Occupant impact Recommended	Other indoor parameter Recommended	Citation Optional	DOI Optional	Funding information Optional	Ethics approval(s) Optional	License Mandatory
Name of the study	A paragraph describing the study design	Link to the webpage if the study has one			The duration of the study in months	What impact on occupant was measured? (multiselection)	What other environmental parameters were measured? (multiselection)	For credit	If available	For credit	From which authority the study received ethical approval.	Data use licensing (in progress, ignore for now)
Example	multifactorial issues associated with air quality	NA	2021	2023	24	NA	Thermal, Acoustic	Rey et al 2023 J. Phys.: (10.1088/1742-6596/260 HEIA-FR research program prog		NA		NA

- 2) Under sheet Contributor, up to two names can be provided. Please provide at least one email address so we can contact you in case of incomplete data. You

can indicate whether you hope to have your email address available to end users or not here.

- 3) Under sheet Building, please assign a unique identifier to each building in the study, which can be string or numeric.
- 4) Under sheet Space, please carefully check to which building each of the spaces belong. Then, please assign a unique identifier to each space within the building, which can be string or numeric. Then, please match the building type to the building identifier using the provided “VLOOKUP” function. The building type will determine the list of space types available to choose from.

Autosave Metadata_entry_form_v2 88 - Saved

Home Insert Draw Page Layout Formulas Data Review View Automate Developer Acrobat Tell me

Calibri 12

SUM

Building identifier **Building type** **Space identifier** **Space types** **Occupancy status** **Mechanical ventilation system type** **If other, specify mechanical ventilation type** **Mechanical ventilation system status** **Windows status** **Ventilation rate, m3/h** **Air change rate, /h** **Particle filtration rating** **Cooling system type** **If other, specify cooling system type** **Cooling system status** **Heating system type**

1 **Mandatory** **Matched** **Mandatory** **Mandatory** **Recommended** **Recommended** **Optional** **Recommended** **Recommended** **Optional** **Optional** **Optional** **Recommended** **Optional** **Recommended** **Recommended**

2 Building identifier from the "Building sheet" Automatically matched based on building identifier Unique identifier within the building Whether the space was occupied during the measurement The type of the mechanical ventilation system (if applicable) in the space The status of the mechanical ventilation system (if applicable) during measurement The status of the operable windows (if applicable) during measurement Average ventilation rate during measurement, if known. Average outdoor air change rate during measurement, if known. Rating of the filter in the mechanical ventilation system, if applicable and known. The type of the cooling system (if applicable) in the space The status of the cooling system (if applicable) during measurement The status of the heating system (if applicable) in the space The type of the heating system (if applicable) during measurement

3

4 01 =VLOOKUP(A4, EXT Outdoor Combined Mixing Mixed Unknown Unknown Unknown Unknown NA Unknown Unknown

5 01 School NBA Classroom Combined Mixing Mixed Unknown Unknown Unknown Unknown NA Unknown Unknown

6 01 School NBA Classroom Combined Mixing Mixed Unknown Unknown Unknown Unknown NA Unknown Unknown

7 02 School EXT Outdoor Combined NA NA Unknown Unknown Unknown Unknown NA Unknown Unknown

8 02 School NBA Classroom Combined NA NA Unknown Unknown Unknown Unknown NA Unknown Unknown

9 02 School NBA Classroom Combined NA NA Unknown Unknown Unknown Unknown NA Unknown Unknown

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

Study Contributor Building Space Instrument Drop-down list +

Accessibility: Investigate

- 5) Under sheet Instrument, please try your best to provide complete information about the sensors used for measurements.

After you upload the spreadsheet template, the web tool will capture the relevant metadata. You will be able to upload actual data after confirming the metadata is complete and correct, before proceeding to upload actual IAQ data.

2. Instructions on standardizing IAQ data

To facilitate data collection and database construction, we use the true long format to store data, including four columns of data (Timestamp, Parameter, Value, and Unit) and three columns of identifiers (Building_ID, Space_ID, and Instrument_ID, with the first two being mandatory). An example is given below.

Timestamp	Parameter	Value	Unit	Building_ID	Space_ID	Instrument_ID
18.03.2018 13:22	Ozone	35.4	ppb	1	OA	Dasibi 2
18.03.2018 13:22	Ozone	35.4	ppb	1	OA	Dasibi 2
18.03.2018 13:22	Ozone	35.4	ppb	1	OA	Dasibi 2
18.03.2018 13:22	Ozone	35.4	ppb	1	OA	Dasibi 2
18.03.2018 13:22	Ozone	35.5	ppb	1	OA	Dasibi 2
18.03.2018 13:22	Ozone	35.3	ppb	1	OA	Dasibi 2
18.03.2018 13:22	Ozone	35.4	ppb	1	OA	Dasibi 2
18.03.2018 13:22	Ozone	35.4	ppb	1	OA	Dasibi 2

Note: for time-integrated measurement such as VOC concentration from samplers, please use the end of measurement as timestamp.

We strongly suggest that you standardize your IAQ data according to the provided long format before uploading the data file, which significantly facilitates the scalability of the database. However, we will accept other data formats as long as such information is complete and easily identifiable.

Contact information

Dr. Bowen Du

Human-Oriented Built Environment Lab ([HOBEL](#))

School of Architecture, Civil and Environmental Engineering

École polytechnique fédérale de Lausanne ([EPFL](#))

bowen.du@epfl.ch