



Mock Quiz

Name

.....
.....

September 16, 2026, 13:20-13:45. Duration: 25 minutes. Write your name in the box. For each MCQ, select all correct answers; the number of correct answers may vary. Use a black or blue pen. Mark selected boxes with a clear cross or tick. To cancel a marked box, fill it completely; do not redraw boxes.

Question 1 Choose one example from the lecture where a system-level decision matters more than treating the next individual patient, and explain why.

☐ 0 ☐ 1 ☐ 2

.....

.....

.....

.....

.....

Question 2 Choose one humanitarian principle from the lecture and explain what it implies for the design or use of AI in humanitarian response.

☐ 0 ☐ 1 ☐ 2


.....

.....

.....

.....


.....



0 1 2

0 1 2

[illegible]



☐ 0 ☐ 1 ☐ 2

[illegible]

Question 6 ♣ The Excel gene-name examples were used to illustrate which engineering failure modes?

- ☐ A default behavior can corrupt identifiers before analysis begins.
- ☐ Visualization mistakes are always more dangerous than ingestion errors.
- ☐ A spreadsheet is always invalid for scientific work.
- ☐ Errors can propagate through published workflows when they are not detected.
- ☐ A convenient tool can silently transform data.

Question 7 ♣ Which statements correctly describe SBAR as presented in the lecture?

- ☐ Background gives relevant context.
- ☐ Recommendation or Request states what is needed and how urgently.
- ☐ Situation states what is happening now.
- ☐ Assessment states what the clinician thinks is going on.
- ☐ SBAR is mainly a format for documenting care after the emergency is over.

Question 8 ♣ Why do we discourage very large pull requests with hundreds or thousands of changed lines?

- ☐ They are preferred when AI coding agents are used.
- ☐ They make it harder to isolate which decision caused a later problem.
- ☐ They guarantee that code has not been tested.
- ☐ They can make meaningful review practically impossible.
- ☐ They may mix logic changes with trivial formatting or agent-generated churn.



Question 9 ♣ Which statements reflect the lecture's argument about checklists in high-pressure care?

- ☐ Their main purpose is to document compliance after the fact.
- ☐ They protect against basic omissions that experts can still make under pressure.
- ☐ They can make concerns speakable across hierarchy.
- ☐ They create pause points where the team can synchronize.
- ☐ The best checklist tries to include every possible task.

Question 10 ♣ Which statements best match the humanitarian principle of impartiality?

- ☐ Aid should prioritize politically allied groups.
- ☐ Assistance should depend on whether people are easy to include in a dataset.
- ☐ Humanitarian actors should support military targeting when it improves efficiency.
- ☐ Aid should be guided by need.
- ☐ The most urgent cases of distress should receive priority.

Question 11 ♣ Which practices match the lecture's principle of data minimization in humanitarian action?

- ☐ Use the coarsest resolution that still serves the purpose.
- ☐ Retain data only as long as needed.
- ☐ Collect only what the stated purpose requires.
- ☐ Keep records indefinitely because future value is always higher than privacy risk.
- ☐ Collect extra variables in case they become useful later.

Question 12 ♣ In the START discussion, what does the "expectant" triage category mean?

- ☐ The patient is expected to recover without intervention.
- ☐ The patient is unlikely to survive given the available time and resources.
- ☐ The patient must always be transported first because the case is severe.
- ☐ The category depends on scarcity and may change if resources change.
- ☐ The category removes the need for ethical judgment.

Question 13 ♣ Which assessments are explicitly included in the ABCDEG framework shown in the lecture?

- ☐ Airway
- ☐ Disability and neurological status
- ☐ Exposure or environment, with attention to temperature and dignity
- ☐ Circulation
- ☐ Breathing

Question 14 ♣ In the visual storytelling segment, why was a scatterplot shown after a fitted line and a very small p-value?

- ☐ Complex tools should always be preferred to simple plots.
- ☐ A simple plot can reveal subgroup patterns that a single fitted line obscures.
- ☐ The question being asked should guide how the data are visualized.
- ☐ Summary statistics can hide important structure in the raw data.
- ☐ A very small p-value is sufficient to understand the relationship without looking at the data.