

Turnover package

TOV-REVIEW-001 - version 3

Preservation status: Searchable PDF generated for controlled review. PDF/A conformance is not claimed.

PROJECT REVIEW-001 - Synthetic Acceptance Project	COMPLETION BOUNDARY SYS-REVIEW - Synthetic Process System
RECIPIENT SCOPE controlled-local-review	GENERATED UTC 2026-07-21T18:30:00.000Z
GENERATED BY local-acceptance-fixture	CONTROLLED SOURCES 72
RENDERER eiep-turnover-playwright/1	TEMPLATE/CONFIGURATION eiep-turnover-template/1 eiep-turnover-config/1

Source manifest SHA-256
a5727fb6617f065ed741844cbc7c8b503fc10bfd3b4d1e66e4d705c5ce5bd71b

Version delta

Added (72) - document_revision:document-revision-0005 - document_revision:document-revision-0010 - document_revision:document-revision-0015 - document_revision:document-revision-0020 - document_revision:document-revision-0025 - document_revision:document-revision-0030 - document_revision:document-revision-0035 - document_revision:document-revision-0040 Plus 64 additional entries in the companion JSON manifest.	Removed (0) None	Changed (0) None
---	--	--

Delta keys use source type and stable source ID. A changed item has the same key and a different canonical SHA-256 digest.

Controlled source manifest

#	Type	Source / version	State	Inclusion reason	Bytes	Canonical SHA-256
1	material	material-0001 version 1	released	accepted material fixture	170	d49c2478fd013a9d383f894e96dfd8dfb03a46c96845699747c55656945c75aa
2	pmi	pmi-0002 version 2	accepted	accepted pmi fixture	165	e797b71b9ed062af5916d22a60e954c2da10452e20f882e40cdda17efd69898c
3	ncr	ncr-0003 version 3	closed	accepted ncr fixture	163	a7b4b4ff2427da90201bd36f9e11843a0c89b8a650d94c47788cef03deb61022
4	punch	punch-0004 version 1	closed	accepted punch fixture	165	156ce1f15a2a8d828abd457e88ee867419418d085b5dd35bba318366342254cf
5	document revision	document-revision-0005 version 2	released	accepted document revision fixture	179	4f17902b4fa21cfd26c39b631fc671a10dd4ff5524852e891a7ded88ea7bd986
6	material	material-0006 version 3	released	accepted material fixture	170	a9f4c84e028051983282309cd68b8e43be87951b48db5a5f8c1ef185436f7cd4
7	pmi	pmi-0007 version 1	accepted	accepted pmi fixture	165	9c41800bb18d9c38be2dfc423d4f9196f124a1be507bf34e47506efa35e3c239
8	ncr	ncr-0008 version 2	closed	accepted ncr fixture	163	44af57a5ed4a2c4124fe1645f0dc0c6c968c3947235f7086173eebaf47fd589a
9	punch	punch-0009 version 3	closed	accepted punch fixture	165	b61fffa822c087bc97f3ed0fd7e98f4e7e4eb55b1a08204cdd3fc61f982a5af0
10	document revision	document-revision-0010 version 1	released	accepted document revision fixture	179	472d7c39a19c178ce50bf1f381da86f7553183379c081b0a4cb53331067cedf8
11	material	material-0011 version 2	released	accepted material fixture	170	a5c2a5eda7c6934fe89fd5abd5f8dc2afe171794f7fd3a0a63894dcd05ecf06a
12	pmi	pmi-0012 version 3	accepted	accepted pmi fixture	165	0a3eb9cbb8d82c6a31d00b116f0cf3165e8040aa8aef96d3481ce9c7739e1d4
13	ncr	ncr-0013 version 1	closed	accepted ncr fixture	163	2ac3f40cee2fb58f079d00bcd0794fb2c6a7745edb219fbacc350624743c8a24
14	punch	punch-0014 version 2	closed	accepted punch fixture	165	fa173cfc8a298a04e792f04c3ec99c76b8201a4c832c67e8eeb659f7d5fb62a5
15	document revision	document-revision-0015 version 3	released	accepted document revision fixture	179	d37d957beb1f52b83ad1a85e14bc8814b69aa96bd3c59cb7bcb7d72df389e3cc

Controlled source manifest - continued

#	Type	Source / version	State	Inclusion reason	Bytes	Canonical SHA-256
16	material	material-0016 version 1	released	accepted material fixture	170	122b5cef09de6c7b90bede8d167c47 46c9fd34e6f672e0c55e640daa3c13 5a73
17	pmi	pmi-0017 version 2	accepted	accepted pmi fixture	165	8cfa08ac6c8223818028efc12451ca e907cd7bbf8e521c1b846c2aeeb24d c6a6
18	ncr	ncr-0018 version 3	closed	accepted ncr fixture	163	d59e326685835c7cde737204879eee 0817ccb90e8053cc969437b0301f2d 7f09
19	punch	punch-0019 version 1	closed	accepted punch fixture	165	5d155b6542115f7a2d4ad6c3a06581 784b439663dfeb085ced6399d93b35 aad0
20	document revision	document-revision-0020 version 2	released	accepted document revision fixture	179	1da622a9c1ce6e2eceb0cac5fa4ddb c3f6ab38c14992d76fb4bb4d72d35a b179
21	material	material-0021 version 3	released	accepted material fixture	170	279d6d4b2f9cdbacbc7af26b7ed9a9 c414594204a2ca463ba19f474e8ea9 c1b3
22	pmi	pmi-0022 version 1	accepted	accepted pmi fixture	165	a0d689baf3f97bb35e4d3d14797b51 0cb8f74d3b40bb610236f95345cee0 087c
23	ncr	ncr-0023 version 2	closed	accepted ncr fixture	163	88022523345bdf5c131296132a6334 b647f63ec6e915e3f56a265bd89a5a cae8
24	punch	punch-0024 version 3	closed	accepted punch fixture	165	b2d9a7ad95387eec5a3f83f67f4d2f 8cbf947d1cabed55c4fe1ef60bf633 d4af
25	document revision	document-revision-0025 version 1	released	accepted document revision fixture	179	72310208e20b3d8221cb01397e0d44 a25aa730c2448bba13722da3d3aff 6ff4
26	material	material-0026 version 2	released	accepted material fixture	170	58a80c141f1fab39abd8f554f9a02b 30df6b441bc45ba9e721cd73901e49 b8ad
27	pmi	pmi-0027 version 3	accepted	accepted pmi fixture	165	36eef4391e8af52015832f1ecdbc4f 55179e79003548d064b0a6c04c14ef 9c49
28	ncr	ncr-0028 version 1	closed	accepted ncr fixture	163	9cb8b8dc7b988e627c92297afd2905 c5bf4040aa26f08f25c0a698214773 6709
29	punch	punch-0029 version 2	closed	accepted punch fixture	165	a18e653f900761c4fb2621ee746fe6 2afaa1b9f049b33fcc16fb8149502f ae34
30	document revision	document-revision-0030 version 3	released	accepted document revision fixture	179	f4a1cc49eb4d6c3941f72557e6c5dc d16135d0134479605e616e2f2e34f1 d3ad

Controlled source manifest - continued

#	Type	Source / version	State	Inclusion reason	Bytes	Canonical SHA-256
31	material	material-0031 version 1	released	accepted material fixture	170	a9c3615bcada10b418de90bbab6a59 c27863f2893b6fcb9f99356b75ea95 1d8d
32	pmi	pmi-0032 version 2	accepted	accepted pmi fixture	165	fd213b712a87a12abf7d2aaadeef8 aae5f20477037100d7a5fc86582232 f21e
33	ncr	ncr-0033 version 3	closed	accepted ncr fixture	163	514a4488e617a6937eaf52eb2d96d9 e5b9337fa0879f836879796344c76e 6cdd
34	punch	punch-0034 version 1	closed	accepted punch fixture	165	06a81539637eea3378c1e3db8d15f1 f6c463cf9c87f4c6a9af44ed940681 bbb6
35	document revision	document-revision-0035 version 2	released	accepted document revision fixture	179	58b2cdb9e6bcc3643869cb77b181d1 d17eb53a2ea96a35abe5f7e33174ac 5222
36	material	material-0036 version 3	released	accepted material fixture	170	bff521abc75abf214753c90d31c51c bcfa13ad160e1c240650d42e333df4 5951
37	pmi	pmi-0037 version 1	accepted	accepted pmi fixture	165	2a572e9365cdf4696409908e7bf4fc 9368254bbd55c99b66619b25d611ea 32b4
38	ncr	ncr-0038 version 2	closed	accepted ncr fixture	163	d4f2e91e2d4bace3b76c5a7dc82d5f 8067a8d3028adfc9d018f29a6587cf 0309
39	punch	punch-0039 version 3	closed	accepted punch fixture	165	4a797edee215b05567da0932f8943f 4c635bd0e91b0ad310fdde11ba5e49 d82d
40	document revision	document-revision-0040 version 1	released	accepted document revision fixture	179	224198f28dc1892e247204bb4cc3cd d738f161483a17c0c5dd3ec2eb1f62 dcce
41	material	material-0041 version 2	released	accepted material fixture	170	5ec10afc316cf919a1370900eaea88 6282ae98940efc07fd5c8275ba2df3 1c5e
42	pmi	pmi-0042 version 3	accepted	accepted pmi fixture	165	b218eb0713de51113f6f0b270f8b6c 150ec4b643f191f045179726cc9c85 109a
43	ncr	ncr-0043 version 1	closed	accepted ncr fixture	163	c5ff24be5532d6b84c5d62d2710a53 a4c08424302989d68ce2809b0e07bc 4697
44	punch	punch-0044 version 2	closed	accepted punch fixture	165	40a4a863229a1298be17697beb7f49 4833f4e50c3733ebe279d2e9d6cc00 6bb1
45	document revision	document-revision-0045 version 3	released	accepted document revision fixture	179	e0767306c2d032203314ba123c436b b94a1293c363a857aa2dafb9ed343b 1573

Controlled source manifest - continued

#	Type	Source / version	State	Inclusion reason	Bytes	Canonical SHA-256
46	material	material-0046 version 1	released	accepted material fixture	170	07cf21e782d22b65b5ff64f3f31c34 7d3009e1e4f113272bf8d70db5e47d f7a5
47	pmi	pmi-0047 version 2	accepted	accepted pmi fixture	165	76413b6786d1f4717a2242501698d5 41f29a1897de78325381d8b7882399 8899
48	ncr	ncr-0048 version 3	closed	accepted ncr fixture	163	f93ad5c6759be579e95eac3de91827 c90c0ae04e6eb832bcd139c1757719 f19a
49	punch	punch-0049 version 1	closed	accepted punch fixture	165	4894c0ffa56224ef6364721a6e42be b56be9753b258ef5874860699428f7 8ce5
50	document revision	document-revision-0050 version 2	released	accepted document revision fixture	179	54bbab0b78bacf500d56706d58eb0d 22e65edd587f83aab9f7e153d24022 28ff
51	material	material-0051 version 3	released	accepted material fixture	170	9373a39ba47cce5502c74521a79afb f6699cef5aa0d6c1878d6daadf25ec d7ad
52	pmi	pmi-0052 version 1	accepted	accepted pmi fixture	165	73a6b4883b8505e602d09aa2d5152c db75390336e2b28bd02e2d818445f1 62a6
53	ncr	ncr-0053 version 2	closed	accepted ncr fixture	163	1e0a2943cdbf5d8ece26e4f91be19a f7749e1d29b686a4906bd5c0de7ebb b146
54	punch	punch-0054 version 3	closed	accepted punch fixture	165	7834ab34b58b4d062f0c1922768979 567b025b2a88a4175c6d0824cc484a 0606
55	document revision	document-revision-0055 version 1	released	accepted document revision fixture	179	c9acadaf7de8156e5151b298992f7d 57fe49c45488dd47c54d1c8f169754 e154
56	material	material-0056 version 2	released	accepted material fixture	170	6294d5454eae93da6d47051b29c04 2fa0260c2cb7e78f6549333491611a 1965
57	pmi	pmi-0057 version 3	accepted	accepted pmi fixture	165	973d6dcfe1ec413b338ff40a8d6b30 2c4a4488813a0111cb8ba0674d2512 ff92
58	ncr	ncr-0058 version 1	closed	accepted ncr fixture	163	544a2f9903121cf9f24bec9bde191d 1ace6b3f85b9f2b1c97384f62d5914 6347
59	punch	punch-0059 version 2	closed	accepted punch fixture	165	57eb1db9b148bac919c95890a12fc9 b1b54648d0f6bf63455f9d1d63051d e4cc
60	document revision	document-revision-0060 version 3	released	accepted document revision fixture	179	e13e931d3477199530fa2c1a883d9f 77155295d8cec0ca3a5b49119cd53a 7e34

Controlled source manifest - continued

#	Type	Source / version	State	Inclusion reason	Bytes	Canonical SHA-256
61	material	material-0061 version 1	released	accepted material fixture	170	678103c2fca4f272d17baa42fe1c75 b73872f34ac5d49c58dbd73d620124 12ec
62	pmi	pmi-0062 version 2	accepted	accepted pmi fixture	165	73fd2cd084a20e29c80dc53f53143e 1baff87551b50b4455148d021fe1ba 9049
63	ncr	ncr-0063 version 3	closed	accepted ncr fixture	163	8bb4803ebc4b7bd92239da784ef14c ea2e8ce67c9b23dd56711b8504c617 d7f2
64	punch	punch-0064 version 1	closed	accepted punch fixture	165	5a48c7b282c2bc343a51ac6a4c61c6 e1a07fc69bce24c6bb2c67c80b953e 6068
65	document revision	document-revision-0065 version 2	released	accepted document revision fixture	179	a004fddd6c6088183edadc7f772212 df27cb2e285ffe9e0336dde13d1acd 3abc
66	material	material-0066 version 3	released	accepted material fixture	170	cc7cc5dc0d4c58cabb31a1f5c5f981 97c081199c8191b759011dddae9cd5 8062
67	pmi	pmi-0067 version 1	accepted	accepted pmi fixture	165	34bf2e3f43fc4ae7c799e2e514fd9e 401b32f523ef628f700678d77ce1f9 e8cc
68	ncr	ncr-0068 version 2	closed	accepted ncr fixture	163	d3d5b454ab2135eea56a847e37cbf0 08487eed5cc73f465c4bb66282fc9 8af5
69	punch	punch-0069 version 3	closed	accepted punch fixture	165	44e4addfd9f07ce56d91bb6bf4f015 b5216025cb5c3e7fbbdb816e5d9754 703f
70	document revision	document-revision-0070 version 1	released	accepted document revision fixture	179	f27b06ec504212201b384dfb5cedcf e31805fa4e31d936eda77ff492e411 e3aa
71	material	material-0071 version 2	released	accepted material fixture	170	53b4a5a44288573b6d38e96303d359 c74d4f5392a21c3a9bbf718180977a 3025
72	pmi	pmi-0072 version 3	accepted	accepted pmi fixture	165	4f68677e0cf4a1549d8ac7bd9bd173 2f45abd8df82aef818b7a767b9bf7 1102

Exact canonical JSON snapshots are retained in the companion JSON artifact. The CSV artifact provides a tabular interchange view.