



REST сервис

Для работы был выбран публичный веб-сервис Swagger Petstore:

url: <https://petstore.swagger.io/v2>

- На его основе были реализованы get, put, post, delete запросы.
- Реализован TestCase с автоматическим добавлением питомца, изменением данных об этом питомце и просмотр данных о питомце.
- Добавлена проверка на код статуса и проверка имени в получении данных о питомце. Также id transfer передаёт значение id питомца в переменную самого test case благодаря чему удаётся данный id поставить в Post и Get шаги теста.





TestCase Properties

Custom Properties



Name	Value
petid	9223372036854775494

Put Pet

Endpoint: <https://petstore.swagger.io/v2>

Resource/Method: **PUT** pet -> Put Pet [/pet]

Request: Media Type: **application/json** ☐ Post QueryS

Raw

```
{
  "id": 0,
  "category": {
    "id": 0,
    "name": "cats"
  },
  "name": "cat",
  "photoUrls": [
    "string"
  ],
  "tags": [
    {
      "id": 0,
      "name": "string"
    }
  ],
  "status": "available"
}
```

Raw JSON XML

```
1 {
2   "id": 9223372036854775494,
3   "category": {
4     "id": 0,
5     "name": "cats"
6   },
7   "name": "cat",
8   "photoUrls": ["string"],
9   "tags": [ {
10     "id": 0,
11     "name": "string"
12   } ],
13   "status": "available"
14 }
```

A... Head... Attach... Represent... JMS H... JMS Prop...

Headers (9) Attachments (0) SSL Info Representations (2) Schema JMS (0)

Valid HTTP Status Codes - VALID

Assertions (1) Request Log (0)

id Transfer

Source: **Put Pet** Property: **Response** Path language: **JSONPath**

id

Target: **test case** Property: **petid** Path language: **XPath**

☒ Fail transfer on error ☒ Set null on missing source

☒ Transfer text content ☐ Ignore empty/missing values

☐ Transfer to all ☐ Transfer Child Nodes

☐ Entitize transferred value(s)

Transfer Log (0)

Post Pet

Endpoint

https://petstore.swagger.io/v2

Resource/Method:

pet -> Post Pet

[/pet/9223372036854775494]

Request

Name	Value	Style	Level
id	#{Testcase#petid}	TEMPLATE	RESOURCE
name	newcat	QUERY	METHOD

Media Type

application/x-www-form-urlencoded

☒ Post QueryString

Raw

JSON

XML

HTML

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "9223372036854775494"
5 }
```

Au...

Headers ...

Attachments ...

Representations ...

JMS Head...

JMS Properties ...

Headers (9) Attachments (0) SSL Info Representations (1) Schema JMS (0)

+

⚙

✕

⬆

⬇

Online Help

Valid HTTP Status Codes - VALID

Get Pet

Endpoint

https://petstore.swagger.io/v2

Resource/Method:

pet -> Get Pet

[/pet/9223372036854775494]

Request

Name	Value	Style	Level
id	#{Testcase#peti...	TEMPLATE	RESOURCE

Raw

JSON

XML

HTML

```
1 {
2   "id": 9223372036854775494,
3   "category": {
4     "id": 0,
5     "name": "string"
6   },
7   "name": "newcat",
8   "photoUrls": ["string"],
9   "tags": [ {
10    "id": 0,
11    "name": "string"
12  } ],
13   "status": "available"
14 }
```

A...

Headers...

Attachment...

Representatio...

JMS Hea...

JMS Propertie...

Headers (9) Attachments (0) SSL Info Representations (3) Schema JMS (0)

+

⚙

✕

⬆

⬇

Online Help

Valid HTTP Status Codes - VALID
JsonPath Match - VALID