

## Testing Objectives

1. Identify any issues that currently exist on the dashboard and categorize them in two segments:
  - a. UI/UX issue: any issues related to design, format, structure of the dashboard, dataset, or charts;
  - b. Logic issue: any issues related to the data itself, including suspicious discrepancy between different datasets, missing datasets, etc.
2. Modify or resolve each issue accordingly to improve user experience; prioritize on repetitive issues which occur multiple times across the dashboard.

## Testing Procedure

1. The following testing procedure, including all descriptions and screenshots, is based on the QA testing process of EQ's retail dashboard on Looker. First of all, sign in with credentials to obtain access to the retail dashboard.



Log In


Email

Password

LOG IN

☐ Stay logged in. This is a trusted computer.  
You will be logged out automatically after a short while unless you indicate that this is a trusted computer.

[Forgot your password?](#)



2. Based on the contents of the dashboard, create a QA testing template on Google Sheets. For the retail dashboard, since there are five sections to be tested, create a tab on Google Sheet for each of the six testing sections, and create an additional tab named “General Observations”. Thus, the tabs opened on the template include:

- a. General Observations
- b. General Overview
- c. Comparison Drill Down
- d. Customer Drill Down
- e. Trade Area Analysis
- f. Trend Analysis


The “General Observations” tab will record all repetitive issues that exist across the entire dashboard (i.e. an issue that exists in both General Overview and Trend Analysis); for any one-time-occurring issues observed on any particular section, record them in their allocated tabs.

Please view the testing template for reference:

<https://docs.google.com/spreadsheets/d/1uXgnvLw210BrfCBZ918rtqaSkWcrWIXUN8UGFUWZIBI/edit?usp=sharing>

3. Assign testing filters to be used for each section; when selecting filters, keep in mind that:
  - a. Prioritize on popular filters that generate sufficient data - if a filter generates very little data, less data available, less value the data can be used as reference;
  - b. Assign different filters for each of the five testing sections - more filters tested, more issues emerged potentially.

For example, in the retail dashboard, categories that generate lots of data include: QSR, Automotive, Dine In, Default / Uncategorized, Travel, All Gender Apparel, etc; merchants that generate lots of data include: Airbnb, Walmart, Loblaw's, Indigo, Honda, Tim Hortons, etc. These categories or merchants are assigned as the testing filters for different sections. Additionally, select a different date range for each of the categories or merchants to make testing results more complex and diverse. Other than date range, category, and merchant, all other filters are set to "any value".



4. After selecting the filters, set up the structure of the testing template. For example, for the retail dashboard, the sub-headings for each testing section include:

- Filter Used
- Date Range
- Chart Category
- Chart Type
- Data Visualized
- Observations
- Testing Date

	A	B	C	D	E	F	G
1	Filter Used	Date Range	Chart Category	Chart Type	Data Visualized	Observations	Testing Date
2	Default / Uncategorized	is in the last 1 month	Demographics	Gender	<input checked="" type="checkbox"/>		08-09-2022
3	Default / Uncategorized	is in the last 1 month	Demographics	Age	<input checked="" type="checkbox"/>	Color scheme issue for 18-24	
4	Default / Uncategorized	is in the last 1 month	Demographics	Income	<input type="checkbox"/>	No data shown	
5	Default / Uncategorized	is in the last 1 month	Transaction Summary	Average Transactions	<input checked="" type="checkbox"/>		
6	Default / Uncategorized	is in the last 1 month	Transaction Summary	Frequency	<input checked="" type="checkbox"/>	Bar length of frequency % is too short	
7	Default / Uncategorized	is in the last 1 month	Transaction Summary	Debit vs Credit	<input checked="" type="checkbox"/>		
8	Default / Uncategorized	is in the last 1 month	Transaction Summary	Average Dollar Spend	<input checked="" type="checkbox"/>		
9	Default / Uncategorized	is in the last 1 month	Transaction Summary	Average Transaction Size	<input checked="" type="checkbox"/>		
10	Default / Uncategorized	is in the last 1 month	Transaction Summary	E-Commerce vs In-Store	<input type="checkbox"/>	No data shown	
11	Default / Uncategorized	is in the last 1 month	Transaction Summary	Transaction & Spend Trends (Aggregate)	<input checked="" type="checkbox"/>	Missing data for Aug 4,5,6	
12	Default / Uncategorized	is in the last 1 month	Transaction Summary	Transaction & Spend Trends (Per Customer)	<input checked="" type="checkbox"/>	Missing data for Aug 4,5,6	
13	Default / Uncategorized	is in the last 1 month	Transaction Summary	Transaction & Spend Trends (Aggregate) - Day of Week	<input checked="" type="checkbox"/>	Missing data for Thursday, Friday, Saturday	
14	Default / Uncategorized	is in the last 1 month	Transaction Summary	Transaction & Spend Trends (Per Customer) - Day of Week	<input checked="" type="checkbox"/>	Missing data for Thursday, Friday, Saturday	
15	Default / Uncategorized	is in the last 1 month	Cross Category Spend Insights	All Types	<input checked="" type="checkbox"/>	Investment - index of average spend, index of average transaction size; color scheme and display of charts can potentially be modified	
16	Default / Uncategorized	is in the last 1 month	Cross Merchant Spend Insights	All Types	<input checked="" type="checkbox"/>	Missing index of average spend and index of average transaction size for lots of merchants, color scheme and display of charts can potentially be modified	

Then, set up the structure of the “General Observations” tab. For example, for the retail dashboard, the sub-headings include:

- Affected Pages (affected testing sections)
- Filter Used
- Widget (chart or dataset the issue takes place)
- Observation

	A
1	<b>Recurring / Repetitive Issues Across the Retail Dashboard:</b>
2	
3	
4	Affected Pages = All
5	Filter = Category
6	Widget = N/A
7	Observation = should 'Pizza' be it's own category or under QSR?
8	
9	Affected Pages: General Overview
10	Filter: N/A
11	Widget: Cross Merchant Spend Insights -> Index of Average Spend
12	Observation: the numerical values are all set around "1.00"
13	
14	Affected Pages = General Overview
15	Filter = N/A
16	Widget = Cross Merchant Spend Insights -> Index of Average Transaction Size
17	Observation = the numerical values are all set around "1.00"

In this scenario, input the pre-assigned filters and date range; input chart category and chart type (preferably in the same order as how the dashboard displays the charts); input checkboxes under “Data Visualized”; leave “Observation” empty for now; enter the testing date.

5. Start the testing. Fill out the testing template:
  - a. If the dataset is visualized, check the box under “Data Visualized”, otherwise, keep it unchecked;
  - b. If an issue exists within a specific chart or dataset, write down a description of the issue under “Observations”, if no issue identified, leave it blank;
  - c. If an issue occurs repetitively, record this issue in the “General Observations” tab.
6. Compline all observations into a summary document, make sure to:
  - a. Categorize every issue into an issue type;
  - b. Attach at least one screenshot for each issue.

Please view the testing observation summary for reference:

[https://docs.google.com/spreadsheets/d/1c3LTv-V\\_6k4-t3wMYAloKBrhVhT9VgzxHvpodSfHlHo/edit?usp=sharing](https://docs.google.com/spreadsheets/d/1c3LTv-V_6k4-t3wMYAloKBrhVhT9VgzxHvpodSfHlHo/edit?usp=sharing)