

The logo for Seaborn, a Python data visualization library. It features a large, stylized letter 's' with a vertical color gradient from purple at the top to blue at the bottom. The word 'seaborn' is written in a white, lowercase, sans-serif font, centered horizontally and partially overlaid by the 's' and a circular graphic.

seaborn



colab.research.google.com/drive/1q2RZhihG-HxUbcdMN4phr6q4oWNO2ICz

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini

Commands + Code + Text Run all

Connect

!pip install seaborn

What can I help you build?

Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1q2RZhihG-HxUbcdMN4phr6q4oWNO2ICz#scrollTo=e98JuPAsqjZS

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini

Commands + Code + Text Run all

Connecting

```
import seaborn as sns
import pandas as pd
import numpy as np
```

Start coding or generate with AI.

COMBO: 39

What can I help you build?

Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1q2RZhihG-HxUbcdMN4phr6q4oWNO2ICz#scrollTo=e98JuPAsqjZS

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini

Commands + Code + Text Run all

RAM
Disk

```
sns.get_dataset_names()

['anagrams',
 'anscombe',
 'attention',
 'brain_networks',
 'car_crashes',
 'diamonds',
 'dats',
 'dowjones',
 'exercise',
 'flights',
 'fmri',
 'geyser',
 'glue',
 'healthexp',
 'iris',
 'mpg',
 'penguins',
 'planets',
 'seance',
 'taxi']
```

What can I help you build?

Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1q2RZhihG-HxUbcdMN4phr6q4oWNO2ICz#scrollTo=-ldc2YbHq2Bd

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini G

Commands + Code + Text Run all

RAM
Disk

'iris',
'mpg',
'penguins',
'planets',
'seance',
'taxi',
'tips',
'titanic']

```
penguins = sns.load_dataset('penguins')  
penguins.head()
```



start coding or generate with AI.

What can I help you build?

Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



```
penguins = sns.load_dataset('penguins')
penguins.head()
```

	species	island	bill_length_mm	bill_depth_mm	flipper_length_mm	body_mass_g	sex
0	Adelie	Torgersen	39.1	18.7	181.0	3750.0	Male
1	Adelie	Torgersen	39.5	17.4	186.0	3800.0	Female
2	Adelie	Torgersen	40.3	18.0	195.0	3250.0	Female
3	Adelie	Torgersen	NaN	NaN	NaN	NaN	NaN
4	Adelie	Torgersen	36.7	19.3	193.0	3450.0	Female

Next steps: [Generate code with penguins](#) [View recommended plots](#) [New interactive sheet](#)

[] Start coding or [generate](#) with AI.

What can I help you build?



colab.research.google.com/drive/1q2RZhihG-HxUbcdMN4phr6q4oWNO2ICz#scrollTo=Ebe6KgFkrHb7

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini

Commands + Code + Text Run all

RAM
Disk

penguins["species"].value_counts()

	count
species	
Adelie	152
Gentoo	124
Chinstrap	68

dtype: int64

Start coding or generate with AI.


What can I help you build?


Variables Terminal




Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com









```
sns.scatterplot(data = penguins, x = "flipper_length_mm", y = "body_mass_g")
```



colab.research.google.com/drive/1q2RZhihG-HxUbcdMN4phr6q4oWNO2ICz#scrollTo=r45ndLETsraL


greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini

Commands + Code + Text Run all

RAM
Disk



What can I help you build?

Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6lE_L5#scrollTo=Tea3FWP6H78e

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in...

All Bookmarks



Seaborn.ipynb

File Edit View Insert Runtime Tools Help

Commands

+ Code

+ Text

Run all



0s



The ways of styling themes are as follows:

white

dark

whitegrid

darkgrid

ticks



set_context() allows us to override default parameters. This affects things like the labels, li

poster

Paper - Ideal for printing in academic papers.

Notebook - Good for working inside Jupyter notebooks (default setting).

Talk - Good for presentation slides where readability matters.



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6lE_L5#scrollTo=Tea3FWP6H78e

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in...

All Bookmarks



Seaborn.ipynb

File Edit View Insert Runtime Tools Help



Commands + Code + Text Run all



0s



The ways of styling themes are as follows:

white

dark

whitegrid

darkgrid

ticks

set_context() allows us to override default parameters. This affects things like the labels, li

poster

Paper - Ideal for printing in academic papers.

Notebook - Good for working inside Jupyter notebooks (default setting).

Talk - Good for presentation slides where readability matters.



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1VjVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=tvSaMumrGrg9

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in...

All Bookmarks



Seaborn.ipynb

File Edit View Insert Runtime Tools Help

Commands

+ Code

+ Text

Run all



0s



```
# poster
# Paper - Ideal for printing in academic papers.
# Notebook - Good for working inside Jupyter notebooks (default setting).
# Talk - Good for presentation slides where readability matters.
```




0s



```
sns.set_style("ticks")
sns.scatterplot(data=penguins, x="flipper_length_mm", y="body_mass_g", hue = "island")
```



```
<Axes: xlabel='flipper_length_mm', ylabel='body_mass_g'>
```



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=Tea3FWP6H78e


greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in...

All Bookmarks

```
# set_context() allows us to override default parameters. This affects things like the size of the labels, li
# poster
# Paper - Ideal for printing in academic papers.
# Notebook - Good for working inside Jupyter notebooks (default setting).
# Talk - Good for presentation slides where readability matters.
```

```
sns.set_style("dark")
sns.scatterplot(data=penguins, x="flipper_length_mm", y="body_mass_g", hue = "island")
```

```
<Axes: xlabel='flipper_length_mm', ylabel='body_mass_g'>
```



Variables Terminal




Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com





```
sns.set_style("darkgrid")  
sns.scatterplot(data=penguins, x="flipper_length_mm", y="body_mass_g", hue = "island")  
sns.despine()
```



{ } Variables > Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=JFfw_vrSHsje

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in...

All Bookmarks



Seaborn.ipynb

File Edit View Insert Runtime Tools Help



Commands

+ Code + Text


Run all



0s



```
sns.set_style("ticks")
sns.scatterplot(data=penguins, x="flipper_length_mm", y="body_mass_g", hue = "island")
sns.despine()
```



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



miro.com/app/board/uXjVlsqguTU=/

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in...

All Bookmarks

miro



Seaborn

Table



Context	Description	
"paper"	Smallest elements- Ideal for printing in academic papers.	
"notebook"	Medium size - Good for working inside Jupyter notebooks (default setting).	
"talk"	Larger text and lines - Good for presentation slides where readability matters.	
"poster"	Very large elements- Suitable for large displays or posters.	

Palette



Connection restored



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



miro



Seaborn



Upgrade



Present

Share



Reconnecting

Context	Description
"paper"	Smallest elements- Ideal for printing in academic papers.
"notebook"	Medium size - Good for working inside Jupyter notebooks (default setting).
"talk"	Larger text and lines - Good for presentation slides where readability matters.
"poster"	Very large elements- Suitable for large displays or posters.

Connection restored



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6IE_L5#scrollTo=Tea3FWP6H78e


greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work ... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

RAM
Disk

```
sns.set_style("ticks")  
sns.set_context("poster")  
sns.scatterplot(data=penguins, x="flipper_length_mm", y="body_mass_g", hue = "island")  
sns.despine(left = True)
```



Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1VjVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=Tea3FWP6H78e

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini

Commands + Code + Text Run all

RAM
Disk

```
[10] # poster
# Paper - Ideal for printing in academic papers.
# Notebook - Good for working inside Jupyter notebooks (default setting).
# Talk - Good for presentation slides where readability matters.

sns.set_style("ticks")
sns.set_context("talk")
sns.scatterplot(data=penguins, x="flipper_length_mm", y="body_mass_g", hue = "island")
sns.despine(left = True)
```



Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6IE_L5#scrollTo=JFfw_vrSHsje

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks


Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini

Commands + Code + Text Run all

RAM
Disk

```
[10] # Talk - Good for presentation slides where readability matters.  
  
sns.set_style("ticks")  
sns.set_context("paper")  
sns.scatterplot(data=penguins, x="flipper_length_mm", y="body_mass_g", hue = "island")  
sns.despine()
```



Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



The screenshot shows a Miro board with a table of color palettes. The table is titled 'Palette' and has columns for 'Description' and 'Max Distinct Colors'. It lists three sets of colors: Set1 (Bright and high-contrast colors, 9 colors), Set2 (Softer, more pastel-like colors, 8 colors), and Set3 (A mix of soft and bold, varied hues, 12 colors). A woman is visible in the bottom right corner, and a banner for IntelliPaat is at the bottom.

Palette	Description	Max Distinct Colors
`Set1`	Bright and high-contrast colors	9
`Set2`	Softer, more pastel-like colors	8
`Set3`	A mix of soft and bold, varied hues	12

IntelliPaat

Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com

miro



Seaborn



Upgrade



Present

Share



Palette



Palette

Description

+



deep



Default palette, rich and balanced

muted

Softer colors, good for many categories

bright

High-contrast, bold colors

pastel

Soft, pale tones

dark

Darker tones, easy to distinguish

colorblind

Optimized for colorblind accessibility



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



miro



Seaborn



Upgrade



Present

Share

Table



	Palette Type	Purpose	Examples	Best Used For
	Qualitative	Categorical in nature, the color assigned to each group need to be distinct.	'Set1', 'Set2', 'Set3', 'Pastel1', 'Dark2', 'Colorblind', 'Accent'	Distinguishing categories or groups
	Sequential	Data with ordered progression (low → high)	'Blues', 'Greens', 'Purples', 'OrRd', 'YlGnBu', 'BuPu', 'Greys'	Showing magnitude or intensity, like population or revenue
	Diverging	Data with a meaningful midpoint (e.g., 0) or mixed value like +ve and -ve (low and high values)	'coolwarm', 'RdBu', 'BrBG', 'PiYG', 'Spectral', 'terrain_r'	Showing positive vs negative change (e.g., profit/loss, temperature)



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



Palette Type	Purpose	Examples	Best Used For
Qualitative	Categorical in nature, the color assigned to each group need to be distinct.	'Set1', 'Set2', 'Set3', 'Pastel1', 'Dark2', 'Colorblind', 'Accent'	Distinguishing categories or groups
Sequential	Data with ordered progression (low → high)	'Blues', 'Greens', 'Purples', 'OrRd', 'YlGnBu', 'BuPu', 'Greys'	Showing magnitude or intensity, like population or revenue
Diverging	Data with a meaningful midpoint (e.g., 0) or mixed value like +ve and -ve(low and high values)	'coolwarm', 'RdBu', 'BrBG', 'PiYG', 'Spectral', 'terrain_r'	Showing positive vs negative change (e.g., profit/loss, temperature change)

colab.research.google.com/drive/1VjVXcciE3mTfGXOmP-E5mgeu6IE_L5#scrollTo=Tea3FWP6H78e

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seaborn.ipynb

File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

RAM Disk

```
[10] # poster
# Paper - Ideal for printing in academic papers.
# Notebook - Good for working inside Jupyter notebooks (default setting).
# Talk - Good for presentation slides where readability matters.
```

```
sns.set_style("ticks")
sns.set_context("notebook")
sns.scatterplot(data=penguins, x="flipper_length_mm", y="body_mass_g", hue = "island", palette = "Set1")
sns.despine()
```



Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1VvXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=J3vaMsOhgIDb

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help


Share Gemini

Commands + Code + Text Run all

RAM Disk

```
sns.scatterplot(data = penguins, x = "species", y = "body_mass_g", hue = "island", style = "sex")
```

<Axes: xlabel='species', ylabel='body_mass_g'>




Variables Terminal




Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com





```
sns.stripplot(data = penguins, x = "species", y = "body_mass_g", hue = "island")
```

```
<Axes: xlabel='species', ylabel='body_mass_g'>
```



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=Y_4oXb2hg-Yi

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini

Commands + Code + Text Run all

RAM Disk

```
sns.stripplot(data = penguins, x = "species", y = "body_mass_g", hue = "island", dodge = True)
```

<Axes: xlabel='species', ylabel='body_mass_g'>



Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=Y_4oXb2hg-Yi

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini


Commands + Code + Text Run all

RAM
Disk

Adelie Chinstrap species Gentoo

```
[39] sns.stripplot(data = penguins, x = "species", y = "body_mass_g", hue = "island", dodge = True, jitter = True)
```

<Axes: xlabel='species', ylabel='body_mass_g'>



Variables Terminal

IntelliPaat

Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=Y_4oXb2hg-Yi

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini

Commands + Code + Text Run all

RAM
Disk



```
# Swarn plot  
sns
```

Up Down Star Link Comment Settings Print Delete More

Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com





Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=Y_4oXb2hg-Yi

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help


Share Gemini

Commands + Code + Text Run all

RAM Disk



```
# Swarm plot
sns.set_context("talk")
sns.swarmplot(data = penguins, x = "species", y = "body_mass_g", hue = "island")
```



Variables Terminal

IntelliPaat

Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com




colab.research.google.com/drive/1VvXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=Y_4oXb2hg-Yi

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks

Seaborn.ipynb Saving... Share Gemini

Commands + Code + Text Run all RAM Disk

```
# Swarm plot
sns.set_context("talk")
sns.swarmplot(data = penguins, x = "species", y = "body_mass_g", hue = "island")
sns.despine()
```



Variables Terminal

IntelliPaat Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6IE_L5#scrollTo=-YkPQbXkhmMC

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini


Commands + Code + Text Run all

RAM
Disk



```
# histogram:  
sns.  
sns.histplot(data = penguins, x = "body_mass_g")
```

<Axes: xlabel='body_mass_g', ylabel='Count'>



Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=VfHTV1k9iXsa

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help


Share Gemini

Commands + Code + Text Run all

RAM
Disk

```
# histogram:  
sns.set_context("notebook")  
sns.histplot(data = penguins, x = "body_mass_g")
```

<Axes: xlabel='body_mass_g', ylabel='Count'>



Variables Terminal




Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



Adelie Chinstrap species Gentoo

```
# histogram:
sns.set_context("notebook")
sns.histplot(data = penguins, x = "body_mass_g", hue="sex", multiple="stack")
```



colab.research.google.com/drive/1VlVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=ngFpK0dTjiV0

Seaborn.ipynb


File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

body_mass_g

```
# regression plot:  
sns.regplot(data = penguins, x = "body_mass_g", y = "flipper_length_mm")
```

<Axes: xlabel='body_mass_g', ylabel='flipper_length_mm'>



Variables Terminal




Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com







```
# regression plot:  
sns.regplot(data = penguins, x = "body_mass_g", y = "flipper_length_mm", scatter = False)
```



```
sns.regplot(data = penguins, x = "body_mass_g", y = "flipper_length_mm", color = "green")
```

<Axes: xlabel='body_mass_g', ylabel='flipper_length_mm'>





```
# line plot:
sns.lineplot(data = penguins, x = "body_mass_g", y = "flipper_length_mm")
```

Start coding or generate with AI.




colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6lE_L5#scrollTo=rhZdKTeLj9uJ

Seaborn.ipynb

File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

RAM Disk




Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com






body_mass_g


```
# line plot:
sns.set_style("whitegrid")
sns.lineplot(data = penguins, x = "body_mass_g", y = "flipper_length_mm")
```

<Axes: xlabel='body_mass_g', ylabel='flipper_length_mm'>



```
sns.lineplot(data = penguins, x = "body_mass_g", y = "flipper_length_mm", hue="sex")
```

<Axes: xlabel='body_mass_g', ylabel='flipper_length_mm'>



colab.research.google.com/drive/1VlVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=ngFpK0dTjiV0

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks



Seaborn.ipynb

File Edit View Insert Runtime Tools Help



Share



Gemini




Commands + Code + Text Run all

RAM Disk



```
# line plot:
sns.set_style("whitegrid")
sns.lineplot(data = penguins, x = "body_mass_g", y = "flipper_length_mm", hue="island", style = "sex")
```

<Axes: xlabel='body_mass_g', ylabel='flipper_length_mm'>



Variables Terminal




Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com




```
sns.jointplot(data = penguins, x = "body_mass_g", y = "flipper_length_mm")
```

<seaborn.axisgrid.JointGrid at 0x7e2f67537010>



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6lE_L5#scrollTo=pbzxKs2Ok5Xx


greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini

Commands + Code + Text Run all

RAM
Disk



```
# jointplots  
sns.jointplot(data = penguins, x = "body_mass_g", y = "flipper_length_mm")
```

Start coding or generate with AI.

Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com




colab.research.google.com/drive/1VvXcciE3mTfGXOmP-E5mgeu6IE_L5#scrollTo=pbzxKs2Ok5Xx

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

RAM
Disk



Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=TE-GkeG6IEtF


greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work ... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini

Commands + Code + Text Run all

RAM
Disk



```
sns.jointplot(data = penguins, x = "body_mass_g", y = "flipper_length_mm", hue = "sex")
```

Start coding or generate with AI.

Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6IE_L5#scrollTo=TE-GkeG6IEtF

greythr Content Schedule ~... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work ~... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help



Share




Gemini



Commands + Code + Text Run all

RAM Disk



Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipa.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6E_L5#scrollTo=TE-GkeG6IEtF

Seaborn.ipynb

```
sns.jointplot(data = penguins, x = "body_mass_g", y = "flipper_length_mm", hue = "sex")
```

<seaborn.axisgrid.JointGrid at 0x7e2f6732fe50>

sex

- Male
- Female

Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1VlVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=pbzxKs2Ok5Xx

Seaborn.ipynb

```
sns.jointplot(data = penguins, x = "body_mass_g", y = "flipper_length_mm", hue = "island", kind = "bar")
```

<seaborn.axisgrid.JointGrid at 0x7e2f67487e50>

island

- Torgersen
- Biscoe
- Dream



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1VjVXcciE3mTfGXOmP-E5mgeu6E_L5#scrollTo=TE-GkeG6IEtF

Seaborn.ipynb

```
sns.jointplot(data = penguins, x = "body_mass_g", y = "flipper_length_mm", hue = "island", kind = "scatter")
```

<seaborn.axisgrid.JointGrid at 0x7e2f6517efd0>

island

- Torgersen
- Biscoe
- Dream

flipper_length_mm

240

220


200

Variables Terminal




Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com





```
# bar plot:
sns.barplot(data = penguins, x = "species", y = "body_mass_g", hue = "sex")
```






3000 3500 4000 4500 5000 5500 6000

body_mass_g

```
# bar plot:

sns.barplot(data = penguins, x = "species", y = "body_mass_g", hue = "sex", palette = ["pink", "blue"])

<Axes: xlabel='species', ylabel='body_mass_g'>
```




body_mass_g

body_mass_g

```
# bar plot:
sns.barplot(data = penguins, x = "species", y = "body_mass_g", hue = "sex", palette = ["pink", "skyblue"], estimator = np.sum)
```





Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com




miro.com/app/board/uXjVlsqguTU=/
2x

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work ... Weights and Bias in... All Bookmarks


miro Seaborn Upgrade

Present Share



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com






```
# .box plot:  
sns.boxplot(data = penguins, x = "species", y = "body_mass_g", hue = "island")
```

Variables Terminal

IntelliPaat


Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com





```
sns.boxplot(data = penguins, x = "species", y = "body_mass_g", hue = "sex")
```

<Axes: xlabel='species', ylabel='body_mass_g'>






Figure 1. Common Components of Box Plot and Violin Plot. Total




colab.research.google.com/drive/1VlVXcciE3mTfGXOmP-E5mgeu6lE_L5#scrollTo=FukC8ojF7KEO

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks

File Edit View Insert Runtime Tools Help

Commands + Code + Text ▶ Run all

RAM
Disk



```
# violin plot:  
sns.violinplot(data = penguins, x = "species", y = "body_mass_g", hue = "sex")
```

Start coding or generate with AI.



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1VvXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=FukC8ojF7KEO

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks

Seaborn.ipynb


File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

RAM Disk

```
sns.violinplot(data = penguins, x = "species", y = "body_mass_g", hue = "sex")
```

<Axes: xlabel='species', ylabel='body_mass_g'>




Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com




```
# violin plot:  
  
sns.violinplot(data = penguins, x = "species", y = "body_mass_g", hue = "sex")
```



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=FukC8ojF7KEO

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks

Seaborn.ipynb File Edit View Insert Runtime Tools Help



Share



Gemini



Commands + Code + Text Run all

RAM Disk

species

0s


```
# violin plot:  
sns.violinplot(data = penguins, x = "species", y = "body_mass_g", hue = "sex", split = True)
```

<>

🔑

📁

<Axes: xlabel='species', ylabel='body_mass_g'>



Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6IE_L5#scrollTo=FukC8ojF7KEO


greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini

Commands + Code + Text Run all

RAM
Disk



```
# Width of the violin: Density of the data at different values  
# Middle line: Median  
# Thick bar: Interquartile range (if inner='box')
```

Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=MmCuH3P_8BD4

greythr Content Schedule ~... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work ~... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini

Commands + Code + Text Run all

RAM
Disk



```
[ ] # Width of the violin: Density of the data at different values  
# Middle line: Median  
# Thick bar: Interquartile range (if inner='box')
```

```
sns.violinplot(data = penguins, x = "species", y = "body_mass_g")  
sns.swarmplot(data = penguins, x="species", y="body_mass_g", color="black", size=3)
```

Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=5Nny5eAt8QC2

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seaborn.ipynb File Edit View Insert Runtime Tools Help



Share

Gemini


G

Commands + Code + Text Run all

RAM Disk



<Axes: xlabel='species', ylabel='body_mass_g'>



Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com




```
# Middle line: Median
[ ] # Thick bar: Interquartile range (if inner='box')

sns.violinplot(data = penguins, x = "species", y = "body_mass_g", palette = "pastel")
sns.swarmplot(data = penguins, x="species", y="body_mass_g", hue = "island", size=3, )
```

<ipython-input-83-1357101260>:1: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `x` variable to `hue` and set `legend=False` for the


```
sns.violinplot(data = penguins, x = "species", y = "body_mass_g", palette = "pastel")
<Axes: xlabel='species', ylabel='body_mass_g'>
```



species


```
# KDE -> for estimating the probability density function of continuous or non-parametric data  
# Or in simple terms: a smooth curve that shows the distribution of data – like a smoothed-out version  
# It helps you see where the data is concentrated (peaks) and how it spreads.
```

```
sns.kdeplot(data = df, x = "body_mass_g", hue = "species", palette = "pastel",  
            fill = "True") #later  
sns.despine()
```




```
# KDE -> for estimating the probability density function of continuous or non-parametric data
# Or in simple terms: a smooth curve that shows the distribution of data – like a smoothed-out version
# It helps you see where the data is concentrated (peaks) and how it spreads.

sns.kdeplot(data = df, x = "body_mass_g", hue = "species", palette = "pastel",
            fill = "True") #later
sns.despine()
```



```
# kde plot:  
sns.kdeplot(data = penguins, x = "body_mass_g", hue = "species", fill = True)
```

<Axes: xlabel='body_mass_g', ylabel='Density'>



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=xWs7TbuD9IsC

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work ... Weights and Bias in...

All Bookmarks


Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share

Commands + Code + Text Run all


```
sns.kdeplot(data = penguins, x = "body_mass_g", hue = "species", fill = False)
```

<Axes: xlabel='body_mass_g', ylabel='Density'>



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com





Heatmap: a 2D color-coded matrix that shows relationships or patterns between two variables.
It's commonly used to:
- Show correlation between features
- Visualize confusion matrices -> will see in the later stages.
- Highlight missing data -> sns.heatmap(df.isnull())

colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=8v4B_jCn9oMq

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seaborn.ipynb Saving...
File Edit View Insert Runtime Tools Help

Commands + Code + Text ▶ Run all



Heatmap:

penguins.head()

	species	island	bill_length_mm	bill_depth_mm	flipper_length_mm	body_mass_g	sex
0	Adelie	Torgersen	39.1	18.7	181.0	3750.0	Male
1	Adelie	Torgersen	39.5	17.4	186.0	3800.0	Female
2	Adelie	Torgersen	40.3	18.0	195.0	3250.0	Female
3	Adelie	Torgersen	NaN	NaN	NaN	NaN	NaN
4	Adelie	Torgersen	36.7	19.3	193.0	3450.0	Female

Next steps: [Generate code with penguins](#) [View recommended plots](#) [New interactive sheet](#)

Start coding or generate with AI.



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



1	Adelie	Torgersen	39.5	17.4	186.0	3800.0	Female
2	Adelie	Torgersen	40.3	18.0	195.0	3250.0	Female
3	Adelie	Torgersen	NaN	NaN	NaN	NaN	NaN
4	Adelie	Torgersen	36.7	19.3	193.0	3450.0	Female

Next steps: [Generate code with penguins](#) [View recommended plots](#) [New interactive sheet](#)

```
columns = ["bill_length_mm", "bill_depth_mm", "flipper_length_mm", "body_mass_g"]  
sns.heatmap(data = penguins[columns].corr(), annot = True, cmap = "coolwarm")
```



Next steps: [Generate code with penguins](#) [View recommended plots](#) [New interactive sheet](#)

```
columns = ["bill_length_mm", "bill_depth_mm", "flipper_length_mm", "body_mass_g"]  
penguins[columns].corr()
```

	bill_length_mm	bill_depth_mm	flipper_length_mm	body_mass_g
bill_length_mm	1.000000	-0.235053	0.656181	0.595110
bill_depth_mm	-0.235053	1.000000	-0.583851	-0.471916
flipper_length_mm	0.656181	-0.583851	1.000000	0.871202
body_mass_g	0.595110	-0.471916	0.871202	1.000000

```
sns.heatmap(data = penguins[columns].corr(), annot = True, cmap = "coolwarm")
```




```
penguins[columns].corr()
```

	bill_length_mm	bill_depth_mm	flipper_length_mm	body_mass_g
bill_length_mm	1.000000	-0.235053	0.656181	0.595110
bill_depth_mm	-0.235053	1.000000	-0.583851	-0.471916
flipper_length_mm	0.656181	-0.583851	1.000000	0.871202
body_mass_g	0.595110	-0.471916	0.871202	1.000000

```
sns.heatmap(data = penguins[columns].corr())
```





bill_length_mm	1.000000	-0.235053	0.656181	0.595110
bill_depth_mm	-0.235053	1.000000	-0.583851	-0.471916
flipper_length_mm	0.656181	-0.583851	1.000000	0.871202
body_mass_g	0.595110	-0.471916	0.871202	1.000000

```
sns.heatmap(data = penguins[columns].corr(),)
```

<Axes: >



Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



bill_length_mm	1.000000	-0.235053	0.656181	0.595110
bill_depth_mm	-0.235053	1.000000	-0.583851	-0.471916
flipper_length_mm	0.656181	-0.583851	1.000000	0.871202
body_mass_g	0.595110	-0.471916	0.871202	1.000000

```
sns.heatmap(data = penguins[columns].corr(), annot=True)
```



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6IE_L5#scrollTo=3sptkYfQ-Kxh

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seaborn.ipynb
File Edit View Insert Runtime Tools Help

Share Gemini


Commands + Code + Text Run all

RAM
Disk

bill_depth_mm	-0.235053	1.000000	-0.583851	-0.471916
flipper_length_mm	0.656181	-0.583851	1.000000	0.871202
body_mass_g	0.595110	-0.471916	0.871202	1.000000

```
[93] sns.heatmap(data = penguins[columns].corr(), annot=True, cmap="Blues")
```

<Axes: >



Variables Terminal




Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



bill_length_mm	1.000000	-0.235053	0.656181	0.595110
bill_depth_mm	-0.235053	1.000000	-0.583851	-0.471916
flipper_length_mm	0.656181	-0.583851	1.000000	0.871202
body_mass_g	0.595110	-0.471916	0.871202	1.000000


```
sns.heatmap(data = penguins[columns].corr(), annot=True, cmap="Blues", vmin = -0.2)
```


<Axes: >




bill_length_mm	1.000000	-0.235053	0.656181	0.595110
bill_depth_mm	-0.235053	1.000000	-0.583851	-0.471916
flipper_length_mm	0.656181	-0.583851	1.000000	0.871202
body_mass_g	0.595110	-0.471916	0.871202	1.000000

```
sns.heatmap(data = penguins[columns].corr(), annot=True, cmap="Blues", vmin = -0.2, linewidth = "2")
```







```
# Rug plot:  
sns.rugplot(data = penguins, y = "body_mass_g", hue = "species", palette = "Set2", height = 0.05]
```



```
# pair plot:  
  
sns.pairplot(data = penguins[columns])  
  
<seaborn.axisgrid.PairGrid at 0x7e2f63d6b950>
```




```
# pair plot:  
sns.pairplot(data = penguins)  
  
<seaborn.axisgrid.PairGrid at 0x7e2f627b6290>
```



Variables Terminal



Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollTo=BRpifXsw_Nkz

greythr Content Schedule -... TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work -... Weights and Bias in... All Bookmarks

Seahorn.ipynb
File Edit View Insert Runtime Tools Help


Share Gemini

Commands + Code + Text Run all

RAM Disk

pair plot:
sns.pairplot(data = penguins)

<seaborn.axisgrid.PairGrid at 0x7e2f627b6290>




Variables Terminal




Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com






```
# pair plot:  
sns.pairplot(data = penguins, hue = "sex", palette = "Set2", diag_kind = "kde")
```

```
<seaborn.axisgrid.PairGrid at 0x7e2f61391490>
```



```
# pair grid -> subplot grid for plotting pairwise relationships in a dataset.  
graph = sns.PairGrid(data = penguins, hue = "sex", palette = "Set2")  
graph.map_upper(sns.scatterplot)  
graph.map_lower(sns.kdeplot)  
graph.map_diag(sns.histplot)
```



colab.research.google.com/drive/1V_lVXcciE3mTfGXOmP-E5mgeu6LE_L5#scrollto=3Kyigicl_uGZ

greythr Content Schedule TRA Time Sheet What is a Neural Ne... A Laymen's Guide t... Video Team Work Weights and Bias in... All Bookmarks

Seaborn.ipynb File Edit View Insert Runtime Tools Help Share Gemini

Commands + Code + Text Run all RAM Disk

```
# pair grid -> subplot grid for plotting pairwise relationships in a dataset.  
  
graph = sns.PairGrid(data = penguins, hue = "sex", palette = "Set2")  
graph.map_upper(sns.scatterplot) #upper triangle  
graph.map_lower(sns.kdeplot) #lower triangle  
graph.map_diag(sns.histplot) #diagonal
```

Variables Terminal

IntelliPaat Interested in Attending Live Classes? Call Us: IN: +91-7022374614/ US: 1-800-216-8930 or www.intellipaat.com






```
# pair grid -> subplot grid for plotting pairwise relationships in a dataset.  
  
graph = sns.PairGrid(data = penguins, hue = "sex", palette = "Set2")  
graph.map_upper(sns.scatterplot) #upper triangle  
graph.map_lower(sns.kdeplot) #lower triangle  
graph.map_diag(sns.histplot) #diagonal  
graph.add_legend()
```

<seaborn.axisgrid.PairGrid at 0x7e2f63b0d4d0>

