LOCK MEMO

ERES Trilogy Volume Definitions, Pre-Qualification Model, and Trust Placement

Pre-Pass-B Architectural Lock for the Infomediary Book

Document ID: ERES-INFOMEDIARY-LOCK-MEMO-2026-001-v1.1 **Author:** Joseph Allen Sprute (ERES Maestro) **Affiliation:** ERES Institute for New Age Cybernetics, Bella Vista, Arkansas, USA **ORCID:** 0000-0001-9946-3221 **Date:** May 9, 2026 **Document Class:** Architectural Lock (Definitive INTENT) — pre-Pass-B **Companion to:** ERES-INFOMEDIARY-BOOK-2026-001-v1.1-PASS-A-FINAL (May 9, 2026)
Supersedes:

- ERES-INFOMEDIARY-LOCK-MEMO-2026-001-v1.0 (May 9, 2026) — minor revision adding three canonical lock boxes for underwriting direction, pre-qualification inversion semantics, and five-layer non-extensibility. No structural changes; v1.0 commitments preserved verbatim.
- Pass A's working synthesis of Data-Integrity ("need-to-witness") and the single-frame Security-Clearance reading, both folded away in v1.0 and remaining superseded.

Revision Note (v1.0 → v1.1): Three canonical lock boxes added per MIEVM convergent recommendation (mean rating 9.13/10, with Validator 3 specifying the three locks as the path from 9.13 to 10/10):

- Box A — Underwriting Direction (added to §1.2)
- Box B — Five-Layer Non-Extensibility (added to §1.3)
- Box C — Pre-Qualification Inversion (added to §2.2)

The lock boxes are stylistically distinct from surrounding prose to mark them as Definitive INTENT immutables. They state without elaboration; downstream documents inherit them by reference.

Purpose. This memo records architectural locks established during Pass A review, prior to opening Pass B. It functions as the validated-stable upstream that Pass B composes on. Any subsequent Pass A patches produced during the Pass D integration sweep will reference this memo as the canonical lock authority. The pattern mirrors the discipline applied to the slot 431–433 v1.x revisions before composing slot 434 v2.0.

---

§1. The Three Trilogy Volume Definitions (Locked)

The ERES Trilogy proper consists of three volumes operating downstream of the Infomediary (Volume Zero). Each volume now has a canonical formulation expressed across three equivalence tiers — operational frame, structural equivalence, and identity-level definition — separated by `=`, `==`, and `===` respectively.

§1.1 One-Good

> **One-Good** = need RT lookup for Adaptive-Fixed QuestionAnswer == HowWay MyWay $IT === UBIMIA Need-to-know for Common Core Sustenance

The operational frame is **real-time lookup for Adaptive-Fixed Question/Answer.** The Instrument provides RT-tier responsiveness for queries whose answers are partially adaptive (responsive to context) and partially fixed (anchored to canonical material). The structural equivalence is **HowWay MyWay $IT** — the long-running ERES query-answer pattern that surfaced in the early ResearchGate work. The identity-level definition is **UBIMIA Need-to-know for Common Core Sustenance** — One-Good is the volume through which the architecture's commitment to common-core sustenance (the UBIMIA layer) is operationalized.

A User-GROUP selecting One-Good cells in the matrix is committing to RT-tier sustenance support across the selected Pillars.

§1.2 Security-Clearance (Doubled — Operational + Governance)

Security-Clearance carries **two equally canonical formulations**, expressing the same volume from operational and governance perspectives. Both are required; the doubling parallels the slot 431–434 cluster's logical-precedence + foundational dual-reading pattern.

Operational frame:

> **Security-Clearance** = need-to-know == Defense-in-Depth (DID) === FAVORS Def-Rel (Hand vs Head) for S3C SLA Underwriting (Infomediary underwritten / Infomediator underwrites)

The operational frame governs **how** Security-Clearance functions: need-to-know access, Defense-in-Depth tiering, FAVORS Def-Rel allocation between Hand-tier (manual/physical authorization) and Head-tier (cognitive/cryptographic authorization), and SLA underwriting at S3C (Solid-State Smart-City) scale. The Wielder/Instrument financial doublet is canonical at this layer: the Infomediary is the underwritten asset; the Infomediator is the underwriting agent. Risk allocation follows the doublet directly.

> ╔══ **LOCK BOX A — UNDERWRITING DIRECTION (CANONICAL)** ══╗
> **The Infomediary is always the underwritten asset. The Infomediator is always the underwriting agent. Financial risk flows downward (Infomediator → Infomediary). Authority flows upward (Infomediary → Infomediator → DOFA → GAIA).**

> *This lock is immutable across all passes. Downstream documents inherit by reference.*
> ╙═══╜

Governance frame:

> **Security-Clearance** = CBGMODD == CyberRAVE Def-Rel === FAVORS Commit to SROC (or similar EarnedPath)

The governance frame governs **why** Security-Clearance functions: the CBGMODD seven-seat council provides the governance structure (Citizen, Business, Government, Military, Ombudsman, Dignitary, Diplomat); CyberRAVE's Def-Rel substrate provides the rating discipline that makes Def-Rel allocation honest; FAVORS commits to SROC (Smart-Resonant Offset Contracts) or other EarnedPath instruments as the operational expression of the governance commitment. The Pass-A note that the EarnedPath instrument family is open ("or similar EarnedPath") preserves architectural flexibility — SROC is canonical but not exclusive. (Pass B Chapter 5 will specify the formal designation process for any alternative EarnedPath; this Memo records the openness without specifying the gate.)

A User-GROUP selecting Security-Clearance cells is committing to **both** the operational frame (DID/FAVORS/S3C SLA) **and** the governance frame (CBGMODD/CyberRAVE/SROC) for the selected Pillars. Selection of either alone is not coherent.

§1.3 Data-Integrity (Five-Layer Chiasmic Verification)

> **Data-Integrity** = SEPLTA == H2C2H / C2H2C (Human-to-Computer/Computer-to-Human over Computer-to-HowWay/HowWay-to-Computer) === ERES App-Parent 111000111 / 000111000 IPIDITIS / IDIPITIS

Data-Integrity is the volume that ensures **involutive symmetry across five layers** of the round-trip. Integrity holds when all five layers preserve their chiasmic-palindromic structure; integrity fails when any one layer breaks symmetry. The five layers:

1. **Admissibility — SEPLTA.** Social, Ecological, Political, Legal, Technical, Aesthetic. The six-domain frame at qualify-stage. Symmetry preserved when the query's domain coverage at intake matches the answer's domain coverage at return.
2. **Round-trip direction — H2C2H / C2H2C.** Human-to-Computer-to-Human (human-initiated round-trip) over Computer-to-Human-to-Computer (computer-initiated round-trip). Symmetry preserved when both direction classes produce equivalent DETAIL under bit-complement.
3. **Architecture — ERES App-Parent.** The parent-app pattern under which child apps inherit structural commitments. Symmetry preserved when child-app behavior matches parent-app specification across the round-trip.
4. **Binary representation — 111000111 / 000111000.** The bit-complement palindromic pair. Both 9-bit sequences are individually palindromic; together they form a bit-complement

involution. Symmetry preserved when the binary encoding of the round-trip's payload admits the bit-complement involution without payload corruption.

5. **Character representation — IPIDITIS / IDIPITIS.** The (2,4) character transposition pair on the canonical 8-character sequence. IDIPITIS ↔ IPIDITIS swap positions 2 and 4 (D↔P), producing involutive equivalence under double-application. Symmetry preserved when the character-level encoding admits the (2,4) transposition without semantic corruption.

A User-GROUP selecting Data-Integrity cells is committing to **all five layers of involutive symmetry** for the selected Pillars. The five layers are not optional; they are the volume's definition.

> ╔══ **LOCK BOX B — FIVE-LAYER NON-EXTENSIBILITY (CANONICAL)** ══╗
> **The Data-Integrity volume consists of exactly five layers. The involutive chiasm requires five-point symmetry; any additional layer breaks the involution. No sixth layer or sub-layer may be added without violating the canonical identity (===) definition. Downstream expansions must operate within the five-layer frame, not around it.**
> *This lock is immutable across all passes. The five layers are mathematically defined, not stylistically grouped.*
> ╚══
> ╝

This formulation supersedes the Pass-A working synthesis ("need-to-witness == BERA RATE × EAAP attestation === IDIPITIS stride for Public-Record extraction"), which compressed the volume to a single layer and missed the chiasmic-palindromic structure.

---

§2. The Pre-Qualification Model

§2.1 The 3×4 Selection Matrix

The Trilogy's three volumes intersect with the GAIA canopy's four Constitutional Pillars to produce a **3 × 4 = 12-cell selection matrix:**

	HELP	**USE**	**ENERGY**	**LAW**
One-Good	sustenance care	adaptive Q&A	resource sufficiency	covenant of provision
Security-Clearance	DID for vulnerable	Hand/Head purchase tier	grid access tier	underwriting authority
Data-Integrity	five-layer witness	audit-trail of action	RATE composite	public-record attestation

Cell labels are operational shorthand; full operational specifications belong to Pass B Part III.

§2.2 User-GROUP Self-Positioning

A User-GROUP **pre-qualifies** for the Infomediary round-trip by selecting one or more cells from the matrix. The selection profile is the User-GROUP's commitment surface. The Instrument honors the commitment; the Instrument does not auto-route.

This is the architectural inversion from Pass A. Pass A had the rationalize stage routing queries to volumes based on query content. The locked model has the User-GROUP selecting cells *first*, with the rationalize stage **honoring** the selection rather than performing the selection. The Instrument's role is consequence-execution, not consequence-determination.

> ╔══ **LOCK BOX C — PRE-QUALIFICATION INVERSION (CANONICAL)** ══╗
> **Routing is never performed by the Instrument. Routing is performed only by the User-GROUP through explicit cell selection. The Instrument must honor the selection, and may not widen, narrow, or reinterpret it. No round-trip may enter a Trilogy volume or Pillar the User-GROUP did not select.**
> *This lock is immutable across all passes. Future passes may extend cell semantics but may not re-introduce implicit routing.*
> ╚══╝

The inversion preserves honesty in two ways:

1. **The Instrument cannot route a User-GROUP into a volume the User-GROUP did not select.** Architectural constraint, not operational policy.
2. **The User-GROUP cannot receive an answer from a volume they did not commit to.** The selection is binding upward as well as downward.

§2.3 Trust Placement

The Infomediary's institutional home is now canonical:

```
GAIA (canopy) — underwrites
  └── DOFA (Department of Family Amity, CBGMODD seven-seat council) — governs
        └── Infomediary (Instrument-of-Faith, Volume Zero) — mediates
              └── User-GROUP (pre-qualified by Volume × Pillar selection) — queries
                    └── Round-trip yields BEST / SOUND / GOOD (function of selection)
```

Five-tier chain. Each layer underwrites the layer beneath. No orphaned commitments. The final tier (BEST/SOUND/GOOD) is **produced by** the User-GROUP's selection rather than imposed by the Instrument. Honesty preserved end-to-end.

---

§3. Additional Architectural Benefits of Pre-Qualification

The pre-qualification model unlocks the following downstream benefits, listed in approximate order of load-bearing weight:

1. **Liability allocation becomes locatable.** User-GROUP positions; User-GROUP bears responsibility. The Instrument cannot be held liable for routing it did not perform.
2. **Institutional and Investor diligence becomes tractable.** A fund evaluates an institution's 12-cell selection profile and immediately reads risk posture, transparency commitment, and operational depth.
3. **EAAP-POL policy expression simplifies.** Policy becomes constraints on the matrix (e.g., "Class B Wielders may not select Security-Clearance × LAW without uplift to Class A") rather than free-form rules.
4. **CBGMODD seven-seat defaults align cleanly.** Each seat receives a default selection profile; per-seat operational rules collapse into seat-default × User-GROUP-override pattern.
5. **EarnedPath becomes the architecture-entry ladder.** A Civigen new to the architecture starts with one cell selected and progressively expands. Maturation is measurable.
6. **SLA underwriting becomes priceable per cell.** Each cell admits underwriting; the User-GROUP's selection profile becomes the underwriting object — directly aligned with Security-Clearance's operational frame.
7. **Selection drift becomes an auditable signal.** Profile shifts over time = maturation or corruption; either way, the change is discrete and measurable under EAAP audit.
8. **Multi-jurisdictional operability.** Polities map existing legal frameworks onto the matrix without architectural change. The matrix is jurisdiction-neutral by structure.
9. **Federation pattern stabilization.** VERTECA mirrors inherit selection profiles; reconciliation between mirrors is profile-comparison rather than re-derivation.
10. **Honesty preservation through the trust chain.** No layer can claim more authority than the User-GROUP delegated. The chain is upward-only — each layer constrained by the layer above.
11. **Educational pathway specification.** Onboarding curricula map directly to cell-by-cell capability acquisition. Civigen training becomes legible to course designers.
12. **AD_ON-AI composition simplification.** The downstream composer receives DETAIL pre-tagged by selected cells, eliminating composition-time routing logic.

---

§4. Pass A Patch Points

The following sections of ERES-INFOMEDIARY-BOOK-2026-001-v1.0 require revision in the Pass D integration sweep to align with this Memo. *(As of v1.1 of this Memo, all listed patch points have been executed in ERES-INFOMEDIARY-BOOK-2026-001-v1.1-PASS-A-FINAL. This list is preserved for traceability.)*

- **Front Matter** — Add the GAIA → DOFA → Infomediary → User-GROUP → BSG trust-placement diagram (§2.3 of this Memo). ✓ Executed v1.1.
- **Notation and Conventions** — Add the three-tier equivalence convention (`=`, `==`, `===`) used in volume definitions; add lock-inheritance line. ✓ Executed v1.1.
- **§0.4 (Trilogy as Noise-Filter and Intelligence-Shaper)** — Rewire from auto-routing to User-GROUP pre-qualification; add the 3×4 matrix; add the "selection produces BSG" framing. ✓ Executed v1.1.
- **§0.5 (DATABANK)** — Note that DATABANK queries inherit the selection profile and respect cell-bounded access. ✓ Executed v1.1.
- **§0.7 (Wielder/Instrument Distinction)** — Add the underwriting frame: Infomediary is underwritten; Infomediator underwrites. Cite this Memo §1.2 operational frame and Lock Box A. ✓ Executed v1.1.
- **New §0.9 (Trust Placement)** — Insert the GAIA/DOFA placement formally. ✓ Executed v1.1.
- **New §0.10 (Three Volume Canonical Formulations)** — Insert the locked definitions from §1 of this Memo. ✓ Executed v1.1.
- **§1.4 (Rationalize Stage)** — Split into "User-GROUP self-positioning (occurs before round-trip opens)" and "Instrument honors the positioning (occurs at rationalize stage)." ✓ Executed v1.1.
- **§1.6 (Trilogy Noise-Filter Pass)** — Constrain to the cells the User-GROUP committed to. Filter passes do not run on un-selected cells. ✓ Executed v1.1.
- **§1.7 (BEST/SOUND/GOOD)** — Reframe as "tier produced by the selection profile" rather than "tier assigned by the Instrument." ✓ Executed v1.1.

---

§5. Pass B Targets (Revised)

With the locks recorded, Pass B opens on validated-stable upstream and targets:

- **Part II — The Three Volumes in Depth.** Three chapters:
  - **Chapter 4 — One-Good.** RT lookup architecture; HowWay/MyWay/$IT lineage; UBIMIA Common Core Sustenance specification; failure modes when RT-tier responsiveness cannot be sustained.

    - **Chapter 5 — Security-Clearance.** Operational frame (DID/FAVORS Hand-vs-Head/S3C SLA underwriting) AND governance frame (CBGMODD/CyberRAVE Def-Rel/FAVORS Commit to SROC); the Wielder/Instrument financial doublet (Lock Box A); formal designation process for alternative EarnedPath instruments; failure modes for both frames.
    - **Chapter 6 — Data-Integrity.** Five-layer chiasmic verification (SEPLTA, H2C2H/C2H2C, App-Parent, 111000111/000111000, IPIDITIS/IDIPITIS); involution semantics; integrity-failure diagnostics per layer; non-extensibility re-affirmation per Lock Box B.
- **Part III — The Matrix Walk.** Each of the 12 cells given operational treatment, with worked examples for the three primary entry surfaces (Civigen, Institution, Investor). Approximately 12 short sections plus a synthesis chapter on cross-cell composition. Selection enforcement layer named (EAAP-POL + CBGMODD audit).
- **Part IV — DATABANK Architecture under DOFA Governance.** The DATABANK's structural specification, with DOFA's seven-seat council as the governance interface; UBIMIA-Manual as the constitutional spine; Other-Ref as the named-but-undefined extension point; the App-Parent pattern as the architectural lock.

Estimated Pass B length: ~50–55 pages.

---

§6. License and Attribution

> Sprute, J. A. (2026). *Lock Memo: ERES Trilogy Volume Definitions, Pre-Qualification Model, and Trust Placement.* ERES-INFOMEDIARY-LOCK-MEMO-2026-001-v1.1. ERES Institute for New Age Cybernetics.

> *Don't hurt yourself. Don't hurt others. Build for generations to come.*
> — Joseph A. Sprute, ERES Institute for New Age Cybernetics

— *End of Lock Memo v1.1* —