ERES INSTITUTE FOR NEW AGE CYBERNETICS

INFRASTRUCTURE INTUITION

Trust Architecture Across Three Development Eras

TECHNICAL ARCHITECTURE & INHERITANCE-LINEAGE SPECIFICATION

ERES-INTUIT-ARCH-2026-001 (v1.0)

Trifecta Gate: SECURITY-CLEARANCE

April 2026

Joseph Allen Sprute (ERES Maestro)

Bella Vista, Arkansas | ORCID: 0000-0001-9946-3221

CARE Commons Attribution License v2.1 (CCAL v2.1)

Executive Summary

The question this paper answers: Why should anyone trust the system that produced the Biomedical Lagrange Points pilot (ERES-BIO-LP-WP-2026-001)?

The answer: Because its infrastructure was not invented yesterday. Five subsystems—VERTECA, SECUIR, CyberRAVE, GunnySack, and SaleBuilders—span three development eras (pre-1997, 1997–2012, 2012–present) and carry a formal inheritance-lineage where each component inherits governance from the tier above while narrowing operational scope one level toward the individual.

The mechanism: Each subsystem pairs with a partner instrument in a cascading architecture called the App-Parent Inheritance-Lineage. The cascade moves from broad governance (VERTECA × PlayNAC) through group qualification (SECUIR × EPIR-Q), local measurement (CyberRAVE × BERA), personal coherence validation (GunnySack × RCI), and loop-back to the system (SaleBuilders × RT Media). The cascade is a circuit, not a hierarchy—energy returns from the bottom tier to the top.

The structural claim: Any system that proposes to touch biometrics (Paper 1, BERA), governance tokens (Paper 1, Meritcoin), and population health data (Paper 1, GraceChain) must demonstrate that its infrastructure earned its security clearance through iterative refinement across real development cycles. This paper provides that demonstration.

Position in trilogy:

Paper	Trifecta Gate	User-Group	Question
1 — BIO-LP Investor Brief (complete)	ONE-GOOD	Investors, clinical partners	Does this help?
2 — Infrastructure Intuition (this paper)	**SECURITY-CLEARANCE**	**Engineers, institutional evaluators**	**Can the system be trusted?**
3 — Governance & Verification (forthcoming)	DATA-INTEGRITY	Policy architects, defense stakeholders	Can it be verified in real time?

---

1. The Trust Problem

A framework that claims to restructure healthcare incentives (Paper 1), govern economic instruments (Meritcoin, GraceChain), and measure human biometric coherence (BERA, FAVORS) cannot present itself as a theoretical exercise. The question is not whether the logic is internally consistent—it is whether the infrastructure that implements that logic has been stress-tested under real constraints.

This paper makes a specific claim: the ERES infrastructure was not designed top-down from a whiteboard. It was culled bottom-up across three development eras, and the constraint-based culling epistemology that shaped it is itself the security clearance.

Base logic: Trust is not declared. Trust is inherited. A subsystem earns trust by demonstrating that (a) it survived a development era transition, (b) its core constraint survived the transition intact, and (c) its output became the input for the next tier. This is the definition of inheritance-lineage.

---

2. Era Map: Logic Inheritance, Not Narrative History

Three eras. The question at each transition is: what constraint survived and why?

2.1 Era I — CyberRAVE (Pre-1997)

Full designation: Cybernetic Ratings Abolishing Veiled Exchanges.

CyberRAVE originated during the Global_VPN era. The 72 Key Domains represent the gematria of "Joseph Allen Sprute" (216 = full gematria; 72 = DOB reduction 10+26=36, 36×2=72), culled from the Register of Collective Indices by a single constraint: financial capacity to renew TLD VPN-centric domain names. Domains that could not be sustained were dropped. Domains that survived the economic filter formed the canonical set.

The constraint that survived: Selection-by-sustainability. The 72 domains were not selected because they were theoretically optimal. They were selected because they could be maintained under real resource constraints. This is the same epistemology that later produced the MIEVM short-list—the instruments that survived practical deployment constraints became the validation ensemble.

Base logic: If you cannot sustain it, you do not own it. If you do not own it, it cannot be part of your architecture.

2.2 Era II — SaleBuilders (1997–2012)

Full designation: Smart-city Adaptive Living Engineering Banishing Untested Infrastructure—Laboratories Delivering Enduring Resilient Systems.

SaleBuilders took CyberRAVE's 72-domain grid and asked: can this actually build things? The era tested whether constraint-based domain selection could produce engineering deliverables—smart-city infrastructure, adaptive living systems, resilient design. The backronym itself encodes the era's governing principle: "Banishing Untested Infrastructure."

The constraint that survived: Build-or-discard. If a domain from CyberRAVE could not produce a buildable system, it was deprioritized. The 72 domains did not shrink—they reorganized by engineering viability.

Base logic: If it doesn't build, it doesn't count. Theory that cannot produce deliverables is noise.

2.3 Era III — ERES Institute (2012–Present)

Full designation: Institute for New Age Cybernetics, founded February 2012.

ERES formalized the constraints from Eras I and II into a cybernetic framework governed by three equations (ERES Triune Math) and three governing principles. What had been implicit selection pressure became explicit architecture.

The constraint that survived: Formalization-without-loss. The Triune Math ($C=R\times P/M$; $M\times E+C=R$; $REAL=(E\cdot M\cdot R)/(T\cdot S)$) had to encompass the logic of both prior eras without discarding any constraint that had proven useful. Constraint accumulation, not constraint replacement.

Base logic: If you formalize and lose something, your formalization is incomplete.

2.4 Era Inheritance Summary

Era	Period	Governing Constraint	Survival Test	Output
CyberRAVE	Pre-1997	Selection-by-	Can you afford to	72 Key Domains

Era	Period	Governing Constraint	Survival Test	Output
		sustainability	keep it?	
SaleBuilders	1997–2012	Build-or-discard	Does it produce deliverables?	Engineering-viable domain grid
ERES Institute	2012–present	Formalization-without-loss	Does the math hold everything?	Triune Math + Three Governing Principles

The through-line: The method did not change across three eras. The scale changed. Selection-by-sustainability → build-or-discard → formalization-without-loss is a single epistemological thread: *keep only what survives real constraints, and never lose what survived.*

---

3. App-Parent Inheritance-Lineage

This is the structural spine of ERES infrastructure. Five subsystems, each paired with a partner instrument, cascading from broad governance to personal coherence and looping back to the system.

Governing principle: Each tier inherits governance from the tier above while narrowing operational scope one level. The subsystem is the *what* (the infrastructure). The partner instrument is the *how* (the mechanism that governs at that scope level).

Tier	Subsystem (What)	Partner Instrument (How)	Scope	Question Answered
T1	VERTECA	PlayNAC	Broad governance	What are the rules?
T2	SECUIR	EPIR-Q	User-GROUP	Who qualifies?
T3	CyberRAVE	BERA	Local / SLA	What do we measure?
T4	GunnySack	RCI	Personal reference	Are you coherent?
T5	SaleBuilders	RT Media	Loop-back to ERES	Does it build?

Circuit property: T5 feeds back to T1. SaleBuilders produces real-time media deliverables that inform PlayNAC's governance rules, completing the circuit. This is not a hierarchy that dead-ends at the bottom—it is a cybernetic loop. C=R×P/M in architectural form.

3.1 T1: VERTECA × PlayNAC — "What Are the Rules?"

VERTECA — Base Logic

Full designation: Vertical Energy Resonance Temporal Environmental Cybernetic Architecture.

Definition: VERTECA is the voice portal and primary human-interface layer of the ERES stack. It implements the SOUND protocol as its communication channel.

Input: Raw human voice signal (speech, tone, cadence, formant structure).

Output: Structured governance query routed through the ERES Decision-Stack (Consolidation Phase → VERTECA → PlayNAC → SECUIR).

Base formulation: Voice is not metaphor—it is the first channel through which the system achieves a human-readable trust handshake. A system that cannot hear you cannot govern for you. VERTECA is the ear.

Position in Decision-Stack: Second. VERTECA receives consolidated input and routes it to PlayNAC for governance adjudication.

PlayNAC — Base Logic

Full designation: NAC × Game Theory governing ruleset.

Definition: PlayNAC is the game-theoretic governance layer. It defines the rules under which all ERES subsystems operate—what moves are legal, what outcomes are rewarded, what behaviors are structurally prohibited.

Input: Governance query from VERTECA (structured voice-to-rule request).

Output: Adjudicated rule response: permitted / denied / conditional, with reasons traceable to the Three Governing Principles.

Base formulation: Every interaction with the ERES system is a game-theoretic move. PlayNAC ensures that no move can violate "Don't hurt yourself / Don't hurt others / Build for generations to come" regardless of the player's intent. The rules are not optional—they are architectural.

Pairing Logic

VERTECA × PlayNAC operates at the broadest scope because governance rules must be established before anything else can narrow. You cannot qualify users (T2), measure locals (T3), validate persons (T4), or build deliverables (T5) without first knowing the rules. The voice portal is the entry point; the game-theory layer is the first gate.

3.2 T2: SECUIR × EPIR-Q — "Who Qualifies?"

SECUIR — Base Logic

Full designation: Silent Energy Circular Universe Infinite Rotation.

Definition: SECUIR is the security and qualification layer. It determines which users, groups, and entities are cleared to interact with which parts of the ERES system at which depth.

Input: Adjudicated rule from PlayNAC (T1 output: this interaction is permitted under these conditions).

Output: Qualified user-group assignment. The user is placed into the appropriate group with defined access boundaries.

Base formulation: Security is not access denial—it is access precision. SECUIR does not ask "should this person be kept out?" It asks "what is the right depth of engagement for this person given their qualifications?" The metaphor is clearance, not exclusion.

EPIR-Q — Base Logic

Definition: EPIR-Q is the qualification filter. It is not a meter—it is a passband. Inputs that meet the qualification criteria pass through; inputs that do not are routed to remediation (NPR), not rejection.

Input: User identity and context from SECUIR.

Output: Qualified / remediation-routed / escalated. The Tri-Codex parameters define the passband width.

Base formulation: Qualification is a filter, not a judgment. The distinction matters: a judgment implies that unqualified persons are lesser. A filter implies that unqualified persons need a different pathway—NPR (Non-Punitive Remediation)—to reach qualification. No one is permanently disqualified.

Pairing Logic

SECUIR × EPIR-Q narrows scope from "what are the rules?" to "who, specifically, qualifies under those rules?" The shift is from abstract governance to concrete group assignment. T1 sets the game board; T2 determines who sits at the table and in what capacity.

3.3 T3: CyberRAVE × BERA — "What Do We Measure?"

CyberRAVE — Base Logic

Full designation: Cybernetic Ratings Abolishing Veiled Exchanges.

Definition: CyberRAVE is the 72-domain semantic grid and ratings architecture. It provides the domain structure within which measurement occurs. Its locked backronym names the deficiency it corrects: veiled exchanges—transactions where the true cost, value, or impact is hidden from one or more parties.

Input: Qualified user-group from SECUIR (T2 output: these users are cleared for this domain).

Output: Domain-specific measurement framework. Which of the 72 domains is active for this user-group, and what service-level agreement (SLA) governs measurement within that domain.

Base formulation: You cannot measure what you have not named. CyberRAVE provides the naming grid—the 72 domains—within which BERA can operate. Without the domain structure, biometric measurement is unanchored. With it, every measurement has a known address.

BERA — Base Logic

Full designation: Biometric Energy Resonance Assessment.

Definition: BERA is the biometric measurement layer. Its primary instrument is the ARI (Autonomic Resonance Index), which integrates four biomarker domains: cardiac coherence (HRV), bioelectrical impedance, speech-formant stability, and electrodermal activity.

Input: Domain-specific SLA from CyberRAVE (T3 context: measure within this domain, at this service level).

Output: ARI composite score (0–100, patient-specific baseline at 50). Resonance failure = sustained deviation below baseline in ⩾2 domains for ⩾14 days.

Subsystem components: ARI (Autonomic Resonance Index), ERI (further specification in corpus), RHC (Resonant Harmony Cycle), RCI (Resonant Coherence Index — also operates independently at T4).

Base formulation: Measurement without context is noise. BERA measures within the domain structure that CyberRAVE provides, under the SLA that CyberRAVE defines. The measurement is local—specific to the user-group's domain assignment—not global.

Pairing Logic

CyberRAVE × BERA narrows scope from "who qualifies?" to "what, specifically, do we measure for these qualified users in this domain?" The shift is from group assignment to local measurement. T2 clears the user; T3 tells the system what to look for.

PBJ context note: The PBJ Tri-Codex (Planet, Biome, Jurisdiction — with sub-codices PERC/BERC/JERC) provides environmental coordinates for BERA measurement at this tier. Where CyberRAVE names the domain and BERA measures coherence, PBJ locates the measurement geographically and jurisdictionally. PBJ is not the partner instrument at T3—BERA is—but PBJ provides the environmental reference frame within which BERA's local measurements are anchored.

3.4 T4: GunnySack × RCI — "Are You Coherent?"

GunnySack — Base Logic

Full designation: Guaranteed User-group Network Nullifying Yieldless Service: Accredited Certified Knowledge.

Definition: GunnySack is the accredited-knowledge layer. It certifies that the knowledge base a user carries is genuine, tested, and operationally valid. The backronym unpacks as a logic statement:

- **Guaranteed:** The certification is binding, not advisory.
- **User-group Network:** The certification operates within the user-group structure defined by SECUIR (T2).
- **Nullifying Yieldless Service:** Any service that produces no measurable yield is structurally disqualified. Knowledge that cannot produce outcomes is not accredited.
- **Accredited Certified Knowledge:** The final output is a certified knowledge credential—not a degree, not a badge, but a verified operational capability.

Input: Local measurement results from BERA (T3 output: this user's ARI score within this domain).

Output: Knowledge accreditation status. Is this user's knowledge operationally valid, as verified by their personal coherence?

Base formulation: Knowledge without coherence is recitation. GunnySack does not ask "do you know this?" It asks "can you operate from this knowledge in a state of personal coherence?" The distinction separates information from competence.

RCI — Base Logic

Full designation: Resonant Coherence Index.

Formula: RCI = P_Ω_norm × ARI_sys × VibConst

Developed by: Joseph Allen Sprute and Jimmy D. Butzbach (co-development with Butzbach's Continuity Theory).

Definition: RCI is the personal coherence measure. It integrates three components:

- **P_Ω_norm:** Normalized probability field — the statistical likelihood that the individual's current state is within their personal coherence envelope.

- **ARI_sys:** System-level Autonomic Resonance Index — the individual's biometric coherence as measured by BERA, contextualized within the system's operational parameters.
- **VibConst:** Vibrational Constant — the stabilizing coefficient derived from Butzbach's Continuity Theory, representing the minimum coherence floor below which the individual cannot be considered operationally qualified.

Input: Individual's BERA ARI score (from T3) + personal coherence history + Continuity Theory parameters.

Output: RCI score. A single number representing personal coherent readiness.

Base formulation: RCI answers the most personal question in the cascade: are *you*—not your group, not your domain, not your rules—coherent enough to operate from the knowledge you claim? GunnySack certifies the knowledge. RCI certifies the person holding it.

Pairing Logic

GunnySack × RCI narrows scope from "what do we measure?" to "is this specific person coherent enough to act on certified knowledge?" The shift is from local measurement to personal validation. T3 provides the measurement; T4 asks whether the measured person is ready.

Independent credibility note: RCI's co-development with Jimmy D. Butzbach and Continuity Theory provides independent authorship lineage. The personal-reference tier is not self-certified by JAS alone—it carries collaborative development with an external theoretical framework.

3.5 T5: SaleBuilders × RT Media — "Does It Build?"

SaleBuilders — Base Logic

Full designation: Smart-city Adaptive Living Engineering Banishing Untested Infrastructure—Laboratories Delivering Enduring Resilient Systems.

Definition: SaleBuilders is the engineering-delivery layer. It takes everything upstream—governance rules (T1), group qualification (T2), local measurement (T3), personal coherence (T4)—and asks the final question: can this produce a deliverable?

Input: Personally coherence-validated knowledge from GunnySack × RCI (T4 output: this person is coherent and their knowledge is accredited).

Output: Buildable deliverable. A system, product, protocol, or infrastructure component that has passed through all four upstream tiers and is ready for real-time deployment.

Base formulation: SaleBuilders inherits the Era II constraint—build-or-discard—and applies it as the final test. If the cascade produces something that cannot be built, the cascade has failed.

The deliverable is the proof.

RT Media — Base Logic

Definition: Real-Time Media is the loop-back instrument. It takes the deliverable from SaleBuilders and translates it into a real-time communication artifact—documentation, demonstration, deployment evidence—that feeds back into VERTECA's voice portal (T1), informing the next cycle of governance rules.

Input: Buildable deliverable from SaleBuilders.

Output: Real-time media artifact that re-enters the system at T1.

Governing protocol: RT Media's governing logic is *completion*. Its job is not to create new content but to close the circuit. The artifact it produces must be legible to VERTECA (T1) as input for the next governance cycle. If the media is not real-time, the loop does not close. If the loop does not close, the system is a hierarchy, not a cybernetic circuit.

Open specification note: RT Media requires further formal definition—specifically, a governing equation or protocol comparable to PlayNAC's game-theory rules, EPIR-Q's passband filter, BERA's ARI composite, and RCI's three-component formula. This is identified as a Paper 2 gap to be resolved before MIEVM validation.

Pairing Logic

SaleBuilders × RT Media completes the circuit. T5 feeds back to T1. The question "Does it build?" produces a deliverable, and the deliverable's real-time media representation becomes the input for the next governance cycle. The system is self-sustaining: governance → qualification → measurement → coherence → delivery → governance.

---

4. Overlap Architecture: Three Papers, Three Gates, One System

The three papers in this trilogy are not sequential chapters—they are overlapping lenses on the same system. A reader entering through any gate encounters all three.

4.1 Overlap Matrix

Component	Paper 1 (ONE-GOOD)	Paper 2 (SECURITY-CLEARANCE)	Paper 3 (DATA-INTEGRITY)
VERTECA	Voice biomarkers in BERA	T1: Voice portal + SOUND protocol	Decision-Stack entry point
SECUIR	Regulatory compliance matrix	T2: Security + qualification layer	Verification authority

Component	Paper 1 (ONE-GOOD)	Paper 2 (SECURITY-CLEARANCE)	Paper 3 (DATA-INTEGRITY)
CyberRAVE	—	T3: 72-domain measurement grid	Domain structure for simulation
GunnySack	—	T4: Knowledge accreditation	Certified knowledge base for verification
SaleBuilders	—	T5: Engineering delivery + loop-back	Deliverable as proof-of-verification
PlayNAC	Governance of Meritcoin/GraceChain	T1 partner: game-theory rules	Primary subject (Paper 3)
BERA	Primary clinical instrument (ARI)	T3 partner: biometric measurement	Measurement input for simulation
RCI	—	T4 partner: personal coherence	Personal verification anchor
EPIR-Q	—	T2 partner: qualification filter	Group verification filter
RT Media	—	T5 partner: loop-back instrument	Real-time simulation output
Meritcoin	Revenue instrument	Governed by PlayNAC (T1)	Verified by GraceChain (Paper 3)
GraceChain	Health trajectory ledger	Data integrity via T2/T4	Primary ledger (Paper 3)
EarnedPath	—	—	Primary subject (Paper 3)
GERP	—	—	Economic reform framework (Paper 3)
RT Def-Rel Simulator	—	—	Capstone verification engine (Paper 3)

4.2 Reader Pathways

Investor entering through Paper 1: Sees BLP clinical application → follows governance references to Paper 2 → discovers the infrastructure behind the instruments they're investing in

→ follows verification references to Paper 3 → understands how outcomes are independently confirmed.

Engineer entering through Paper 2: Sees infrastructure inheritance-lineage → follows clinical application references to Paper 1 → understands what the infrastructure is being used for → follows verification references to Paper 3 → understands how the system proves itself.

Policy architect entering through Paper 3: Sees governance and verification architecture → follows infrastructure references to Paper 2 → understands how the verification engine is built → follows clinical references to Paper 1 → understands the real-world application being verified.

---

5. Trifecta Mapping

Each subsystem is formally assigned to at least one Trifecta gate with defined input/output contracts. This is the structural security clearance—not metaphorical, but architectural.

Subsystem	ONE-GOOD (Paper 1)	SECURITY-CLEARANCE (Paper 2)	DATA-INTEGRITY (Paper 3)
VERTECA	Voice biomarker input	✓ PRIMARY: Trust handshake	Decision-Stack entry
SECUIR	Regulatory compliance	✓ PRIMARY: Access precision	Verification authority
CyberRAVE	—	✓ PRIMARY: Domain structure	Simulation grid
GunnySack	—	✓ PRIMARY: Knowledge certification	Knowledge verification
SaleBuilders	—	✓ PRIMARY: Deliverable proof	Build verification
PlayNAC	Meritcoin governance	✓ Rules architecture	✓ PRIMARY: Game-theory verification
BERA	✓ PRIMARY: Clinical ARI	Measurement instrument	Measurement verification
RCI	—	✓ PRIMARY: Personal coherence	Personal verification
EPIR-Q	—	✓ Qualification filter	Group verification
RT Media	—	✓ Loop-back instrument	Real-time output

Reading the table: ✓ PRIMARY means the subsystem's primary home is this gate. ✓ (without PRIMARY) means the subsystem contributes to this gate but is primarily governed elsewhere.

---

6. Conclusions

6.1 Technical Summary

The App-Parent Inheritance-Lineage is a five-tier cybernetic circuit in which each tier inherits governance from above, narrows scope by one level, and the final tier loops back to the first. The five subsystems span three development eras (1997–present, with CyberRAVE roots in the pre-1997 Global_VPN period). The constraint-based culling epistemology that shaped the system—selection-by-sustainability → build-or-discard → formalization-without-loss—is itself the security clearance.

The cascade answers five questions in sequence: What are the rules? → Who qualifies? → What do we measure? → Are you coherent? → Does it build? — and the answer to the fifth question feeds back into the first.

One specification gap remains open: RT Media at T5 requires a governing equation or protocol to match the formal definition level of its four peer instruments. This gap is identified, bounded, and addressable within the Paper 2 revision cycle.

6.2 What This Means for Partnership

For readers arriving from Paper 1 (BIO-LP Investor Brief): the clinical instruments you evaluated—BERA, FAVORS, GraceChain, Meritcoin—do not exist in isolation. They sit within a five-tier infrastructure that has been under continuous development since the mid-1990s. The resonance monitoring you would invest in at T3 (CyberRAVE × BERA) is governed by game-theoretic rules at T1 (VERTECA × PlayNAC), qualified by security clearance at T2 (SECUIR × EPIR-Q), validated at the personal level by T4 (GunnySack × RCI), and proven buildable at T5 (SaleBuilders × RT Media).

This is not a startup with a whitepaper. This is a 14-year research program with a 30-year development lineage presenting its infrastructure for the first time as a formal specification.

Paper 3 will demonstrate how this infrastructure verifies its own outputs in real time.

Appendix A: ERES Triune Math (Reference)

Equation	Form	Reading
(1)	$C = R \times P / M$	Cybernetics = Resources × Purpose ÷ Method
(2)	$M \times E + C = R$	Matter × Energy + Constant = Reason
(3)	$REAL = (E \cdot M \cdot R) / (T \cdot S)$	Energy · Matter · Resonance / Time · Space — no repeated letters

Appendix B: Three Governing Principles (Reference)

1. Don't hurt yourself.
2. Don't hurt others.
3. Build for generations to come.

Appendix C: Locked Backronyms Used in This Paper

Term	Full Designation
CyberRAVE	Cybernetic Ratings Abolishing Veiled Exchanges
GunnySack	Guaranteed User-group Network Nullifying Yieldless Service: Accredited Certified Knowledge
SaleBuilders	Smart-city Adaptive Living Engineering Banishing Untested Infrastructure—Laboratories Delivering Enduring Resilient Systems
BODY	Because Odor Does Yellow
BRAINS	Because Reason About Idea Need Sound

Appendix D: Document Cross-References

Document ID	Title	Status
ERES-BIO-LP-WP-2026-001 (v3.0)	Biomedical Lagrange Points — Investor Brief	Complete (Paper 1)
ERES-INTUIT-ARCH-2026-001 (v1.0)	Infrastructure Intuition — Trust Architecture	This paper (Paper 2)

Document ID	Title	Status
ERES-[GOV-VERIFY]-2026-001	Governance & Verification — RT Def-Rel Simulator	Forthcoming (Paper 3)
ERES-RECKON-WP-2026-002	Seven Resonance Anchors	Reference
ERES TERMS #47	ET_AL — Extra-Terrestrial_About*Love:AD_ON-AI	Reference
ERES-COVENANT-2026-001	ERES Equity Covenant	Reference

ERES Three Governing Principles: *"Don't hurt yourself. Don't hurt others. Build for generations to come."*

ERES Institute for New Age Cybernetics

Bella Vista, Arkansas | Founded February 2012 | ORCID: 0000-0001-9946-3221

408+ publications on ResearchGate | eresmaestro@gmail.com

Version 1.0 — April 18, 2026 — Pre-MIEVM Validation Draft