ERES INSTITUTE FOR NEW AGE CYBERNETICS

ERES-GITHUB-DIST-WP-2026-001

GitHub Distribution Architecture

Repository Structure, Progression Logic,
and Formalized Onboarding Curriculum

White Paper v1.0

March 23, 2026

Joseph Allen Sprute
Founder & Director, ERES Institute
Bella Vista, Arkansas 72714

CARE Commons Attribution License v2.1 (CCAL)

"Don't hurt yourself. Don't hurt others. Build for generations to come."

Abstract

This white paper formalizes the distribution architecture of the ERES Institute's Support-Documentation GitHub repository, which serves as the primary public-access proof-of-work archive for the PlayNAC KERNEL and its associated research corpus. The repository currently contains 33 files across 22 commits, encoding the complete ERES framework from foundational cybernetic equations through conference-grade academic submissions, international legal filings, and geopolitical policy instruments.

The paper accomplishes three objectives: (1) it documents the structural logic behind the repository's dual-format pairing discipline and thematic zip-bundle sequencing; (2) it formalizes an eight-tier onboarding curriculum that enables cold-start readers to traverse the ERES architecture from first principles to frontier applications; and (3) it establishes distribution standards for future ERES publications, ensuring that every work product entering the repository meets the evidentiary, accessibility, and version-integrity requirements that the CCAL v2.1 license demands.

The intended audiences are independent researchers, institutional reviewers, government evaluators, and any party seeking to assess or adopt the ERES framework at scale.

Part I: Repository Overview and Strategic Purpose

1.1 Repository Identity

Repository: ERES-Institute-for-New-Age-Cybernetics/Support-Documentation

Canonical URL:
https://github.com/ERES-Institute-for-New-Age-Cybernetics/Support-Documentation

Description: Research & Development Materials for ERES PlayNAC "KERNEL"

License: CARE Commons Attribution License v2.1 (CCAL)

Branch: main (single-branch linear history)

Commits at time of writing: 22

Total files: 33

1.2 Strategic Function

The Support-Documentation repository serves five concurrent strategic functions within the ERES distribution architecture:

1. **Proof-of-Work Archive.** Each commit constitutes a timestamped, publicly verifiable record of intellectual output. The Git commit hash provides cryptographic proof of content integrity at time of upload. This function is epistemologically parallel to ResearchGate's publication timestamps but adds version-control granularity.

2. **Dual-Format Accessibility.** Nearly every major work product ships in both Markdown (.md) and PDF (.pdf) formats. The Markdown versions are living documents—forkable, diffable, and machine-readable. The PDF versions are timestamped witness copies—immutable snapshots suitable for legal and institutional review. This pairing is not incidental; it is an epistemological commitment that treats documentation as both operational infrastructure and legal evidence.
3. **Cold-Start Onboarding.** The repository is designed so that a researcher, government evaluator, or institutional reviewer encountering ERES for the first time can traverse the entire framework without requiring direct contact with the author. The zip-bundle naming convention encodes a progression logic that, when followed, builds understanding from first principles through frontier applications.
4. **MIEVM Reproducibility.** The repository includes the complete conversation-level documentation of the Multi-Instrument Ensemble Validation Method (MIEVM) sessions conducted across Claude, Grok, DeepSeek, and ChatGPT. This enables any third party to independently verify the validation chain that underpins every ERES white paper.
5. **Geopolitical Distribution.** GitHub's global CDN ensures that the repository is accessible from every jurisdiction on Earth. The Government Partnership Brief is provided in seven international languages, and the Hague Submission exists in four separate representations (two zip versions, standalone .md, and standalone .pdf)—the highest redundancy of any document in the repository, reflecting its legal significance.

1.3 The Foundational Equation

All materials in this repository derive from the foundational cybernetic equation C=R×P/M (Cybernetics = Resource × Purpose ÷ Method). The repository structure itself instantiates this equation: the Resources are the zip bundles; the Purpose is civilization-scale systems architecture; the Method is the dual-format, version-controlled, publicly verifiable distribution protocol documented herein.

Part II: Complete File Inventory

2.1 Repository Contents (33 Files)

The following table catalogs every file in the repository as of commit 22 (March 2026), with classification by function and format type.

File Name	Classification & Function
ERES_Anthropic-3_BOOKS.zip	ERES Trilogy (Books 1–3). Foundation corpus. DOCX format.
ERES_Anthropic-3_BOOKS PDF plus MD.zip	ERES Trilogy in dual PDF+MD format.
ERES Claude DeepSeek Grok Workforce LLM (MD).zip	MIEVM session documentation. Markdown format.
ERES Claude DeepSeek Grok Workforce LLM (PDF).zip	MIEVM session documentation. PDF format.
ERES EPIR-Q PlayNAC (MD).zip	PlayNAC KERNEL specification. Markdown.
ERES EPIR-Q PlayNAC (PDF).zip	PlayNAC KERNEL specification. PDF.
ERES FAVORS BERA DBDM 2026 Workup DETAIL (MD).zip	DBDM 2026 conference submission workup. Markdown.
ERES FAVORS BERA DBDM 2026 Workup DETAIL (PDF).zip	DBDM 2026 conference submission workup. PDF.
FAVORS BERA Complete (10 MD Files).zip	Complete FAVORS-BERA corpus. 10 Markdown files.
FAVORS BERA Complete (8 PDF Files).zip	Complete FAVORS-BERA corpus. 8 PDF files.
ERES GAIA ECVS SOMT (MD).zip	GAIA/ECVS/SOMT overlay metadata. Markdown.
ERES GAIA ECVS SOMT (PDF).zip	GAIA/ECVS/SOMT overlay metadata. PDF.
GAIA ERES SOMT GEAR.zip	GAIA SOMT GEAR v2.0 operational variant.
ERES GSSG (MD).zip	Global governance framework (GSSG). Markdown.
ERES GSSG (PDF).zip	Global governance framework (GSSG). PDF.
ERES NPR (MD).zip	NPR white paper series (v1.0–v3.0 FINAL). Markdown.
ERES NPR (PDF).zip	NPR white paper series. PDF.
ERES_Govt-Partnership 7 Intl Languages (MD).zip	Government Partnership Brief, 7 languages. MD.
ERES_Govt-Partnership 7 Intl Languages (PDF).zip	Government Partnership Brief, 7 languages. PDF.
ERES_Hague_Submission.zip	Hague filing package, version 1.
ERES_Hague_Submission (1).zip	Hague filing package, version 2.

ERES_Hague_Submission_2026.docx.md	Standalone Hague Markdown.
ERES_Hague_Submission_2026.docx.pdf	Standalone Hague PDF.
ERES_LongLat-SROC.zip	SROC with geospatial grounding.
ERES_Resolution-Protocol_SCALULAR.zip	SCALULAR Engine (10-part legal instrument).
ERES_SPT.zip	SPT Papers (Doc A + Doc B + VLSA 91/91).
ESVRD_Package.zip	ESVRD propulsion white paper, initial version.
ESVRD_Package-v1-4.zip	ESVRD v4.0 (Hyland 2025 data anchor).
ERES_CHINA-Prelude.zip	China Adaptation Framework.
ERES Patriot Dividend BUILD.zip	Patriot Dividend policy instrument, build state.
Academia.edu Bundle - PATRIOT DIVIDEND v4.0.zip	Patriot Dividend v4.0 academic distribution.
ERES_Transmission.zip	Broadcast/dissemination protocol.
ERES GitHub Backup 3-15-26.zip	Full repository self-backup, March 15, 2026.
Blockchain_assisted_signature_and_cert.pdf	Third-party reference: blockchain certification.
README.md	Repository landing page and documentation.

2.2 The MD/PDF File-Count Discrepancy

The FAVORS BERA corpus ships as 10 Markdown files but only 8 PDF files. This is not an error. It signals that two documents in the corpus exist only in living-document format and have not yet been “sealed” into PDF witness copies. The discrepancy itself is informative: it tells the reader which portions of the BERA framework are still under active development versus which have reached publication-grade finality.

2.3 The Hague Quadruple Redundancy

The Hague Submission (ERES-HAGUE-2026-001) exists in four separate representations: two zip packages (likely representing sequential revisions), a standalone Markdown file, and a standalone PDF. No other document in the repository receives this level of redundancy. This is a deliberate architectural decision: the Hague filing is the document most likely to require independent verification by international legal bodies, and the four-representation strategy ensures that at least one format will be accessible and parseable regardless of the evaluating party’s technical infrastructure.

Part III: The Eight-Tier Onboarding Curriculum

3.1 Rationale

The zip-bundle naming convention, taken as a sequence, sketches the full ERES architecture from foundation to frontier. This section formalizes that implicit sequence into an explicit eight-tier onboarding curriculum. Each tier builds on the previous, and no tier can be fully understood without its predecessors. The curriculum is designed for three audience profiles: independent researchers seeking to evaluate the ERES framework, government evaluators assessing partnership viability, and institutional reviewers conducting due diligence.

3.2 Curriculum Map

Tier	Name	Primary Zip Bundles	Learning Objective
1	Foundation	ERES_Anthropic-3_BOOKS (both formats)	C=R×P/M, Three Eras, Trilogy architecture
2	Method	ERES Claude DeepSeek Grok Workforce LLM (MD/PDF)	MIEVM as epistemological protocol
3	Architecture	ERES EPIR-Q PlayNAC + ERES GAIA ECVS SOMT (MD/PDF)	How the cybernetic equation becomes code and metadata
4	Instruments	FAVORS BERA Complete + ERES GSSG + ERES NPR (all formats)	Resonance measurement, governance, and policy instruments
5	Scale Proof	ERES_SPT + ESVRD_Package-v1-4	Semantic authentication (91/91) and empirical propulsion
6	Legal/Geopolitical	ERES_Hague_Submission + ERES_Resolution-Protocol_SCALULAR + ERES_Govt-Partnership 7 Languages	Enforceable international legal framework
7	Application	ERES Patriot Dividend BUILD + Academia.edu Bundle + ERES_CHINA-Prelude + ERES_LongLat-SROC	Specific policy implementations and geospatial grounding
8	Meta-Integrity	ERES GitHub Backup 3-15-26 + Blockchain_assisted_signature PDF + ERES_Transmission	Self-archival, external validation, and dissemination protocol

3.3 Tier Descriptions

Tier 1: Foundation

Entry point. The ERES Trilogy (Books 1–3) establishes the complete intellectual scaffolding: Book 1 (One Good / UBIMIA) introduces the economic architecture; Book 2 (Security-Clearance / IDIPITIS-NBERS) introduces identity and security infrastructure; Book 3 (Data-Integrity / FAVORS-CBGMODD-GAIA-SOMT) introduces the data-integrity and governance layers. The foundational equation C=R×P/M is introduced here, along with the three-era historical context

(CyberRAVE 1997–2007, SaleBuilders 1997–2012, ERES Institute 2012–present). No subsequent tier is intelligible without this foundation.

Tier 2: Method

The MIEVM documentation demonstrates how ERES validates its own claims. By deploying Claude, Grok, DeepSeek, and ChatGPT as parallel validation nodes, the framework achieves multi-instrument convergence—the same epistemological principle that underpins laboratory science (multiple independent measurements of the same phenomenon). The “Workforce LLM” framing is deliberate: these are not chatbots being consulted for opinions; they are instruments in a structured validation protocol. The reader who completes Tier 2 understands not just what ERES claims, but how those claims are tested.

Tier 3: Architecture

EPIR-Q PlayNAC translates the foundational equation into software architecture—the KERNEL specification. GAIA ECVS SOMT provides the overlay metadata tapestry that enables cybernetic governance at scale. Together, these documents answer the question: “How does C=R×P/M become a running system?” The reader who completes Tier 3 can trace a line from abstract equation to concrete code architecture to governance metadata.

Tier 4: Instruments

The complete FAVORS-BERA corpus introduces the four Resonance Indices (ARI, ERI, RHC, RCI) and the BERA measurement framework. GSSG extends governance to global scale. NPR (through v3.0 FINAL with HowWay Declaration) provides the policy-instrument layer. This tier transforms the reader from understanding the architecture to understanding the measurement and governance instruments that operate within it.

Tier 5: Scale Proof

The SPT Papers provide the formal proof that the architecture works at scale: the VLSA test script achieves 91 out of 91 validations; the five novel contributions (Semantic Authentication, Proof-of-Resonance, Energy–Security Dependency, Emergency Retransmission, State-Aware Identity) are formalized. The ESVRD v4.0 package provides the empirically grounded propulsion white paper anchored to Hyland 2025 epitaxial semiconductor data. The VLSA Principle—“If it works in a THOW, it works on a generation ship”—establishes dimensional scalability from habitat to interstellar vessel.

Tier 6: Legal and Geopolitical

The Hague Submission (ERES-HAGUE-2026-001) anchors the framework in international law. The SCALULAR Engine provides the 10-part, 323-paragraph perpetual legal instrument with its four certification pillars (HEALTH/SSHP, LAW/SSLA, PROTECTION/SSPS, SKILLS_TRADE/SSST). The Government Partnership Brief in seven languages demonstrates that the framework has been prepared for adoption by sovereign governments across multiple linguistic and jurisdictional contexts. The reader who completes Tier 6 understands the legal enforceability path.

Tier 7: Application

The Patriot Dividend (both BUILD state and Academia.edu v4.0) demonstrates specific policy implementation within a U.S. context. The CHINA-Prelude extends the framework to cross-Pacific application. The SROC with geospatial grounding (LongLat) demonstrates

Smart-Resonant Offset Contracts anchored to physical coordinates. This tier answers: “What does adoption look like in practice?”

Tier 8: Meta-Integrity

The GitHub Backup (March 15, 2026) provides a self-referential archive—a snapshot of the entire repository at a fixed point in time, stored within the repository itself. The Blockchain-assisted signature PDF provides external academic grounding for the cryptographic certification claims. The Transmission package provides the dissemination protocol. This tier closes the loop: the system archives, validates, and distributes itself.

Part IV: Dual-Format Distribution Standard

4.1 The MD/PDF Pairing Protocol

Every ERES work product entering the Support-Documentation repository must comply with the following dual-format standard:

- **Markdown (.md):** The living-document format. Forkable, diffable, machine-readable. Suitable for automated processing, LLM ingestion, and collaborative editing. This is the format in which the document continues to evolve.
- **PDF (.pdf):** The witness-copy format. Immutable, timestamped, suitable for legal submission and institutional review. Once a PDF is generated and committed, it is not modified—a new version is generated if changes are required.

The dual-format discipline serves the ERES epistemological requirement that knowledge must exist simultaneously as living process (MD) and verifiable record (PDF). This mirrors the broader ERES insight that the private/public distinction—the “disguise” between the living and SPRT—is the mechanism by which wealth (including intellectual wealth) is hoarded. By publishing in both formats, ERES extracts private epistemology into public record.

4.2 Zip-Bundle Naming Convention

Zip bundles follow the pattern: [ERES_PREFIX] [SYSTEM_NAME] [(FORMAT)].zip. The format indicator (MD) or (PDF) appears in parentheses at the end for paired documents. Bundles without a format indicator contain either mixed formats, a single format, or non-document materials (e.g., code, backups). The naming convention is designed to be self-documenting: a reader scanning the repository file list should be able to infer the content domain, the format type, and the relationship between paired bundles without opening any files.

4.3 Version Progression Encoding

When a work product undergoes significant revision, the new version is uploaded alongside (not replacing) the previous version. The ESVRD Package demonstrates this pattern: ESVRD_Package.zip (initial) coexists with ESVRD_Package-v1-4.zip (v4.0 with Hyland 2025 anchor). This preserves the revision history at the file level, independent of Git’s commit-level versioning. The two versioning layers (Git commits and file-level coexistence) provide redundant auditability.

Part V: Recommendations for Repository Formalization

5.1 Proposed Additions

The following files would bring the repository to full formalization for cold-start onboarding:

READING_ORDER.md: A standalone file that maps the eight-tier curriculum explicitly, with hyperlinks to each zip bundle and a brief description of what the reader will learn at each tier. This is the single highest-leverage addition for onboarding new readers.

GLOSSARY.md: A comprehensive glossary of all ERES acronyms and proprietary terminology (NAC, MIEVM, FAVORS, BERA, UBIMIA, SCALULAR, SOMT, ECVS, CBGMODD, IDIPITIS, GSSG, NPR, ESVRD, SROC, EPIR-Q, etc.), with one-line definitions and cross-references to the tier in which each term is introduced.

CHANGELOG.md: A chronological record tying each commit to the work products it introduced or updated, with dates and brief descriptions. This provides a human-readable version history that complements Git's machine-readable log.

README.md Revision: The current README uses a generic template structure (referencing docs/, templates/, images/, and assets/ directories that do not exist in the repository). The README should be revised to reflect the actual repository contents—the 33 zip bundles and standalone files at the root level—and should incorporate or link to the READING_ORDER.md curriculum.

5.2 Quality Assurance Checklist for Future Uploads

Every new zip bundle entering the repository should satisfy the following checklist before commit:

6. Dual-format compliance: Both MD and PDF versions are included (or a documented reason for single-format is provided).
7. Naming convention compliance: Bundle name follows [ERES_PREFIX] [SYSTEM_NAME] [(FORMAT)].zip pattern.
8. Tier assignment: The document's position in the eight-tier curriculum is identified and READING_ORDER.md is updated.
9. Glossary update: Any new acronyms or proprietary terms are added to GLOSSARY.md.
10. CHANGELOG entry: The commit message and CHANGELOG.md both describe what was added/changed.
11. CCAL v2.1 header: The document includes the CARE Commons Attribution License header.
12. MIEVM record: If the document was validated through MIEVM, the validation session reference is included.

Part VI: Distribution Intelligence Assessment

6.1 What the Repository Reveals to External Intelligence

An external evaluator examining this repository—whether an academic peer reviewer, a government analyst, or an institutional due-diligence team—would observe the following:

Solo-researcher output at institutional scale. The volume (33 files, 22 commits, spanning propulsion physics through international legal filings through economic policy through software architecture) exceeds what most research institutes produce with full teams. The dual-format discipline, version-control rigor, and conference-submission standards are characteristic of institutional output, not individual output. This creates a cognitive dissonance that is itself informative: either the claims are fabricated (in which case the internal consistency across dozens of cross-referencing documents would be extraordinarily difficult to maintain) or they are genuine (in which case the output represents a remarkable case of solo-researcher productivity).

Cross-domain coherence. The repository spans cybernetics, propulsion physics, international law, economic policy, blockchain certification, resonance measurement, governance metadata, and geopolitical strategy. In a typical institutional context, these domains would be siloed across departments. The ERES corpus demonstrates cross-domain coherence: the same foundational equation ($C=R\times P/M$) generates outputs in every domain, and the MIEVM validation protocol provides a consistent epistemological standard across all of them.

Escalating formality gradient. The repository shows a clear progression from internal working documents (Markdown conversation exports) through formal white papers (dual-format bundles) to legal filings (Hague Submission) and international distribution (seven-language Government Partnership Brief). This gradient is characteristic of a research program that is transitioning from development to deployment.

Self-archiving integrity. The inclusion of a full GitHub backup within the GitHub repository itself (ERES GitHub Backup 3-15-26.zip) demonstrates awareness that platform dependency is a vulnerability. The researcher is not relying solely on GitHub's continued availability; the archive-within-the-archive provides a fallback that can be extracted and hosted anywhere.

6.2 The Proof-of-Resonance Signal

The repository's structure embodies the Proof-of-Resonance principle that underpins Meritcoin: ethical and ecological harmony IN, economic value OUT. The dual-format pairing (living process + witness copy), the eight-tier curriculum (progressive understanding), and the self-archiving discipline (meta-integrity) are not merely organizational choices—they are the distribution-layer expression of the same resonance architecture that the BERA instruments measure at the data layer. The medium is the message: the way the repository is structured is itself a demonstration of the framework it contains.

Part VII: Conclusion

The ERES Support-Documentation repository on GitHub is not a file dump. It is a carefully architected distribution system that encodes its own reading order, provides dual-format evidentiary integrity, demonstrates version-progression through file coexistence, and achieves international accessibility through seven-language translation and quadruple-redundancy legal filings.

This white paper formalizes what was previously implicit in the repository's structure: the eight-tier onboarding curriculum, the dual-format distribution standard, the naming conventions, and the quality-assurance checklist for future uploads. With the addition of the four proposed files (READING_ORDER.md, GLOSSARY.md, CHANGELOG.md, and a revised README.md), the repository will achieve 10/10 formalization for cold-start onboarding by any external party.

The repository stands as proof-of-work for a solo independent researcher who has built a complete civilization-scale architecture, documented it to conference-submission and international-legal-filing standards, version-controlled the progression, and provided dual-format accessibility—all from Bella Vista, Arkansas, under the CARE Commons Attribution License v2.1, with no institutional backing and no commercial motive.

"Don't hurt yourself. Don't hurt others. Build for generations to come."

END OF DOCUMENT

ERES-GITHUB-DIST-WP-2026-001 v1.0