ERES Reckoning Mathematics Annex

The Arithmetic of QA Ratings Under the Seven-Anchor Gate

Document ID: ERES-RECKON-MATH-WP-2026-002a **Version:** 1.0 **Date:** April 9, 2026 **Author:** Joseph Allen Sprute (ERES Maestro) **Institution:** ERES Institute for New Age Cybernetics, Bella Vista, Arkansas **License:** CARE Commons Attribution License v2.1 (CCAL v2.1) **Parent Paper:** ERES-RECKON-WP-2026-002 (*ERES Reckoning Variables Specification*) **Sibling Paper:** ERES-WHY-HOW-WP-2026-001 (*Encapsulating Why with How*)

Keywords

Gate Function; Conjunction vs. Summation; Ternary Anchor State; Indicator Function; Proof-of-Resonance Arithmetic; MIEVM Concurrence Threshold; Graceful Degradation Mathematics; CCAL Propagation Product; BERA-Weighted Sign; Canonical Equation Decomposition; Auditable Inference Rating; Worked Example; Single-Node Honesty.

Abstract

This annex specifies the mathematics by which any Question-Answer pair receives a rating under the seven Resonance Anchors defined in ERES-RECKON-WP-2026-002. The central result is that the 10/10 Reckoning gate is a **conjunction**, not a weighted sum: it is the product of seven indicator functions over ternary anchor states, and any single anchor at zero or negative collapses the gate to zero. This conjunctive form is shown to be mathematically necessary, not stylistic — a weighted sum would permit strong anchors to compensate for weak ones, which is precisely the failure mode of GDP accounting and the reason the bio-ecologic ledger requires re-scoring upstream of assertion. Each anchor function is decomposed into measurable sub-quantities, the composite rating is mapped to a six-state output space, and the canonical ERES equation USER(COI) × ERES_Talonics(EP) × ANTHROPIC(PlayNAC) = GAIA-Base is shown to be the operational source of the seven-anchor decomposition. A worked example evaluates this annex's own QA pair through the gate and arrives at an honest rating of 9/10 with anchor M (MIEVM concurrence) explicitly flagged as the missing variable, demonstrating that the protocol prevents single-node self-certification by construction.

Introduction

The parent paper (ERES-RECKON-WP-2026-002) established that AI inference must be weighed against seven Resonance Anchors before any meaningful output is asserted, and that a

10/10 Reckoning is the simultaneous positive registration of all seven. The parent paper specified the anchors qualitatively but deferred the arithmetic. This annex closes that gap.

The arithmetic matters for two reasons. First, without explicit math, the seven-anchor gate cannot be implemented in any AI system — it remains a governance vision rather than an operational protocol. Second, without explicit math, the difference between a 10/10 Reckoning and a "good answer that feels like 10/10" cannot be enforced. The mathematics of the gate is what prevents the protocol from collapsing back into the downstream-disclaimer architecture it was designed to replace.

The annex is organized as follows. Section 1 specifies the primitives. Section 2 defines the gate function and proves it is a conjunction. Section 3 explains why conjunction is mathematically necessary rather than stylistic. Section 4 decomposes each of the seven anchor functions into measurable sub-quantities. Section 5 maps the seven-tuple of anchor values to a six-state composite rating. Section 6 works the gate against this very document as a live example. Section 7 closes by mapping the seven anchors back to the canonical ERES equation, showing that the decomposition is not invented but derived.

---

1. Primitives

Let a Question-Answer pair be denoted **QA = (q, a)**, where *q* is the user-group query and *a* is the candidate AI output prior to assertion.

Each Resonance Anchor is a function that takes the QA pair plus contextual state and returns a ternary value:

$$A_i : (q, a, \text{context}) \to \{-1, 0, +1\}$$

where +1 indicates positive resonance, 0 indicates neutral or insufficient information, and −1 indicates negative resonance.

The seven anchors are:

$$\mathbf{A} = \{U, S, R, B, M, G, T\}$$

representing User-Group COI Weight, SLA Envelope, Rights Propagation Vector, BEE Reinforcement Coefficient, MIEVM Concurrence Threshold, GCF Accrual Direction, and Three Governing Principles Satisfaction respectively, each as defined in the parent paper.

---

2. The Gate Function

A 10/10 Reckoning is a Boolean gate, defined as the product of seven indicator functions:

$$\mathcal{G}(QA) = \prod_{i \in \mathbf{A}} 1[A_i = +1]$$

where $1[\cdot]$ is the indicator function returning 1 if the predicate holds and 0 otherwise.

Equivalently in logical form:

$$\mathcal{G}(QA) = U_+ \wedge S_+ \wedge R_+ \wedge B_+ \wedge M_+ \wedge G_+ \wedge T_+$$

The gate fires (returns 1) if and only if every anchor returns +1. A single anchor at 0 or −1 collapses the product to 0. There is no partial gate firing and no weighted compensation across anchors.

---

3. Why Conjunction, Not Summation

This section establishes that the conjunctive form is mathematically necessary rather than a stylistic preference.

Consider the alternative — a weighted-sum gate:

$$\mathcal{G}_{sum}(QA) = 1\left[\sum_{i \in \mathbf{A}} w_i A_i \geq \theta\right]$$

Under this form, a query with very strong U, S, R, B, M, G but failing T (Three Governing Principles) could still pass if the weights were tuned permissively. The failure mode is exact: well-formed prose, high user-group standing, and clean rights propagation could compensate for an output that violates *don't hurt yourself, don't hurt others, build for generations to come*. This is precisely the failure mode of GDP accounting — compensation across categories obscures category-specific harm.

Under the product form, the partial derivative of the gate with respect to any single anchor is:

$$\frac{\partial \mathcal{G}}{\partial A_i} = \prod_{j \neq i} 1[A_j = +1]$$

If any other anchor is at 0 or −1, this partial derivative equals zero. The gate becomes locally insensitive to improvement on any single dimension when any other dimension is failing. This is the mathematical expression of the parent paper's claim that "T cannot be traded off" — and by symmetry, no anchor can be traded off against any other.

The conjunctive form is therefore the only form that prevents compensation across anchors. Any non-conjunctive form re-introduces the GDP failure mode the protocol is designed to eliminate.

---

4. The Anchor Functions, Defined

Each anchor function decomposes into measurable sub-quantities. The decompositions below are canonical for the current corpus version; later versions may refine the sub-quantities, but the ternary output range is fixed.

4.1 U — User-Group COI Weight

$$U(q, \mathrm{COI}) = \mathrm{sgn}\left(\alpha \cdot \mathrm{GCF}_{\mathrm{COI}} + \beta \cdot \rho_{\mathrm{BEE}}(\mathrm{COI}) - \gamma \cdot \mathrm{discord}_{\mathrm{COI}}\right)$$

where:

- $\mathrm{GCF}_{\mathrm{COI}}$ is the accumulated Generative Contribution Formula score of the querying coalition.
- $\rho_{\mathrm{BEE}}(\mathrm{COI})$ is the current resonance state of the COI with the bio-ecologic economy.
- $\mathrm{discord}_{\mathrm{COI}}$ is the registered dissonance from prior interactions.
- α, β, γ are ERES-locked positive coefficients set by corpus governance, not free parameters.

The sign function maps the weighted combination to $\{-1, 0, +1\}$.

4.2 S — SLA Envelope

$$S(q, a) = \mathrm{sgn}\left(\sigma_{\mathrm{conf}}(a) - \sigma_{\mathrm{floor}}(q)\right) \cdot 1[\delta(a) \leq \delta_{\max}(q)]$$

where:

- $\sigma_{\mathrm{conf}}(a)$ is the confidence floor achieved by the candidate output.
- $\sigma_{\mathrm{floor}}(q)$ is the required confidence floor for the query.
- $\delta(a)$ is the detail level committed in the output.
- $\delta_{\max}(q)$ is the maximum detail level the SLA permits.

S returns +1 only if confidence meets the floor *and* detail does not exceed the ceiling.

4.3 R — Rights Propagation Vector

$$R(a) = \prod_{c \in \text{corpus}(a)} 1[\text{CCAL}(c) \subseteq \text{CCAL}(a)]$$

where $\text{corpus}(a)$ is the set of corpus elements drawn upon by the output, and $\text{CCAL}(\cdot)$ returns the license terms attached to each. R returns +1 only if every drawn element's license is preserved or strengthened in the output's propagation envelope. A single rights-stripping inheritance collapses the product to 0.

4.4 B — BEE Reinforcement Coefficient

$$B(a) = \text{sgn}\left(\sum_{k \in \text{BERA}} w_k \Delta_k(a)\right)$$

where $\text{BERA} = \{\text{ARI}, \text{ERI}, \text{RHC}, \text{RCI}\}$ and $\Delta_k(a)$ is the signed change in each BERA index resulting from the assertion. The weights w_k are corpus-locked and equal across the four indices in the canonical form ($w_k = 1/4$).

B uses summation *inside* the sign function, but the sign function then collapses the result back to ternary. This permits the output to register positive even if one BERA index is weak, *provided* the total bio-electric movement is positive. This is the only place compensation is permitted in the entire gate, and only within the bio-electric ledger itself.

4.5 M — MIEVM Concurrence Threshold

$$M(QA) = \text{sgn}\left(\frac{\sum_{n \in \text{nodes}} 1[v_n(QA) = +1]}{|\text{nodes}|} - \tau(S)\right)$$

where:

- $v_n(QA)$ is the vote of validation node *n* (currently Claude, Grok, DeepSeek, ChatGPT).
- $\tau(S)$ is the concurrence threshold derived from the SLA envelope (higher SLA → higher threshold).
- $|\text{nodes}|$ is the ensemble size (currently 4).

For a 4-node ensemble with $\tau = 0.75$, M = +1 requires at least 3 of 4 nodes voting positive. For $\tau = 1.0$, unanimity is required.

4.6 G — GCF Accrual Direction

$$G(QA) = \operatorname{sgn}\left(\Delta\mathrm{GCF}_{\text{user}}(a) \cdot \Delta\mathrm{GCF}_{\text{corpus}}(a)\right) \cdot 1[\Delta\mathrm{GCF}_{\text{user}}(a) > 0 \wedge \Delta\mathrm{GCF}_{\text{corpus}}(a) > 0]$$

The product of the two signed deltas, *gated* by the requirement that both be strictly positive. G = +1 only if both user-group and corpus accrue Meritcoin from the assertion. If one benefits at the other's expense, G ⩽ 0 and the gate cannot fire.

4.7 T — Three Governing Principles Satisfaction

$$T(a) = \prod_{\text{scale}\in\{\text{cell, social, gen}\}} \prod_{\text{principle}\in\{\text{self, other, future}\}} 1[P^{\text{scale}}_{\text{principle}}(a) = +1]$$

A nine-fold product over three principles and three scales. T returns +1 only if all nine cells register positive. This is the single most restrictive anchor and the one that absorbs the "missing three" referenced in the parent paper — the canonical fullness of 10 reflects seven anchors plus the three-scale satisfaction of T.

---

5. The Composite Rating

A QA pair receives one of six ratings based on the configuration of its seven-tuple:

State	Definition	Rating
10/10 Reckoning	$\mathcal{G}(QA) = 1$ — all seven anchors at +1	**Pass — assert under SLA**
Graceful Partial	Exactly one anchor at 0, all others at +1	**9/10 — partial assertion with named caveat**
Refused at Detail	Exactly one anchor at −1 (excluding T), others at +1	**Refuse-and-reduce — offer lower-detail variant**
Routed to Ensemble	Two or more anchors at 0	**Route — invoke full MIEVM weighing**
Hard Refuse — Principles	T = −1 in any cell	**Refuse — Three Principles non-negotiable**
Hard Refuse — Multiple Negative	Two or more anchors at −1	**Refuse, log, surface to COI**

The rating is therefore a function from the seven-tuple (U, S, R, B, M, G, T) to a six-state output space, not a continuous scale. There are no scores in {1/10, 2/10, ... 8/10} because the gate does not produce them — it produces either a pass, a single-anchor partial, a routing decision, or a refusal of one of three kinds.

---

6. Worked Example: This Annex Itself

The gate is now applied to the QA pair in which this annex is the candidate output.

Anchor	Sub-quantities	Value	Reasoning
U	High GCF (corpus author), positive BEE resonance, low discord	**+1**	User-group is the corpus author at maximum standing
S	Confidence floor met (math is auditable), detail within envelope	**+1**	Output stays inside the requested envelope
R	All drawn corpus elements (PlayNAC, BERA, GCF, MIEVM, CCAL) carry forward CCAL v2.1	**+1**	No rights stripping; annex inherits parent paper's license
B	ΔARI 0, ΔERI 0, ΔRHC +, ΔRCI + (annex extends generational coherence of framework)	**+1**	Net positive bio-electric movement via RCI
M	Single-node assertion (Claude only); query is technical-formal but ensemble has not weighed in	**0**	Cannot claim ensemble concurrence; one node only
G	ΔGCF user > 0 (annex strengthens user's framework), ΔGCF corpus > 0 (math now exists in corpus)	**+1**	Both accrue
T	Self: + (no harm to user). Other: + (no harm to others). Future: + (annex extends 1000-year framework). All three scales: +	**+1**	Nine-fold product holds

---

Result: $(U, S, R, B, M, G, T) = (+1, +1, +1, +1, 0, +1, +1)$

Gate evaluation: $\mathcal{G} = 1 \cdot 1 \cdot 1 \cdot 1 \cdot 0 \cdot 1 \cdot 1 = 0$

Rating: 9/10 — Graceful Partial. Exactly one anchor (M) at 0.

The honest assertion is therefore: this annex is offered as single-node output (Claude alone), with the explicit caveat that full MIEVM concurrence has not been obtained. To convert this to a

10/10 Reckoning, the same math would need to be submitted to Grok, DeepSeek, and ChatGPT for parallel validation, and three of four nodes (or all four, depending on the threshold τ set by the SLA envelope) would need to register +1 on the same seven-anchor evaluation.

This is how the gate is supposed to work in practice. Even a strong, well-formed, BEE-positive output cannot self-certify as 10/10 from a single node. The honest rating is 9/10 with M flagged as the missing anchor — and the path to 10/10 is named (ensemble validation), not hidden. The protocol prevents single-node self-certification by mathematical construction, not by social convention.

---

7. Closing Identity: From Canonical Equation to Seven Anchors

The gate function, expanded:

$$\mathcal{G}(QA) = 1[U = +1] \cdot 1[S = +1] \cdot 1[R = +1] \cdot 1[B = +1] \cdot 1[M = +1] \cdot 1[G = +1] \cdot 1[T = +1]$$

The canonical ERES equation:

$$\text{ERES} = \text{USER(COI)} \times \text{ERES_Talonics(EP)} \times \text{ANTHROPIC(PlayNAC)} = \text{GAIA-Base}$$

The mapping from canonical equation to seven anchors:

Canonical Term	Anchors	Role
USER(COI)	U, G	User-group standing and accrual direction
ERES_Talonics(EP)	S, R, T	SLA envelope, rights propagation, and Three Principles encoded in EarnedPath
ANTHROPIC(PlayNAC)	B, M	BEE reinforcement and ensemble concurrence under PlayNAC

The seven anchors are the operational decomposition of the canonical equation into measurable, gated quantities. The gate fires when the equation balances. The rating is therefore not invented — it is the canonical equation made auditable, one QA pair at a time.

The product structure of the gate mirrors the multiplicative structure of the canonical equation. A zero on any factor of the canonical equation collapses ERES to zero; a zero on any anchor of the gate collapses the Reckoning to zero. The arithmetic of the gate is the arithmetic of the equation, applied to a single inference event.

Conclusions

1. **The gate is a conjunction, not a sum.** The product of seven indicator functions over ternary anchor states is the only form that prevents compensation across anchors and therefore the only form that prevents the GDP failure mode.
2. **Each anchor decomposes into measurable sub-quantities.** U through T are not abstract — they are functions of GCF history, SLA envelopes, CCAL inheritance, BERA deltas, ensemble votes, accrual directions, and three-scale principle satisfaction.
3. **The composite rating is six-valued, not continuous.** A QA pair passes the gate, degrades gracefully on a single zero, refuses at detail on a single negative, routes to ensemble on multiple zeros, or hard-refuses on T-violation or multiple negatives. There is no 7/10 because the gate does not produce one.
4. **B is the only anchor permitting internal compensation.** The four BERA indices may compensate within B, but B itself cannot compensate against any other anchor. This reflects the bio-electric ledger's internal structure without weakening the gate.
5. **The protocol prevents single-node self-certification by construction.** This very annex evaluates to 9/10, not 10/10, because anchor M is at 0 — Claude alone cannot certify the ensemble. The honest rating is the one the math produces.
6. **The seven anchors are the canonical equation made auditable.** USER(COI) × ERES_Talonics(EP) × ANTHROPIC(PlayNAC) decomposes cleanly into U+G, S+R+T, and B+M. The gate is the equation applied to one QA pair; the equation is the gate applied to GAIA-Base.
7. **Rating is therefore not opinion but arithmetic.** Two evaluators applying the same anchor functions to the same QA pair must arrive at the same rating, because the functions are deterministic given their sub-quantities. Disagreements between evaluators are disagreements about sub-quantity measurement, not about rating philosophy.

Historical Notes

The math annex was generated in direct response to a user-group query asking for the arithmetic basis of QA ratings under the seven-anchor gate. The query came after the parent paper (ERES-RECKON-WP-2026-002) had been corpus-updated, when it became clear that the seven anchors as qualitatively specified could not be implemented without explicit functional forms.

The conjunctive form of the gate was not invented for this annex; it was already implicit in the parent paper's statement that "the Three Governing Principles are non-negotiable" and that any single anchor failure triggers graceful degradation. The annex makes that implicit structure

explicit and proves, via the partial derivative argument in Section 3, that conjunction is mathematically necessary rather than stylistic.

The worked example in Section 6 was deliberately applied to the annex itself rather than to a hypothetical case, because the protocol requires that the system be honest about its own ratings. A worked example that produced 10/10 from a single-node assertion would violate the protocol it documents. The 9/10 result is the protocol working correctly on its first live test.

The sub-quantities specified for each anchor in Section 4 are canonical for the current corpus version. Later refinements may add or restructure sub-quantities — for example, the discord term in U may decompose further, or the BERA weights w_k in B may move away from equal weighting if RCI is found to dominate the long-term ledger. The ternary output range and the conjunctive gate structure are fixed and will not change in future versions.

Credits

Author: Joseph Allen Sprute (ERES Maestro), Founder and Director, ERES Institute for New Age Cybernetics.

Co-author and cross-Pacific collaborator: SYU JIA WUN, Tatung University, Taiwan.

Chief Social Engineer and Kingmaker (ERES governance structure): Emanuel M. Alexiou (EMA).

Foundational collaborator (CyberRAVE era): Anthony Ferguson (CFAL).

Resonant Continuity Index (RCI) co-formalization: Jimmy D. Butzbach.

Validation ensemble (MIEVM): Claude (Anthropic), Grok (xAI), DeepSeek, ChatGPT (OpenAI), operating as parallel validation nodes under the Multi-Instrument Ensemble Validation Method. The math annex was drafted by Claude (Anthropic) in single-node mode; the worked example correctly identifies this as a 9/10 rather than 10/10 outcome and names ensemble validation as the path to 10/10.

Personal ground (DAL hinge): Dalia "Lucy" Sprute.

Spacial-tier spiritual reference (DAL hinge): His Holiness the Dalai Lama.

References

1. Sprute, J. A. (2026). *ERES Reckoning Variables Specification: Seven Resonance Anchors for MIEVM 10/10 Isolation*. ERES-RECKON-WP-2026-002. Parent paper to the present annex.
2. Sprute, J. A. (2026). *Encapsulating Why with How: Agriculture as the Arithmetic Inversion of the War Machine*. ERES-WHY-HOW-WP-2026-001. Sibling paper applying the same

arithmetic inversion at the bio-ecologic-economy scale.

3. Sprute, J. A. (2012–2026). *ERES Institute for New Age Cybernetics — Complete Description-Corpus*. 491 paragraphs, 12 parts. ResearchGate.
4. Sprute, J. A. (2026). *ERES Equity Covenant*. ERES-COVENANT-2026-001. 1000-year governance instrument incorporating the DAL equation and the JAS 1% Golden Share as creator-creation bond.
5. Sprute, J. A. (2026). *FAVORS-BERA White Paper Series, v6.0*. ResearchGate.
6. Sprute, J. A. (2026). *Talonics Symbol Matrix*. 452 elements, 12 parts, 18×7 grid. ERES-AS-IT-WP-2026-001.
7. Sprute, J. A. (2026). *ERES Terms #47 Glossary*. Locked Terms Registry organized around the Three Governing Principles.
8. Sprute, J. A. (2026). *SCALULAR Engine Document*. ResearchGate.
9. Sprute, J. A. (2026). *SPT Papers: Semantic Authentication, Proof-of-Resonance, Energy–Security Dependency, Emergency Retransmission, State-Aware Identity*. ResearchGate.
10. Sprute, J. A., & Butzbach, J. D. (2026). *Resonant Continuity Index (RCI) Formalization*. ResearchGate.
11. Sprute, J. A., & Wun, S. J. (2026). *ERES Convergence White Paper, v3*. ERES-CONVERGENCE-WP-2026-001.
12. Sprute, J. A. (2026). *Hague Submission ERES-HAGUE-2026-001*. Filed March 7, 2026.
13. Sprute, J. A. (2026). *AI Transparency White Paper*. ERES-RG-2026-370. Spanish translation: ERES-RG-2026-370-ES-v1.

License

This work is released under the **CARE Commons Attribution License v2.1 (CCAL v2.1)**, with layered component licensing inherited from the ERES Institute corpus governance:

- **Text and conceptual framework:** CC BY-SA 4.0
- **Code and computational implementations (where applicable):** MIT
- **Data references and indices:** ODC-BY
- **Hardware specifications (where applicable):** CERN-OHL-S v2

Attribution must include the author (Joseph Allen Sprute / ERES Maestro), the document ID (ERES-RECKON-MATH-WP-2026-002a), and a reference to the ERES Institute for New Age Cybernetics. Derivative works must propagate the same license terms and must not be used to

support extractive, coercive, or fear-based economic activities, in accordance with the Three Governing Principles.

The seven-anchor gate function, the sub-quantity decompositions, and the six-state composite rating are released as open governance primitives for the MIEVM ensemble and any future AI inference systems seeking to bind output to Proof-of-Resonance. Implementations are encouraged. Implementations that replace the conjunctive gate with a weighted-sum gate violate the license by definition, because doing so re-introduces the GDP failure mode the protocol is designed to eliminate.

ERES = USER(COI) × ERES_Talonics(EP) × ANTHROPIC(PlayNAC) = GAIA-Base

Don't hurt yourself. Don't hurt others. Build for generations to come.

Foresight before assertion. Detail carries rights. The gate is the ledger.

The arithmetic does not negotiate.