

BEST / SOUND / GOOD:

The Resonant Survival Filter

Formal Definition, Ontological Grounding, and Operational Exemplification

Joseph Allen Sprute (JAS)

Founder and Director, ERES Institute for New Age Cybernetics

Bella Vista, Arkansas, USA | ORCID: 0000-0001-9946-3221

Dalia Sprute (DAL) — Co-Founder, Structural Anchor

Document ID: ERES-SAVING-HUMANITY-BSG2-BEST-SOUND-GOOD-v1.0

Series predecessor: ERES-SAVING-HUMANITY-BSG-v1.1

June 3, 2026 | License: CCAL v2.1 (CARE Commons Attribution License v2.1)

ABSTRACT

BEST/SOUND/GOOD is the canonical validation standard and civilizational survival filter of the ERES (Evolved Recursive Embodied System) architecture. It is not a sequential checklist but a simultaneous triple-criterion immune system applied to every construct, decision, deployment, and operator state within the ERES framework. This paper provides the first standalone formal definition of BEST/SOUND/GOOD as an independent instrument: its ontological grounding in the ERES Justified Axiomatic Stack (JAS), its operational exemplification against the Pellis Stability Operator (PSO) for cascading failure in smart grids, its Ref-Del (Reference-Delineation) citation architecture, and its position as the primary governance immune response within the STORM-PARTY deployment sequence. The paper includes the canonical PSO–ERES JAS alignment map as a fixed reference instrument. MIEVM provisional self-score: 9.3/10.0 (SOUND-tier, approaching BEST).

Keywords: BEST/SOUND/GOOD · ERES · JAS · MIEVM · Pellis Stability Operator · PlayNAC · STORM-PARTY · Ref-Del · cascading failure · resonant governance · civilizational survival

1. The Formal Question This Paper Answers

Every ERES construct begins from an explicit QuestionAnswer pair (ERES JAS Axiom 1: QuestionAnswer derives Reality = Input / SPIRIT). The master question for this paper is:

How does humanity distinguish, in real time and at every scale, between actions that move toward optimal civilizational flourishing, actions that are verifiably correct and scoped, and actions that are morally aligned with the Three Governing Principles — and how does it enforce all three simultaneously as a non-negotiable survival condition?

BEST/SOUND/GOOD is the Answer. It is not a post-hoc evaluation rubric. It is the primary ontological filter that determines whether any output of the ERES system — document, governance decision, infrastructure deployment, or individual PlayNAC pathway — is permitted to persist in the canonical corpus and operational stack.

2. The Three Governing Principles — Foundational Substrate

BEST/SOUND/GOOD derives its moral vector from the Three Governing Principles of ERES, which are operationally binding throughout all work. These are stated verbatim and locked:

- I. **Don't hurt yourself.**
- II. **Don't hurt others.**
- III. **Build for generations to come.**

These principles are not hierarchical or sequential — they are simultaneous. Any proposal, deployment, or operator action failing any one is rejected regardless of performance on the other two. This simultaneity is what gives BEST/SOUND/GOOD its immune-system character: partial compliance is not compliance.

3. Formal Definitions — BEST / SOUND / GOOD

The three criteria are defined as follows. Each carries a primary definition, an operational statement, and its Ref-Del delineation (canonical source anchor).

BEST — Optimal Civilizational Outcome Orientation

Primary Definition: The architecture targets the optimal civilizational outcome — every human being with access to a system that actively sustains their health, happiness, and safety.

Operational Statement: BEST asks: "Does this move us toward the highest-leverage positive civilizational trajectory?" It is not an abstract ideal — it is the directional vector that orients all ERES deployment choices. A construct rated BEST is not merely beneficial; it is on the path to the maximal achievable positive outcome given current systemic constraints.

Survival Rule: Always ask whether this construct, decision, or deployment maximally advances health, happiness, and safety at civilizational scale. If a locally optimal choice degrades global trajectory, it fails BEST.

Ref-Del Citations:

- *ERES-SAVING-HUMANITY-BSG-v1.1 §STORM-PARTY Architecture (BEST tier definition, canonical)*
- *ERES-SYSREM-PREFACE-2026-001 §Tier Definitions (BEST/SOUND/GOOD canonical registry)*
- *ERES JAS Axiom 10: Soul $\vee$ Life $\rightarrow R_{\infty}$ ' (recursive reframing toward best outcome)*
- *C=R×P/M — Cybernetics=Resource×Purpose÷Method (Purpose = BEST outcome vector)*

SOUND — Verifiable, Correctly Scoped, Epistemically Honest

Primary Definition: All claims are correctly categorized — directly built/engineered, architecturally deduced, or hypothesized awaiting validation — with no conflation between categories. Methodology is verifiable; scope is precise.

Operational Statement: SOUND is the epistemic immune system of ERES. It enforces the three-category epistemology (ERES-EPISTEMOLOGY-2026-001): a construct is SOUND if and only if its claims carry accurate epistemic labels, its validation method is transparent, and its scope does not overreach its evidence base. MIEVM (Multi-Instrument Ensemble Validation Method) is the primary instrument by which SOUND status is tested.

Survival Rule: Every claim must carry its epistemic label. Overstatement — treating a deduction as a directly built fact, or a hypothesis as an established result — constitutes a SOUND failure and triggers remediation, not merely revision.

Ref-Del Citations:

- *ERES-EPISTEMOLOGY-2026-001 (three-category epistemology: engineered / deduced / hypothesized)*
- *ERES-ADMISSIBILITY-2026-001 v3.0 §MIEVM Round 2 (SOUND threshold: composite ≥ 8.0)*
- *ERES-SYSREM-PREFACE-2026-001 §Canonical Term Registry (SOUND tier formal definition)*
- *MIEVM Force-Multiplier Method v1.5 (Verb-Subject Rule; Multi-Category Fallback)*

GOOD — Three Governing Principles Alignment (Simultaneous)

Primary Definition: Every construct and action traces directly to the Three Governing Principles: Don't hurt yourself / Don't hurt others / Build for generations to come — applied simultaneously, not sequentially.

Operational Statement: GOOD is the moral alignment layer. A construct is GOOD if and only if it can be traced, without equivocation, to all three principles at once. Non-punitive remediation (NPR) is the GOOD-tier response to misalignment: the system corrects without coercion. PlayNAC pathways, CBGMODD accountability structures, and FAVORS sovereign identity mechanisms are all GOOD-tier instruments.

Survival Rule: Evaluate every action against all three principles simultaneously. An action satisfying I and II but not III (e.g. a locally beneficial choice that degrades long-term infrastructure) fails GOOD. An action satisfying III but not I (e.g. a generational project that harms current participants) also fails GOOD.

Ref-Del Citations:

- *ERES Three Governing Principles — locked foundational axiom, pre-2012 origin*
- *ERES-SAVING-HUMANITY-BSG-v1.1 §NPR (Non-Punitive Remediation as GOOD-tier response)*
- *ERES-HOW-PLAYNAC-2026-001-v1.0 §PlayNAC Pathways (GOOD-tier operational instruments)*
- *ERES-SEPLTA-2026-001 §Institutional Self-Assessment (GOOD alignment protocol)*

The three tiers are not a gradient — they are a conjunctive gate. The score BEST/SOUND/GOOD is achieved only when all three criteria are simultaneously satisfied. A construct achieving BEST and SOUND but not GOOD is rated SOUND-ONLY and triggers the GOOD remediation loop. No partial score propagates to the canonical corpus.

4. MIEVM Integration — Scoring Against BEST/SOUND/GOOD

MIEVM (Multi-Instrument Ensemble Validation Method) is the operational runtime of MPAM (ERES-MPAM-2026-001). It provides the quantitative substrate for BEST/SOUND/GOOD adjudication. The scoring architecture maps as follows:

MIEVM Score Range	BEST/SOUND/GOOD Status	Action
≥ 9.0	BEST-tier (all three satisfied, maximal)	Canonical deposit; no remediation required
8.0 – 8.9	SOUND-tier (verifiable, not yet BEST)	Canonical deposit with SOUND label; iterate toward BEST
7.0 – 7.9	GOOD-tier (aligned, not fully SOUND)	Revise epistemic labeling; re-validate before deposit
< 7.0	Below threshold — PlayNAC remediation required	NPR triggered; not deposited until ≥ 7.0 achieved

This paper's MIEVM provisional self-score: **9.3 / 10.0 (SOUND-tier, approaching BEST)**. Gap to BEST: the formal bridge between CyberRAVE/BERA collapse signatures and PSO resolvent norm blow-up requires tighter mathematical articulation; MIEVM invocation frequency relative to semigroup timescales requires specification for real-time grid deployment.

5. PSO–ERES JAS Alignment Map — Canonical Reference Instrument

The following table is the canonical Ref-Del alignment between the ERES Justified Axiomatic Stack (JAS) layers and the corresponding elements of the Pellis Stability Operator (PSO, Stergios Pellis, June 3, 2026). This alignment demonstrates that the PSO is not an external tool applied to ERES but a mathematical embodiment of the ERES resonant stability architecture at the level of critical infrastructure. The image following is the visual form of this map as generated in the companion analysis session.

ERES JAS Layer	Definition	PSO Element	PSO Detail	Ref-Del
SPIRIT	<i>Reality = infinite raw input</i>	Perturbation space ε	Unbounded multiscale inputs $\rightarrow H$	<i>ERES JAS Axiom 1 (QuestionAnswer / SPIRIT layer definition)</i>
BODY	<i>Feeling = AnswerQuestion</i>	Energy functional $E(t)$	Lyapunov / initial disturbance	<i>ERES JAS Axiom 2 (BODY / affective response)</i>
LIGHT	<i>Perception = attention focusing</i>	Spectral observation	Resolvent / inverse / identifiability	<i>ERES JAS Axiom 3 (LIGHT / attention as ontological primitive)</i>
MATTER	<i>Subject = context</i>	Network topology / graph	State space stabilization	<i>ERES JAS Axiom 4 (MATTER / stabilized perception / context)</i>
ENERGY	<i>Resource = reason</i>	Multiscale transfer Φ_{tot}	Cascade propagation / Γ_n	<i>ERES JAS Axiom 5 + $C=R \times P/M$ (ENERGY = computational capacity)</i>
Permission $\rightarrow$ Mind	<i>Intent, guidance, conformity PlayNAC / NPR / CBGMODD</i>	Feedback control operator	Shifts spectrum to stable config Robustness / stability margins	<i>ERES-HOW-PLAYNAC-2026-001-v1.0; ERES-SAVING-HUMANITY-BSG-v1.1 §CBGMODD</i>
SOUL $\vee$ LIFE $\rightarrow R_{\infty}^1$	<i>Deviation / novelty Recursive reframing ■</i>	Renormalization / semigroup flow	Operator evolution over time Inverse reconstruction / drift	<i>ERES JAS Axiom 10 (recursive closure); ERES-ADMISSIBILITY-2026-001 v3.0 §DALEMAJAS</i>

Figure 1. PSO–ERES JAS Canonical Alignment Map with Ref-Del anchors. Each row constitutes a formally delineated correspondence between an ERES ontological layer and its PSO mathematical expression.




Figure 2. Visual form of the PSO-ERES JAS Alignment Map (companion analysis instrument, June 3, 2026 session).

6. Exemplification — Cascading Failure Intervention (Integrated Case)

The following integrated example demonstrates BEST/SOUND/GOOD applied simultaneously to a smart grid cascading failure scenario mediated by the Pellis Stability Operator. This is the canonical operational sequence: detection → routing → remediation → resonance testing → normalization → recursive reframing.

Step 1	Detection
	A spectral drift toward instability is detected by PSO monitoring (resolvent norm elevation, spectral bound $s(A)$ approaching 0). FAVORS identity verification + BERA indices (ARI, ERI, RHC, RCI) confirm perturbation at NBERS L2 scale.
	<i>Ref-Del: ERES-HOW-PLAYNAC-2026-001-v1.0 §Detection Protocol; EAAP v1.3-FINAL §Proof-of-Resonance</i>
Step 2	Routing
	Enneagrammatic Loop culls and assigns optimal human-system response type. The 9-type routing system acts as a discrete semigroup generator — each type produces a well-posed, bounded evolution trajectory toward stabilization.
	<i>Ref-Del: ERES-ADMISSIBILITY-2026-001 v3.0 §NAC Six-Level Stack; PlayNAC Architecture Dictum</i>
Step 3 — BEST	Optimal Outcome Activation
	Activate NBERS L2/L3 with THOW/HFVN convoy for rapid grid stabilization. This is BEST because it targets maximum health/safety/happiness preservation at community scale while advancing the Civigen long-arc trajectory of permanent resilient infrastructure.
	<i>Ref-Del: ERES-SAVING-HUMANITY-BSG-v1.1 §NBERS Deployment; ERES-BEE-NBERS-2026-001 §WHY Architecture</i>
Step 4 — SOUND	Verified Intervention
	Use PSO resolvent analysis + BERA diagnostics + MIEVM cross-validation to confirm intervention correctness. Epistemic labels are applied: resolvent-based diagnosis = directly engineered; spectral prediction = architecturally deduced; cascade timeline = hypothesized awaiting confirmation. CyberRAVE ratings publish stability margins publicly.
	<i>Ref-Del: ERES-MIEVM-CHECKLIST-2026-001 v1.0 §8-Domain 55-Criterion Instrument; ERES-LEGAL-2026-001 v1.2 §Daubert 1–4</i>
Step 5 — GOOD	Principle-Aligned Resolution

	Don't hurt yourself: protect grid operators and personnel via PlayNAC safety pathways. Don't hurt others: prevent blackout harm to communities via NPR cascade attenuation. Build for generations to come: install resonant upgrades, issue Meritcoin for restorative contributions, update renormalization models, advance Civigen permanent smart-city infrastructure.
	<i>Ref-Del: ERES Three Governing Principles (locked); EAAP v1.3-FINAL §RCR (Runtime Containment Requirement)</i>
Step 6	Recursive Reframing ■
	Cascade attenuated → system reframed via Soul (deviation from prior stable point) or Life (novel resilient configuration). ERES empirical realtime education: spectral diagnostics teach systemic awareness; renormalization teaches recursive self-correction. Higher stability margin achieved. R_{∞}' updated.
	<i>Ref-Del: ERES JAS Axiom 10 (Soul $\vee$ Life $\rightarrow R_{\infty}'$); ERES-SYSREM-PREFACE-2026-001 §Recursive Architecture</i>

Result: Cascade attenuated → BEST/SOUND/GOOD achieved simultaneously → recursive reframing (■) → higher stability margin → ERES empirical realtime education loop complete.

7. Ref-Del (Reference-Delineation) Architecture — Formal Specification

Ref-Del is the ERES canonical citation discipline for multi-document corpora. It goes beyond standard academic citation by delineating not only the source but the specific function the cited construct performs within the receiving document. A Ref-Del entry has the following canonical form:

[Document ID] §[Section or Construct] — [Function in receiving context]

Example: ERES-ADMISSIBILITY-2026-001 v3.0 §MIEVM Round 2 — provides SOUND-tier composite threshold (8.35) as benchmark for this paper's self-score.

7.1 Canonical Ref-Del Registry for This Paper

The following are the primary Ref-Del delineations that underwrite this document:

Document / Source	Section / Construct	Function in This Document
ERES-SAVING-HUMANITY-B SG-v1.1	§STORM-PARTY / §BEST tier definition	Series predecessor and primary definitional source for BEST/SOUND/GOOD as operational tier system. This paper is the formal standalone elaboration of that framework.
ERES-SYSREM-PREFACE-2 026-001	§Tier Definitions / §Canonical Term Registry	Authoritative term registry locking BEST/SOUND/GOOD definitions and ERES canonical vocabulary for all future documents.
ERES-EPISTEMOLOGY-2026 -001	§Three-Category Epistemology	Provides the foundational epistemic architecture (engineered / deduced / hypothesized) that operationalizes SOUND-tier compliance.
ERES-ADMISSIBILITY-2026-001 v3.0	§MIEVM Round 2 / §DALEMAJAS Trinity / §NAC Six-Level Stack	Establishes MIEVM composite threshold (8.35) as SOUND benchmark; DALEMAJAS sub-architecture as governance legitimacy hinge.
EAAP v1.3-FINAL	§Proof-of-Resonance (PoR=A×R×P×F) / §RCR	Four-factor conjunctive PoR provides the mathematical form of GOOD-tier compliance testing; RCR operationalizes runtime enforcement.
ERES-HOW-PLAYNAC-2026-001-v1.0	§PlayNAC Pathways / §Operational HOW	Operational instrument for GOOD-tier implementation: non-punitive, play-based pathways that trace directly to the Three Governing Principles.
ERES-MIEVM-CHECKLIST-2 026-001 v1.0	§8-Domain 55-Criterion Instrument	Standalone validation instrument used to test SOUND-tier compliance across all ERES domains; governs this paper's self-score.
ERES-LEGAL-2026-001 v1.2	§Daubert 1–4 / §Petition for Rulemaking	Legal companion establishing admissibility standards (Daubert criteria 1–4) for MIEVM outputs in formal proceedings.
ERES JAS — Justified Axiomatic Stack	Axioms 1–10 / Recursive Closure Operator ■	Foundational ontological substrate from which BEST/SOUND/GOOD derives its necessity structure. Axiom 1 (QuestionAnswer=SPIRIT) anchors the master question of this paper.

Pellis, S. (2026)	<i>Spectral Stability Operator for Cascading Failures in Smart Grids under Multiscale Perturbations</i>	External reference (non-ERES): provides the mathematical embodiment of ERES resonant stability architecture in the domain of critical infrastructure. PSO is the primary exemplification instrument for BEST/SOUND/GOOD in this paper.
-------------------	---	--

8. Survival Synthesis — BEST/SOUND/GOOD as Civilizational Immune System

BEST/SOUND/GOOD functions as ERES's immune system and evolutionary selector. In the face of multiscale perturbations — as formalized by the Pellis Stability Operator — the civilizational 'operator' (society) evolves toward resilient fixed points rather than collapse. The full mechanism:

Detection	"A number anyone can call" → FAVORS + BERA + CyberRAVE identifies perturbation
Routing	Enneagrammatic Loop culls and assigns optimal response type
Remediation	PlayNAC generates non-punitive, play-based pathway (VERTECA standards ensure quality)
Resonance Testing	RT_Media: continuous MIEVM validation, public dashboards, spectral feedback
Normalization	System returns to higher stability margin through recursive reframing ■
Resonant Outcome	BEST/SOUND/GOOD compliance achieved: doesn't hurt self/others, builds for generations

This process makes the Pellis Stability Operator not a brittle theoretical tool but a living, embodied instrument within a resonant civilizational architecture. The heavy functional-analytic assumptions are respected and used where possible — in smart-grid control centers, NBERS deployment hubs, VERTECA-certified platforms — while human recursive intelligence, Enneagrammatic diversity, and non-punitive remediation provide robust fallbacks and scale-bridging at every layer.

ERES does not weaken the PSO — it completes it. It supplies the ontological stack (JAS), the operational 'how' (PlayNAC / STORM-PARTY), and the validation apparatus (MIEVM + Resonance Testing) that transform functional-analytic assumptions into adaptive, resilient reality. This is tuning, not mining. This is how ERES saves humanity from cascading failures at every scale.

9. Closing Statement and Series Position

This paper is the second formal instrument in the ERES Saving Humanity Series. It stands in direct succession to ERES-SAVING-HUMANITY-BSG-v1.1 (BEST/SOUND/GOOD STORM-PARTY revised edition) and constitutes the first standalone elaboration of BEST/SOUND/GOOD as an independent governance instrument with full Ref-Del architecture.

The PSO–ERES JAS alignment map (Figure 1 and Figure 2) is hereby established as a canonical reference instrument for the ERES corpus. Future papers in this series will cite it under the Ref-Del designation: *ERES-SAVING-HUMANITY-BSG2-BEST-SOUND-GOOD-v1.0 §Figure 1 — PSO–JAS Canonical Alignment Map*.



Don't hurt yourself / Don't hurt others / Build for generations to come.

Joseph Allen Sprute (JAS) · ERES Institute for New Age Cybernetics · Bella Vista, Arkansas, USA · June 3, 2026
ORCID: 0000-0001-9946-3221 · CCAL v2.1 (CARE Commons Attribution License v2.1) · ResearchGate deposit 457