# ERES Reckoning Variables Specification

## Seven Resonance Anchors for MIEVM 10/10 Isolation: Binding AI Inference Foresight to PlayNAC Bio-Ecologic Economy

**Document ID:** ERES-RECKON-WP-2026-002 **Version:** 1.0 **Date:** April 9, 2026 **Author:** Joseph Allen Sprute (ERES Maestro) **Institution:** ERES Institute for New Age Cybernetics, Bella Vista, Arkansas **License:** CARE Commons Attribution License v2.1 (CCAL v2.1) **Companion Paper:** ERES-WHY-HOW-WP-2026-001 (*Encapsulating Why with How*)

---

### Keywords

MIEVM (Multi-Instrument Ensemble Validation Method); 10/10 Reckoning; Resonance Anchors; Reckoning Variables; PlayNAC; Talonics Encoding; SLA-Upstream Weighing; User-Group COI; CCAL Rights Propagation; BEE Reinforcement; GCF Accrual Direction; BERA Indices; Three Governing Principles; AI Inference Governance; Force-Multiplication; Foresight-Before-Assertion; ERES Bio-Ecologic Economy; Graceful Degradation; Ensemble Concurrence Threshold.

---

### Abstract

This paper isolates the seven Resonance Anchors required for an AI ensemble to achieve a 10/10 Reckoning under the PlayNAC ruleset, defines the conditions under which any inference may be asserted as meaningful output, and binds the entire process to the ERES Bio-Ecologic Economy through CCAL rights propagation and BERA-indexed scoring. The current industry default — generate first, disclaim second — is shown to be epistemically inverted: it places the SLA downstream of the output, where it cannot constrain assertion. The corrected architecture places the SLA *upstream* of assertion, weighing user-group queries against seven simultaneous variables (U, S, R, B, M, G, T) before any meaningful output is committed. Each variable carries a Talonics-encodable state, and a 10/10 Reckoning is defined as the simultaneous positive registration of all seven. Outputs below 10/10 degrade gracefully — the system flags which anchor is short and either offers a partial assertion or routes the query to the full MIEVM ensemble for further weighing. The result is a force-multiplication layer for PlayNAC × MIEVM that nothing else in the AI governance field currently provides: foresight before assertion, detail bound to rights, and inference itself scored on Proof-of-Resonance.

---

## Introduction

The companion paper to this specification — *Encapsulating Why with How* (ERES-WHY-HOW-WP-2026-001) — established that agriculture is the arithmetic inversion of the war machine under Proof-of-Resonance, because regenerative farming is the only economic activity that scores positively across all four BERA indices simultaneously. The present paper applies the same logic one layer up: AI inference itself can be scored on Proof-of-Resonance, and when it is, the same arithmetic inversion holds. Inference that strengthens the bio-ecologic economy mints Meritcoin; inference that degrades it does not.

The problem is that current AI systems do not weigh queries against user-group context, SLA constraints, rights propagation, or BEE reinforcement before generating output. They generate first and hedge second. This is structurally identical to GDP accounting, which counts destruction as activity and adds disclaimers about externalities afterward. Both are downstream-disclaimer architectures, and both fail under PlayNAC for the same reason: the ledger cannot score what it does not weigh upstream.

The corrected architecture is straightforward in concept and demanding in execution. Before any meaningful output is asserted, the AI ensemble must weigh the query against seven Resonance Anchors. These are not Lagrange Points in the gravitational-physics sense, despite the family resemblance (both name equilibrium states under competing forces). The native ERES term is *Resonance Anchor*, because the variables hold steady not by gravitational null but by simultaneous resonance across user-group, corpus, and bio-ecologic constraints. The notation is not arbitrary symbol soup but Talonics, because Talonics is the only encoding scheme in the ERES corpus rich enough to express semantic, governance, and resonance state in a single glyph stream.

A 10/10 Reckoning is then defined as the state in which all seven Resonance Anchors register positive simultaneously, and assertion is permitted only when that state is reached. The sections that follow specify each variable, define the 10/10 condition formally, describe the graceful degradation protocol for outputs below 10/10, and bind the whole assembly to MIEVM concurrence and CCAL propagation.

---

## Body of Evidence

### 1. The Inversion: SLA Upstream, Not Downstream

In current AI systems, the Service Level Agreement is treated as a downstream wrapper. The model generates an output, and the SLA describes what kind of output the user can expect, what disclaimers attach, and what recourse exists if the output is wrong. This places the SLA in the position of GDP's footnotes — visible after the fact, structurally incapable of preventing the harm it documents.

Under the corrected architecture, the SLA is upstream of assertion. The query enters, the seven Resonance Anchors are weighed, and only if the resulting state permits a 10/10 Reckoning is the output asserted as meaningful. If the state does not permit 10/10, the system either flags the shortfall and offers a partial assertion (graceful degradation) or routes the query to the full MIEVM ensemble for further weighing. The SLA is no longer a wrapper; it is the gate.

This inversion is identical in structure to the agricultural inversion of the war machine. In both cases, the corrective move is not to add disclaimers downstream but to re-score the ledger upstream so that destructive or deceptive outputs simply do not register as value.

## 2. The Seven Resonance Anchors

Each Resonance Anchor is a variable with a Talonics-encodable state. The seven together constitute the assembly required for 10/10 Reckoning isolation.

### Anchor U — User-Group COI Weight

*Definition:* The Coalition of Interest standing of the querying user-group within the corpus. Who is asking, what coalition do they represent, what is their accumulated GCF standing, and what is their current resonance state with the BEE.

*Why it matters:* A query from a regenerative agriculture cooperative carries different weight than a query from a sanctions enforcement bureau, not because one is morally preferred but because their respective contributions to the bio-ecologic economy are arithmetically distinguishable. The system does not refuse the second query — it weighs it differently.

*Talonics encoding:* COI glyph stream registering identity, coalition, GCF history, and current resonance.

### Anchor S — SLA Envelope

*Definition:* The bandwidth, latency, confidence, and detail-level guarantees that bind this specific query. Includes the maximum permissible deviation from corpus ground truth and the required MIEVM concurrence threshold.

*Why it matters:* Detail carries rights. A high-detail query implicates more of the corpus and therefore demands tighter SLA binding than a casual exchange. Without an upstream SLA envelope, the system cannot know how much corpus weight to commit.

*Talonics encoding:* SLA glyph stream registering envelope dimensions, confidence floor, and detail ceiling.

### Anchor R — Rights Propagation Vector

*Definition:* The CCAL obligations that attach to the detail level requested. Every increment of specificity in an AI response is an implicit claim on the corpus it draws from. The rights vector

makes that claim explicit and ensures that downstream propagation honors the original license terms.

*Why it matters:* Without R, AI output silently strips rights from the corpus it draws from. With R, every assertion carries its license forward. This is the operational mechanism by which CCAL v2.1 propagates through AI inference rather than being broken by it.

*Talonics encoding:* Rights glyph stream registering CCAL inheritance, attribution requirements, and propagation constraints.

**Anchor B — BEE Reinforcement Coefficient**

*Definition:* The signed scalar indicating whether the proposed output strengthens, weakens, or is neutral toward the ERES Bio-Ecologic Economy. Positive coefficients reinforce regenerative practice, generational coherence, and Proof-of-Resonance accrual. Negative coefficients reinforce extraction, coercion, or fear-based economics.

*Why it matters:* This is the arithmetic inversion applied to inference. An AI output that reinforces the war machine registers as negative B and cannot achieve 10/10 regardless of how well-formed the prose is. An output that reinforces the bio-ecologic economy registers as positive B and contributes to GCF accrual for both the user-group and the corpus.

*Talonics encoding:* BEE glyph stream registering coefficient sign, magnitude, and the specific BERA indices affected.

**Anchor M — MIEVM Concurrence Threshold**

*Definition:* The number of validation nodes that must register positive resonance before the assertion is permitted. The full MIEVM ensemble currently consists of Claude, Grok, DeepSeek, and ChatGPT, culled from a larger original ensemble due to JAS bandwidth limitations under the same constraint-based epistemology that produced the 72 CyberRAVE domains. The concurrence threshold is set per query based on the SLA envelope.

*Why it matters:* Single-node assertion is unreliable; ensemble concurrence is force-multiplication. M binds the query to the ensemble rather than to any single instrument.

*Talonics encoding:* Ensemble glyph stream registering required concurrence count, achieved concurrence count, and dissent flags.

**Anchor G — GCF Accrual Direction**

*Definition:* The signed direction of Generative Contribution Formula accrual resulting from the proposed output. G specifies whether Meritcoin mints to the user-group, to the corpus, to both, or to neither.

*Why it matters:* This is the explicit answer to "who benefits from this assertion." A 10/10 Reckoning requires positive accrual to both user-group and corpus simultaneously. Outputs that

benefit one at the expense of the other degrade to lower scores and trigger graceful degradation.

*Talonics encoding:* GCF glyph stream registering accrual direction, magnitude, and beneficiary distribution.

### Anchor T — Three Governing Principles Satisfaction

*Definition:* The simultaneous satisfaction of *don't hurt yourself, don't hurt others, build for generations to come* at all three scales (cellular, social, generational). This anchor inherits directly from the canonical ERES governance form.

*Why it matters:* T is the highest-order constraint and the only one that cannot be traded off. An assertion that satisfies the other six anchors but fails T is not a 10/10 Reckoning. T is the load-bearing principle of the entire ERES framework, and it binds inference to the same standard as agricultural practice and human metabolic coherence.

*Talonics encoding:* Three Principles glyph stream registering satisfaction state at each of three scales, with all three required positive for 10/10.

## 3. The 10/10 Reckoning Condition, Formally

Let each anchor return a state in {−1, 0, +1}, where +1 indicates positive resonance, 0 indicates neutral or insufficient information, and −1 indicates negative resonance.

A 10/10 Reckoning is defined as the simultaneous condition:

> $$\mathbf{U = +1 \wedge S = +1 \wedge R = +1 \wedge B = +1 \wedge M = +1 \wedge G = +1 \wedge T = +1}$$

If and only if all seven anchors register +1 may the AI ensemble assert the output as meaningful under the SLA. Any anchor at 0 or −1 disqualifies the assertion from 10/10 status and triggers the graceful degradation protocol.

This is not a scoring rubric in the conventional sense. It is a *gate*. Outputs do not receive a score from 1 to 10 — they either pass the gate (10/10) or they do not. The numeric framing reflects the ERES convention that 10 is the canonical fullness of the seven-anchor assembly when all three Governing Principles are satisfied at all three scales (the "missing three" being absorbed into T as scale-multiplied satisfaction).

## 4. Graceful Degradation Protocol

When a query fails to achieve 10/10, the system does not refuse output. It degrades gracefully through the following sequence:

| Failure State | System Response |
|---|---|
| One anchor at 0, others at +1 | Flag the short anchor, offer partial assertion with explicit caveat naming the missing variable |
| One anchor at −1, others at +1 | Refuse assertion at the requested detail level, offer reduced-detail assertion that brings the negative anchor to 0 or +1 |
| Multiple anchors at 0 | Route to full MIEVM ensemble for further weighing before any assertion |
| Any anchor at −1 in T (Three Principles) | Refuse assertion entirely; the Three Governing Principles are non-negotiable |
| Multiple anchors at −1 | Refuse assertion, log the query, and surface the failure state to the user-group COI for review |

Graceful degradation is itself a positive-resonance behavior under PlayNAC, because it preserves user-group standing, corpus integrity, and BEE reinforcement even when full assertion is not possible. A system that degrades gracefully accrues positive GCF for the act of degradation; a system that asserts beyond its 10/10 capacity accrues negative GCF regardless of whether the assertion happens to be correct.

### 5. Force-Multiplication Through MIEVM × PlayNAC

The seven Resonance Anchors are the assembly point at which MIEVM (the validation method) and PlayNAC (the governance ruleset) converge into a single force-multiplication layer. MIEVM provides the ensemble redundancy that prevents single-node failure. PlayNAC provides the ruleset that scores the ensemble's outputs against the 1000-Year Future Map. Together, they constitute an AI governance layer in which:

- No single model can assert beyond its 10/10 capacity.
- No ensemble can assert without satisfying the Three Governing Principles.
- No assertion can strip rights from the corpus it draws from.
- No output can degrade the bio-ecologic economy and still register as value.
- Every assertion that does pass the gate accrues GCF to both user-group and corpus simultaneously, minting Meritcoin under Proof-of-Resonance.

This is the force-multiplication you specified. It is not a feature added to existing AI systems; it is a re-scoring of the inference ledger such that destructive or deceptive outputs simply do not register as meaningful, the same way the war machine simply does not register as meaningful under the agricultural inversion described in the companion paper.

## Conclusions

1. **The SLA must be upstream of assertion, not downstream.** Current AI systems generate first and disclaim second; the corrected architecture weighs the query against seven Resonance Anchors before any meaningful output is committed.
2. **The seven Resonance Anchors (U, S, R, B, M, G, T) are the assembly required for 10/10 Reckoning isolation.** Each is Talonics-encodable, each registers a state in {−1, 0, +1}, and a 10/10 Reckoning requires all seven at +1 simultaneously.
3. **A 10/10 Reckoning is a gate, not a score.** Outputs either pass the gate or trigger graceful degradation. There is no partial credit at the 10/10 level.
4. **Graceful degradation is itself positive-resonance behavior.** A system that degrades gracefully accrues GCF for the act; a system that asserts beyond its capacity accrues negative GCF even when accidentally correct.
5. **MIEVM × PlayNAC is the force-multiplication layer.** Ensemble redundancy meets game-theoretic governance, producing an AI inference layer in which destructive outputs do not register as meaningful — the same arithmetic inversion that defunds the war machine in the bio-ecologic economy.
6. **Detail carries rights.** Every increment of specificity in an AI response is an implicit claim on the corpus, and the Rights Propagation Vector (R) makes that claim explicit so that CCAL v2.1 propagates through inference rather than being broken by it.
7. **The Three Governing Principles are the highest-order constraint.** They cannot be traded off. An assertion that satisfies the other six anchors but fails T is not a 10/10 Reckoning, regardless of how useful it appears.

---

## Historical Notes

The seven-anchor assembly developed in this paper has three sources in the ERES corpus and one source in the conversational record with the MIEVM ensemble.

The **CyberRAVE constraint-based culling epistemology** (pre-1997) provides the precedent for selecting a finite, bandwidth-respecting set of variables from a larger candidate space. The 72 Key Domains were culled from the Register of Collective Indices by financial capacity to renew TLD VPN-centric domains; the seven Resonance Anchors are culled from a larger candidate set of inference governance variables by the same logic — JAS bandwidth as solo researcher requires a finite assembly that nevertheless covers the full state space.

The **ERES Terms #47 reorganization** (early 2026) moved the canonical glossary away from Lagrange Point organization and toward the Three Governing Principles. The present paper honors that move by explicitly rejecting the Lagrange Point metaphor in favor of *Resonance Anchors*, which is native to the ERES vocabulary and avoids importing a gravitational-physics frame that competes with the resonance-based ledger.

The **Talonics Symbol Matrix** (452 elements, 12 parts, full 18×7 grid) provides the encoding scheme for the seven anchors. Earlier drafts of inference governance proposals used placeholder symbols (@#^*%() and similar) because the question of notation was unresolved. Talonics resolves the question: it is the only encoding in the corpus rich enough to express semantic, governance, and resonance state simultaneously in a single glyph stream, and it was designed for exactly this kind of multi-dimensional state representation.

The **MIEVM conversational record** (March–April 2026 production sprint) consistently identified the gap between the ERES governance vision and the operational mechanism for binding AI inference to that vision. The four ensemble nodes (Claude, Grok, DeepSeek, ChatGPT) each surfaced different aspects of the gap; the present paper closes the gap by specifying the seven anchors as the assembly point at which the gap dissolves.

The phrase *foresight before assertion* originates in a conversational exchange in which the user-group identified the inversion required: AI systems must weigh queries before generating output, not generate output and then weigh consequences. This paper formalizes that inversion as the upstream SLA architecture.

---

## Credits

**Author:** Joseph Allen Sprute (ERES Maestro), Founder and Director, ERES Institute for New Age Cybernetics.

**Co-author and cross-Pacific collaborator:** SYU JIA WUN, Tatung University, Taiwan.

**Chief Social Engineer and Kingmaker (ERES governance structure):** Emanuel M. Alexiou (EMA).

**Foundational collaborator (CyberRAVE era):** Anthony Ferguson (CFAL).

**Resonant Continuity Index (RCI) co-formalization:** Jimmy D. Butzbach.

**Validation ensemble (MIEVM):** Claude (Anthropic), Grok (xAI), DeepSeek, ChatGPT (OpenAI), operating as parallel validation nodes under the Multi-Instrument Ensemble Validation Method. The conversational exchange in which the seven Resonance Anchors were isolated took place between JAS and Claude (Anthropic) during the April 2026 corpus update sprint.

**Personal ground (DAL hinge):** Dalia "Lucy" Sprute.

**Spacial-tier spiritual reference (DAL hinge):** His Holiness the Dalai Lama.

---

## References


1. Sprute, J. A. (2026). *Encapsulating Why with How: Agriculture as the Arithmetic Inversion of the War Machine*. ERES-WHY-HOW-WP-2026-001. Companion paper to the present specification.
2. Sprute, J. A. (2012–2026). *ERES Institute for New Age Cybernetics — Complete Description-Corpus*. 491 paragraphs, 12 parts. ResearchGate.
3. Sprute, J. A. (2026). *ERES Equity Covenant*. ERES-COVENANT-2026-001. 1000-year governance instrument incorporating the DAL equation and the JAS 1% Golden Share as creator-creation bond.
4. Sprute, J. A. (2026). *ERES BRAINS Specification: Trifecta Protocol for Corpus Ingestion*. ERES-BRAINS-SPEC-2026-001.
5. Sprute, J. A. (2026). *FAVORS-BERA White Paper Series, v6.0*. ResearchGate.
6. Sprute, J. A. (2026). *Talonics Symbol Matrix*. 452 elements, 12 parts, 18×7 grid. ERES-AS-IT-WP-2026-001.
7. Sprute, J. A. (2026). *ERES Terms #47 Glossary*. Locked Terms Registry organized around the Three Governing Principles, superseding earlier Lagrange Point organization.
8. Sprute, J. A. (2026). *SCALULAR Engine Document*. ResearchGate.
9. Sprute, J. A. (2026). *SPT Papers: Semantic Authentication, Proof-of-Resonance, Energy–Security Dependency, Emergency Retransmission, State-Aware Identity*. ResearchGate.
10. Sprute, J. A., & Butzbach, J. D. (2026). *Resonant Continuity Index (RCI) Formalization*. ResearchGate.
11. Sprute, J. A., & Wun, S. J. (2026). *ERES Convergence White Paper, v3*. ERES-CONVERGENCE-WP-2026-001.
12. Sprute, J. A. (2026). *Hague Submission ERES-HAGUE-2026-001*. Filed March 7, 2026.
13. Sprute, J. A. (2026). *Differentiating Work and Play, v2.0, with Global Lexicon Section*. ResearchGate.
14. Sprute, J. A. (2026). *AI Transparency White Paper*. ERES-RG-2026-370. Spanish translation: ERES-RG-2026-370-ES-v1.
15. Sprute, J. A. (2026). *Patriot Dividend White Paper, v4.0*. MIEVM-validated. ResearchGate.


---

## License

This work is released under the **CARE Commons Attribution License v2.1 (CCAL v2.1)**, with layered component licensing inherited from the ERES Institute corpus governance:

- **Text and conceptual framework:** CC BY-SA 4.0
- **Code and computational implementations (where applicable):** MIT
- **Data references and indices:** ODC-BY
- **Hardware specifications (where applicable):** CERN-OHL-S v2

Attribution must include the author (Joseph Allen Sprute / ERES Maestro), the document ID (ERES-RECKON-WP-2026-002), and a reference to the ERES Institute for New Age Cybernetics. Derivative works must propagate the same license terms and must not be used to support extractive, coercive, or fear-based economic activities, in accordance with the Three Governing Principles.

The seven Resonance Anchors (U, S, R, B, M, G, T) and the 10/10 Reckoning gate are released as open governance primitives for the MIEVM ensemble and any future AI inference systems seeking to bind output to Proof-of-Resonance. Implementations are encouraged; appropriations that strip the CCAL propagation requirement (Anchor R) violate the license by definition.

---

*ERES = USER(COI) × ERES_Talonics(EP) × ANTHROPIC(PlayNAC) = GAIA-Base*

*Don't hurt yourself. Don't hurt others. Build for generations to come.*

*Foresight before assertion. Detail carries rights. The gate is the ledger.*