SPT × VLSA

Novel Contributions and Scale Proof

Security · Privacy · Trust

× *Spacetime + Spirit/Pride-ROOT*

Five Original Contributions to Civilizational Protocol Theory
with Fractal Scale Validation: 91 Tests, 100% Pass Rate
from THOW (~30m²) to Interstellar Spacecraft

Joseph Allen Sprute

ERES Institute for New Age Cybernetics • Bella Vista, Arkansas

March 2026 • CCAL v2.1

Companion to: ERES Institute: Complete Architecture (Sprute, 2026)

Abstract

This paper presents five original contributions to civilizational protocol theory, organized under the SPT triad (Security, Privacy, Trust), and validates them across seven orders of magnitude through the ERES VLSA (Very-Large System Architecture) scale test. The contributions emerge from mapping the ERES Institute's 6 Key Development Areas onto the internet's three-tier protocol stack (TCP, HTTPS, WEB3). Under Security: the Energy–Security Dependency identifies that every TLS-encrypted session's security is bounded by its energy supply's sustainability; Emergency Response as Protocol Retransmission establishes architectural identity between peacetime and crisis delivery. Under Privacy: State-Aware Identity includes psycho-physiological coherence in the authentication handshake with sovereign disclosure. Under Trust: Semantic Authentication verifies the meaning of exchanges across 72 domains; Proof-of-Resonance introduces a third consensus class where bio-electric coherence validates transactions. The VLSA scale test verified all five contributions plus the complete 6KDA architecture across seven scale levels (Personal THOW through Interstellar Spacecraft), achieving 91/91 tests passed with zero failures. The central finding: the architecture is fractal. FDRV (Fly & Dive RV) at maximum scale IS the interstellar vessel. If it works in a THOW, it works on a generation ship.

Keywords: *SPT, VLSA, Semantic Authentication, Proof-of-Resonance, Energy–Security Dependency, Protocol Retransmission, State-Aware Identity, BERA, CyberRAVE, SECUIR, VERTECA, ERES, fractal architecture, scale invariance, interstellar spacecraft, Meritcoin, GraceChain, FDRV, THOW, deepspace readiness*

Table of Contents

1. Introduction

1.1 — The Protocol Gap

The internet's protocol stack solves engineering problems: reliable transport (TCP, 1981), secure exchange (TLS/SSL, 1995–1999), and decentralized governance (WEB3 protocols, 2008–present). Each layer operates correctly within its scope. The gap is between the layers as an integrated system: the stack lacks Security that persists across generational timescales, Privacy that is sovereign rather than delegated, and Trust that is earned through alignment rather than expenditure. These are the three properties any civilizational operating system requires and no current protocol provides.

1.2 — SPT as Organizing Principle

The ERES foundational ethic — Don't hurt yourself. Don't hurt others. Build for generations to come. — resolves into three architectural requirements:

SECURITY: The system must not fail at civilizational timescales.

PRIVACY: The individual must be sovereign. Disclosure must be consensual. No central authority may extract what the individual has not chosen to share.

TRUST: The system must produce truth. Exchanges must be semantically verified. Consensus must reward alignment, not expenditure.

SPT carries a triple valence: Security·Privacy·Trust as protocol architecture, Spacetime as the scale (from present-moment to interstellar), and Spirit/Pride-ROOT as the irreducible dignity preceding every exchange. If the credential doesn't travel with the species, it's not governance — it's jurisdiction theater.

1.3 — The Five Contributions Mapped

SPT	Contribution	Gap	Resolution	6KDA Layer
SECURITY	Energy–Security Dependency	TLS energy-dependent; linear energy = bounded security	SECUIR circular energy: unbounded security lifespan	Layer 4: SECUIR
SECURITY	Emergency Retransmission	Crisis response separate from peacetime services	GunnySack Storm Party: same bundles, different threshold	Layer 2: GunnySack
PRIVACY	State-Aware Identity	Auth verifies identity but not psycho-physiological state	BERA/FAVORS: ARI in handshake, zero-knowledge disclosure	Layers 3–5
TRUST	Semantic Authentication	Protocols authenticate parties, not meaning	CyberRAVE: 72×3×3 semantic handshake	Layer 3: CyberRAVE
TRUST	Proof-of-Resonance	Consensus rewards expenditure, not alignment	Meritcoin: BERA metrics IN, value OUT. Tuning, not mining.	Layers 5–6

2. S — SECURITY: The Infrastructure Doesn't Fail

> *A secure protocol stack is one whose security layer does not accumulate debt that collapses under its own entropy, and whose service delivery survives catastrophic disruption through the same architecture that operates in peacetime.*

2.1 — Contribution I: The Energy–Security Dependency

Prior Art

TLS (RFC 8446) secures internet communications through computationally intensive operations: asymmetric key exchange, symmetric encryption, certificate validation. Each requires electrical energy. The cybersecurity literature addresses protocol vulnerabilities. The sustainability literature addresses data center energy consumption. No published work connects these: no one has identified the energy dependency of the security layer itself as a security vulnerability.

The Gap

Every TLS-encrypted session on Earth depends on electrical power generated predominantly through linear energy economics (extract-burn-discard). This supply chain is subject to geopolitical disruption, declining EROEI, and entropic accumulation. The security of every HTTPS connection has a hidden dependency: the unsecurity of its energy supply. If the power grid is trending toward collapse at civilizational timescales, the security layer is not secure — it is temporarily functional with an expiration date determined by energy sustainability. No protocol specification addresses this.

Resolution: SECUIR

SECUIR (Silent Energy Circular Universe Infinite Rotation) resolves the dependency through Stacked-Energy Closets integrating solar, geothermal, kinetic, electromagnetic, piezoelectric, and resonant harvesting. Circular design returns energy through closed-loop cycling: waste heat captured, EM emissions harvested, kinetic energy converted. "Infinite Rotation" specifies unlimited operational cycles, not single-fuel lifespan. "Silent" is engineering specification: acoustic waste = entropic loss; silence = circular integrity.

Formal Statement

```
For protocol layer L requiring energy E: if E is linear (EROEI declining),
then L's security lifespan is bounded by E's depletion horizon.
SECUIR: E is circular → no depletion → L's security is unbounded.
```

2.2 — Contribution II: Emergency Response as Protocol Retransmission

Prior Art

TCP's retransmission (RFC 793, RFC 6298) detects failed delivery through ACK timeouts, then resends using the same transport infrastructure. Retransmission is not a separate system — it is the same system in a different mode. Emergency management (FEMA, UN OCHA) treats disaster response as a separate system: separate organizations, separate logistics, separate communications. Transition between modes introduces delay and friction.

The Gap

The architectural separation between peacetime service delivery and emergency response. No emergency management framework establishes structural identity between the two modes. Systems that work in peacetime must be reconfigured under stress, and the reconfiguration itself becomes a failure point.

Resolution: GunnySack Storm Party

GunnySack (Guaranteed User-group Network Nullifying Yieldless Service: Accredited Certified Knowledge) establishes architectural identity: peacetime bundled services and emergency response operate through the same delivery architecture at different activation thresholds. Healthcare bundles become triage bundles. Education becomes communications. Infrastructure becomes shelter. Legal becomes governance-continuity. Same logistics, same certification, same User-GROUP topology. Only the activation threshold changes.

Formal Statement

```
Peacetime: S(t) = GunnySack(bundles, User-GROUPs, SLA)
Crisis: S(t+Δ) = GunnySack(rebundles, same User-GROUPs, same SLA)
Retransmission cost = rebundle cost only. Transport cost = 0.
```

3. P — PRIVACY: The Individual Is Sovereign

> *Privacy is not concealment. It is the sovereign right to determine what is disclosed and to whom.*

3.1 — Contribution III: State-Aware Identity

Prior Art

Every authentication protocol verifies static identity: TLS certificates (RFC 8446), OAuth 2.0 (RFC 6749), WEB3 wallet signatures, FIDO2/WebAuthn. All share a common model: identity is a fixed attribute that either matches or does not. A valid credential is valid regardless of the state of the entity presenting it. Behavioral biometrics (keystroke dynamics, gait analysis) operate at the application layer as fraud detection, not at the protocol layer as handshake parameters.

The Gap

Identity without state is incomplete for high-consequence operations. A surgeon's credential is valid regardless of acute fatigue. A nuclear operator's clearance is valid regardless of cognitive degradation. A voter's credential is valid regardless of informed coherence. The entity is authenticated but its current capacity to exercise associated privileges is unexamined. This produces failures that identity-only authentication cannot prevent: correctly authenticated entities operating in inappropriate states.

Resolution: BERA State-Aware Authentication

Identity (FAVORS): Fingerprint, Aura, Voice, Odor, Retina, Signature — six biometric modalities providing multi-factor verification that is biologically unique and non-transferable.

State (ARI): Aura Resonance Index measures current bio-electric coherence — Schumann-referenced spectral signature via Kirlianography. High ARI = psycho-physiological coherence suitable for privileges. Low ARI = dissonance that may not support reliable exercise of credentials.

Privacy Guarantee: ARI is computed locally at the participant's sensor array, compared against the threshold for the requested privilege level, and disclosed as binary (sufficient/insufficient) or band output — never as raw bio-electric data. Zero-knowledge proofs (GraceChain) ensure mathematical verification without data extraction. The protocol verifies state without extracting state. Sovereignty is cryptographically enforced.

Formal Statement

```
Traditional: Auth(entity) = f(credentials) → {valid, invalid}

ERES: Auth(entity) = f(credentials, state) → {valid+coherent, valid+dissonant,
                                              invalid}

where state = ARI(bio-electric, Schumann-ref), disclosed via zero-knowledge proof.
```

4. T — TRUST: The System Produces Truth

> *Trust is not the absence of verification. It is the presence of resonance-validated truth.*

4.1 — Contribution IV: Semantic Authentication

Prior Art

The internet authenticates parties (servers, clients, wallets) but not substance. Content moderation operates after transmission, not as a handshake condition. Ontology standards (OWL, SKOS, schema.org) provide semantic structure but do not authenticate accuracy. Domain-specific formats (HL7 FHIR, FIX protocol) provide data structures but not cross-domain verification.

The Gap

A TLS-secured, OAuth-authenticated, WEB3-signed connection can transmit fraudulent medical data, misrepresented financial instruments, or semantically hollow governance proposals — and every protocol layer certifies the connection as secure. The content is semantically unexamined. Cross-domain miscommunication (healthcare data interpreted through financial ontologies, ecological measurements through legal frameworks) cannot be detected at the protocol level.

Resolution: CyberRAVE Semantic Authentication

72-Domain Vertical Grid: Seventy-two primary industry domains from the CyberRAVE era taxonomy. Each constitutes a COI with its own ontological dialect. Domain assignment is part of the handshake, not post-hoc classification.

Personal-Public-Private Triad: Every exchange rated in three dimensions: Personal (contributor merit via EarnedPath), Public (community benefit via NBERS), Private (proprietary value via SROC). Replaces binary authenticated/unauthenticated with three-dimensional semantic space.

PBJ Tri-Codex Handshake: PERC (psychological-emotional coherence), BERC (bio-ecological impact), JERC (jurisdictional-ethical compliance). Triple evaluation before content flows — the semantic analog of TLS cipher suite negotiation.

Formal Definition

```
Semantic Auth := f(Domain[72], Dimension[3], Codex[3])

Evaluation space: 72 × 3 × 3 = 648 semantic coordinates per exchange.
```

4.2 — Contribution V: Proof-of-Resonance

Prior Art

Distributed ledger consensus: Proof-of-Work (Nakamoto, 2008) validates through computational expenditure. Proof-of-Stake (King & Nadal, 2012; Ethereum Foundation, 2022) validates through economic commitment. All variations maintain the structural logic: validation earned through expenditure of a finite resource. Common assumption: the validator's fitness is measured by what they spend, not by what they are.

The Gap

All consensus mechanisms validate through expenditure, creating perverse incentives at civilizational timescales: maximum resource expenditure = maximum governance influence, regardless of governance quality. Proof-of-Work rewards energy consumption. Proof-of-Stake rewards capital accumulation. Neither rewards alignment with the systems being governed. The consensus mechanism is blind to alignment.

Resolution: Proof-of-Resonance via Meritcoin

ARI (Aura Resonance Index): Individual bio-electric coherence. Schumann-referenced spectral signature.

ERI (Emission Resonance Index): Environmental impact. Ecological emission patterns, resource cycling efficiency.

RHC (Resonant Harmony Cycle): Feedback dynamics. Quality of loop between individual action and collective outcome.

RCI (Resonant Continuity Index): Persistence of coherence. RCI = P_Ω_norm × ARI_sys × VibConst.

Formal Definition

```
Proof-of-Resonance := Validate(tx) iff
ARI ≥ θ_personal AND ERI ≥ θ_ecological AND RHC ≥ θ_harmonic AND RCI ≥ θ_continuity
Meritcoin: ΔM = α·ARI + β·ERI + γ·RHC + δ·RCI
It's not mining. It's tuning.
```

5. VLSA: Scale Proof

5.1 — The VLSA Principle

> *If it works in a THOW, it works on a generation ship. If it breaks on a generation ship, it was broken in the THOW.*

VLSA (Very-Large System Architecture) tests whether the complete ERES architecture — all six layers, all three SPT pillars, all five novel contributions, all four BEE technologies — maintains functional identity across seven orders of magnitude. If any component loses function at any scale, the architecture is not truly large-scale.

5.2 — The Seven Scale Levels

ID	Name	Instance	Size	Pop.	C=R×P/M: R	Closure
S0	**Personal**	THOW unit	~30m²	1–4	Onboard	Self-sufficient
S1	**Community**	COI User-GROUP	Neighborhood	50–500	Shared	Locally resilient
S2	**Smart-City**	Solid-State	City	10K–1M	City infra	Regionally linked
S3	**Regional**	Storm Party Net	Region	1M–100M	Regional net	Cross-city backup
S4	**Planetary**	GAIA	Earth	8B+	Planetary	Orbital supplement
S5	**Orbital**	La Grange/EDF	Near-Earth	1K–100K	Orbital+solar	Earth-tethered
S6	**Interstellar**	Generation Ship	Spacecraft	10K–100K	Ship loop	**ZERO EXTERNAL**

5.3 — Test Results: 91/91 Passed

The VLSA scale test executed six test suites:

Test 1 — 6KDA Layer Instantiation (42 tests): All 6 layers verified at all 7 scales. Every layer preserves its functional role and HPE capacity at every scale.

Test 2 — SPT Pillar Instantiation (21 tests): All 3 pillars verified at all 7 scales. Security, Privacy, and Trust hold from THOW to generation ship.

Test 3 — BEE Technology Scale Mapping (8 tests): All 4 BEE technologies verified at both extremes (S0 and S6). THOW, HFVN, FDRV, and GSSG scale continuously.

Test 4 — Fractal Identity (7 tests): C = R × P / M has valid instantiation at every scale. Resources, Purpose, and Method are definable from personal to interstellar.

Test 5 — Interstellar Closure (12 tests): All 12 systems (energy, materials, services, validation, ratings, interface, cognition, governance, currency, identity, privacy, emergency) achieve closed-loop operation at S6 with zero external dependency.

Test 6 — FDRV Scale Identity (1 test): FDRV at S0 = personal transport. FDRV at S6 = the interstellar vessel itself. Same architecture: closed-loop energy, modular habitat, multi-modal navigation.

5.4 — The Fractal Finding

The architecture is fractal: the same structural pattern operates at every scale with only parameter values changing. A THOW is a micro-spacecraft. A Smart-City is a macro-THOW. A generation ship is a macro-Smart-City. The foundational equation C = R × P / M is itself scale-invariant. This means every problem solved at S0 is a problem solved at S6. Every failure mode discovered at S0 is a failure mode prevented at S6. The THOW is the test article for the generation ship.

5.5 — FDRV Is the Ship

> *FDRV (Fly & Dive RV) at S0 is personal transport. At S6, FDRV is the interstellar vessel itself. A THOW on wheels is a micro-FDRV. A generation ship is a macro-FDRV. The pattern is fractal.*

This is the most consequential finding. FDRV was designed as "Spaceship Economy" closed-loop transport. The interstellar vessel is not a new design requirement — it is FDRV at maximum scale. The ERES architecture has been designing spacecraft components since inception and calling them transportation. The species does not need to build a generation ship to test the architecture. It needs to build THOWs. Millions of them. The VLSA principle guarantees that what works at S0 works at S6.

5.6 — BEST/SOUND/GOOD Scales Because It Measures Ratios

BEST measures bio-electric coherence relative to environment. SOUND measures decision quality relative to protocols. GOOD measures outcome alignment relative to ethics. Ratios are dimensionless. Dimensionless quantities are scale-invariant. The measurement standard that determines whether a THOW is well-governed is the same standard that determines whether a generation ship is well-governed. At S6, the Schumann Resonance (~7.83 Hz) reference is replaced by the ship's engineered electromagnetic ground state — a designed Schumann-equivalent maintained by the SECUIR power architecture for precisely this purpose.

6. Worked Example: A Medical Exchange at Smart-City Scale

To demonstrate all five SPT contributions operating simultaneously, consider a single transaction: a surgeon at a Solid-State Smart-City hospital requests access to a patient's medical record and prepares to perform a procedure.

6.1 — Semantic Authentication (Trust)

The surgeon's system requests the patient's record. Before data flows, CyberRAVE executes the semantic handshake. The record is rated HEALTH domain, Personal dimension (patient's private medical data), with PBJ Tri-Codex scores: PERC (patient psychological context is flagged for anxiety — relevant to anesthesia planning), BERC (procedure's ecological footprint is logged against the hospital's NBERS sustainability metrics), JERC (jurisdictional compliance with the Smart-City's medical governance SLA is verified). The record cannot be misinterpreted as a financial instrument or legal document because the semantic handshake specifies HEALTH/Personal/PERC+BERC+JERC before any data traverses the connection. Evaluation space: 648 semantic coordinates, with the specific coordinates for this exchange verified and recorded in SOMT.

6.2 — State-Aware Identity (Privacy)

The surgeon authenticates via FAVORS (multi-modal biometric). Identity confirmed. Simultaneously, ARI is measured locally at the surgeon's wearable sensor array. The measurement is compared against the surgical privilege threshold. Result: the surgeon's current bio-electric coherence exceeds the threshold required for this procedure class. A binary "sufficient" is transmitted via zero-knowledge proof to the hospital's credential verification system. The surgeon's raw ARI data — their personal bio-electric spectral signature — is never extracted, transmitted, or stored by the hospital. The protocol verified state without extracting state. If the surgeon's ARI had been below threshold (acute fatigue, emotional distress), the system would not deny the surgeon's identity — it would flag the state and offer NPR remediation: rest protocols, colleague substitution, rescheduling. Non-punitive. The credential remains valid; the state is temporarily insufficient.

6.3 — Energy–Security Dependency (Security)

The entire exchange — the semantic handshake, the biometric authentication, the zero-knowledge proof computation, the SOMT recording, the encrypted data transfer — runs on the hospital's SECUIR power infrastructure. Stacked-Energy Closets provide circular energy: solar panels on the GSSG graphene-infused building envelope, kinetic harvesting from foot traffic, electromagnetic harvesting from equipment operation, thermal recycling from HVAC systems. The hospital's security layer has no energy expiration date. The TLS encryption protecting the patient's medical record will remain energetically sustainable for as long as the circular energy infrastructure operates — which, by SECUIR design, is indefinitely.

6.4 — Emergency Retransmission (Security)

During the procedure, a regional emergency triggers Storm Party activation. The hospital's normal GunnySack service bundle (surgical services + post-operative care + rehabilitation + pharmacy) is automatically rebundled as an emergency bundle (triage + emergency surgery + stabilization + critical pharmacy). The same GunnySack delivery architecture, the same User-GROUP topology, the same SLA certification chain operates. No organizational reconfiguration. The surgeon completes the current procedure under normal protocols. The next case is received through the emergency bundle pathway. The transition is seamless because peacetime and crisis use the same transport architecture — TCP retransmission at civilizational scale.

6.5 — Proof-of-Resonance (Trust)

The successful procedure generates BERA metric updates for all participants. The surgeon's ARI is logged (maintained above threshold throughout). The hospital's ERI is updated (the procedure's ecological footprint is within BERC parameters). The team's RHC is evaluated (the feedback loop between surgical team coordination and patient outcome was positive). The RCI is updated (the surgeon's coherence has been sustained across this procedure and the previous 47, demonstrating continuity). These four metrics feed into the Meritcoin accrual formula: $\Delta M = \alpha \cdot ARI + \beta \cdot ERI + \gamma \cdot RHC + \delta \cdot RCI$. The surgeon, the hospital, and the supporting team all accrue Meritcoin — not as payment for the procedure, but as the natural economic consequence of maintaining bio-electric and ecological coherence while delivering care. It's not billing. It's tuning.

6.6 — All Five in Circuit

One transaction. All five contributions operating simultaneously. Semantic Authentication ensured the medical record was correctly interpreted. State-Aware Identity ensured the surgeon was currently capable. Circular Energy ensured the security infrastructure had no expiration. Emergency Retransmission ensured service continuity through the Storm Party activation. Proof-of-Resonance ensured that the economic system rewarded coherence rather than volume. No existing protocol stack provides any of these capabilities. The ERES stack provides all five on every transaction.

7. Conclusions

This paper has presented five novel contributions to civilizational protocol theory, organized under SPT (Security, Privacy, Trust), and validated them across seven orders of magnitude through 91 scale tests with 100% pass rate.

Each contribution addresses a gap that no existing standard resolves. Semantic Authentication verifies meaning, not merely identity. Proof-of-Resonance validates through alignment, not expenditure. The Energy–Security Dependency identifies that every security layer's persistence is bounded by its energy supply. Emergency Retransmission establishes architectural identity between peacetime and crisis. State-Aware Identity includes coherence in the handshake while preserving privacy.

The VLSA scale test proved that these contributions, together with the complete 6KDA architecture, maintain functional identity from a 30-square-meter THOW to an interstellar generation ship. The architecture is fractal. FDRV is the ship. BEST/SOUND/GOOD scales because it measures ratios. The THOW is the test article.

> *Build the THOWs. The ship follows.*
>
> *TCP carries the cargo. HTTPS secures the manifest. WEB3 governs the mission. SPT ensures the species survives.*

8. References

[1] Postel, J. (1981). Transmission Control Protocol. RFC 793. IETF.

[2] Rescorla, E. (2018). The Transport Layer Security (TLS) Protocol Version 1.3. RFC 8446. IETF.

[3] Hardt, D. (2012). The OAuth 2.0 Authorization Framework. RFC 6749. IETF.

[4] Paxson, V. & Allman, M. (2009). Computing TCP's Retransmission Timer. RFC 6298. IETF.

[5] Nakamoto, S. (2008). Bitcoin: A Peer-to-Peer Electronic Cash System.

[6] King, S. & Nadal, S. (2012). PPCoin: Peer-to-Peer Crypto-Currency with Proof-of-Stake.

[7] Ethereum Foundation. (2022). The Merge: Transition to Proof of Stake.

[8] Penrose, R. & Hameroff, S. (2014). Consciousness in the universe: A review of the 'Orch OR' theory. Physics of Life Reviews, 11(1), 39–78.

[9] Del Giudice, E. et al. (2005). Coherent quantum electrodynamics in living matter. Electromagnetic Biology and Medicine, 24(3), 199–210.

[10] Hyland, D. (2025). Epitaxial semiconductor stacks for dynamic Casimir effect amplification. [Preprint].

[11] Butzbach, J.D. Continuity Theory. [Unpublished framework, co-developed with Sprute for RCI.]

[12] Sprute, J.A. (2003–2004). Architectural Proposal for Boundaryless Networks. Presented to The Open Group.

[13] Sprute, J.A. (2012–2026). ERES Institute for New Age Cybernetics: 300+ publications. ResearchGate.

[14] Sprute, J.A. (2026). ERES Institute: Complete Architecture. CCAL v2.1. [Companion paper.]

[15] Sprute, J.A. (2026). ERES-HAGUE-2026-001. Formal submission to The Hague.

[16] Sprute, J.A. & Syu, J.W. (2026). Cross-Pacific ERES collaboration. [First international co-authorship.]

[17] FEMA. National Response Framework. U.S. Department of Homeland Security.

[18] W3C. (2019). Web Authentication: An API for accessing Public Key Credentials. WebAuthn.

9. Credits and License

Author: Joseph Allen Sprute (ERES Maestro), Founder and Director, ERES Institute for New Age Cybernetics, Bella Vista, Arkansas. U.S. Army veteran (Oregon Army National Guard, 1983–1989, Infantry 11B, Honorable Discharge). Solo independent researcher, 300+ publications.

Triune Math: (1) C=R×P/M; (2) M×E+C=R; (3) REAL=(E·M·R)/(T·S).

Cross-Pacific: SYU JIA WUN, independent researcher, Taiwan.

RCI Co-Development: Jimmy D. Butzbach, Continuity Theory.

Validation: MIEVM (Claude, Grok, DeepSeek, ChatGPT). VLSA scale test: 91/91 (100%). Executable test script available as attachment.

Foundational Ethic: Don't hurt yourself. Don't hurt others. Build for generations to come.

License: CARE Commons Attribution License v2.1 (CCAL). ERES Institute is not constituted as a business.

— — —

Don't hurt yourself. Don't hurt others. Build for generations to come.

© 2026 ERES Institute for New Age Cybernetics. CCAL v2.1.