ERES INSTITUTE FOR NEW AGE CYBERNETICS

White Paper

Bottom-Up / Top-Down Convergence Architecture

for the 1000-Year Future Map

From Homestead to Generation Ship:
Why the Component List for Planetary Survival Is Identical at Every Scale
and How a Palindromic Curriculum Bridge Ensures
the Knowledge Survives the Institutions That Launched It

ERES-CONVERGENCE-WP-2026-001
April 2026

Joseph Allen Sprute
Founder & Director, ERES Institute for New Age Cybernetics
ORCID: 0000-0001-9946-3221 | ResearchGate: 408 Publications

CARE Commons Attribution License v2.1 (CCAL)

Table of Contents

1. The Core Question

> *What does a human settlement need — at minimum — to survive with zero external dependency?*

This question is the origin point of the ERES Institute's fourteen-year research program and the foundation of the 1000-Year Future Map. It is not a thought experiment. It is an engineering specification. Every technology, governance protocol, education curriculum, economic instrument, and measurement standard developed under the ERES architecture is tested against this single constraint: does this system close its loop without external dependency?

The answer to the question produces an unexpected finding: the component list for planetary survival is identical at every scale. Whether the settlement is a quarter-acre homestead in Bella Vista, Arkansas, a Solid-State Smart-City of one million inhabitants, a lunar outpost, or an interstellar generation ship, the categories of required closure are the same. Only the parameter values change. The engineering is parametric, not architectural. The design pattern is fractal.

This paper presents the convergence architecture that produces this finding — the bidirectional meeting point between bottom-up infrastructure engineering and top-down civilizational trajectory planning — and the palindromic education layer that ensures the knowledge itself survives independent of any institution.

2. Bottom-Up: Engineering Closure at the Smallest Viable Unit

2.1 The THOW as Test Article

The Tiny House on Wheels (THOW) is the smallest viable unit of human habitation in the ERES architecture. It is not a lifestyle choice or a housing trend. It is a test article for a generation ship. Every system that must function on an interstellar vessel — energy generation, water cycling, food production, waste processing, atmospheric management, communications, governance, identity verification, emergency protocols — can be prototyped, tested, and validated at THOW scale.

This is the VLSA Principle: Very Large Scale Architecture. If a system works inside a THOW, it works on a generation ship. If it breaks on a generation ship, it was broken in the THOW. The THOW is not a miniature ship. The ship is a scaled THOW. The species does not need to build a generation ship to test the architecture. It needs to build THOWs. Millions of them.

2.2 The Four BEE Infrastructure Technologies

The BEE (Bio-Electric Economy) infrastructure comprises four technologies designed as closed-loop systems from inception. Each is named and specified as a component of the eventual interstellar vessel:

Code	Full Name	Function and Scale Identity
THOW	Tiny House on Wheels	Modular habitat unit. Crew quarters on the ship. Self-contained life support at personal scale. Energy-positive, water-recycling, waste-processing. The irreducible unit from which all larger habitation derives.
HFVN	High-Frequency Vibration Network	Communications backbone. Ship-wide and interstellar relay architecture. Mesh networking at THOW scale, deep-space retransmission at interstellar scale. Carries the Storm Party emergency protocol.
FDRV	Fly & Dive RV	Multi-modal transport embodying “Spaceship Economy” closed-loop systems. At S0 (personal scale), a vehicle that recycles its energy, purifies its air, and manages its waste. At S6 (interstellar scale), FDRV IS the vessel itself. This identification is the most consequential finding of the VLSA scale test.
GSSG	Self-Healing Structures	Hull and structural material architecture. Incorporates the Sugar-Carbon Reservoir Hypothesis for biological self-repair mechanisms translated to material science. The ship’s hull is a GSSG structure at maximum scale.

2.3 The Twelve Closure Systems

The interstellar constraint is absolute: zero external dependency. Every system must close its loop. The VLSA scale test identifies twelve closure systems, each validated from S0 (personal) through S6 (interstellar). All twelve achieved closure at generation-ship scale in the 91-test validation suite:

#	System	ERES Component	Closure Mechanism
1	Energy	SECUIR	Solar/nuclear at S0–S3; fusion at S4+; closed thermodynamic cycle at all scales
2	Materials	GSSG	Self-healing fabrication; carbon-reservoir recycling; zero-waste manufacturing loop
3	Services	GunnySack	Accredited service delivery; knowledge-validated labor; Proof-of-Resonance compensation
4	Validation	CyberRAVE	72 Key Domain rating system; transparent performance metrics; abolishes veiled exchanges
5	Ratings	BERA	Four resonance indices (ARI, ERI, RHC, RCI) providing continuous biometric feedback
6	Interface	Talonics	452-element symbol matrix; gestural computing; human-machine communication layer
7	Cognition	ERES Core	C=R×P/M governing equation; cybernetic feedback intelligence; morally vectored epistemology
8	Governance	PlayNAC	Sociocratic decision protocols; game-theoretic incentive alignment; constitutional constraint
9	Currency	Meritcoin	Proof-of-Resonance (not Proof-of-Work); BERA metrics feed value accrual; “it’s not mining — it’s tuning”
10	Identity	IDIPITIS	Sovereign credentials; bio-electric verification; no external certificate authority required
11	Privacy	FAVORS	Bio-electric authentication; locally verified; no external biometric database dependency
12	Emergency	Storm Party	Retransmission from shipboard bundles; autonomous triage; no external logistics chain

Each of these twelve systems operates as a closed feedback loop at every scale. At S0, the feedback loop fits inside a THOW. At S6, the same feedback loop operates inside the generation ship. The architecture does not change. The parameters scale.

2.4 FDRV IS the Ship

> *FDRV (Fly & Dive RV) at S0 is personal transport. At S6, FDRV IS the interstellar vessel itself. A THOW on wheels is a micro-FDRV. A generation ship is a macro-FDRV. The pattern is fractal.*

This identification is the most consequential finding of the VLSA research program. FDRV was designed as one of the four BEE infrastructure technologies — multi-modal transportation embodying “Spaceship Economy” closed-loop systems. At S0, this means a personal vehicle that recycles its energy, purifies its air, and manages its waste in a closed loop. At S6, this means an interstellar vessel that does exactly the same thing at a larger scale. The design principles are identical. The engineering challenges are parametric, not architectural.

The ERES VLSA does not need to design a new architecture for an interstellar spacecraft. It needs to scale the existing architecture. The ship is a FDRV. The crew quarters are THOWs. The communications system is HFVN. The hull is GSSG. The energy system is SECUIR. The governance is PlayNAC through VERTECA. The ratings are CyberRAVE. The services are GunnySack. The R&D is SaleBuilders. The cognitive intelligence is ERES. Everything the ship needs already exists in the architecture. It needs to be built bigger.

3. Top-Down: The 1000-Year Future Map as Civilizational Constraint

3.1 The Map Does Not Prescribe — It Constrains

The 1000-Year Future Map is not a prediction, a plan, or a roadmap. It is a constraint function. Every policy decision, technology investment, resource allocation, and institutional design is tested against a single question: does this move the civilization toward or away from the 1000-year trajectory? The trajectory itself is defined by the Three Governing Principles: Don't hurt yourself. Don't hurt others. Build for generations to come.

The constraint operates top-down: it imposes requirements on the present from the vantage of the deep future. If a technology cannot scale to interstellar operation, it fails the VLSA test and is not adopted. If a governance model cannot function without external authority, it fails the closure test and is redesigned. If an economic instrument requires perpetual growth in a finite system, it fails the thermodynamic test and is replaced. The 1000-Year Future Map eliminates entire categories of solution before engineering begins.

3.2 The Temporal Architecture

Era	Period	Phase Name	Key Milestones
Century 1	2025–2125	Planetary Unification	THOW/Smart-City pilot deployment; ERES sensor coverage to 80% of global population; Meritcoin parallel economy; border dissolution into cooperation zones; first space elevator operational; Earth-Moon economic zone established; first self-sufficient Mars colony
Centuries 2–3	2125–2325	Solar System Expansion	Mars terraforming active; asteroid belt mining infrastructure; Venus cloud cities; Dyson swarm initiation at 1% solar output capture; Mercury automated mining; population distributed across Earth, Moon, Mars, and orbital stations
Centuries 4–6	2325–2625	Stellar Mastery	Dyson swarm at 25% completion; interstellar probe missions at 0.1c; post-biological consciousness options available; fusion power universal; no poverty anywhere in solar system
Centuries 7–10	2625–3025	Interstellar Civilization	First colony ships to Proxima Centauri; galactic colonization wave initiation; Dyson swarm at 50% completion; wisdom traditions preserved for eternity; generation ships operating as macro-FDRVs with full twelve-system closure

3.3 PlayNAC Victory Conditions

Unlike traditional game theory where victory means defeating opponents, PlayNAC (New Age Cybernetic Game Theory) defines abundance victory conditions at each temporal milestone. Bronze Age (2050): Universal basic needs coverage, zero involuntary starvation, renewable energy exceeding 80% of total. Silver Age (2150): Post-scarcity economics functioning, work voluntary, space elevator operational. Golden Age (2500): Dyson swarm at 10% completion, asteroid belt industrialized, no poverty in the solar system. Diamond Age (3025): Interstellar colony ships launched, galactic colonization wave initiated. Each victory condition unlocks the next content tier — the civilization earns access to the engineering challenges of the next era by solving the closure requirements of the current one.

3.4 The Governing Equation Across Time

$$C = R \times P / M$$

Cybernetics = Resource × Purpose ÷ Method

The equation is itself scale-invariant and time-invariant. At Century 1, Resources are terrestrial, Purpose is planetary survival, and Method is institutional governance overhead to be minimized. At Century 10, Resources are stellar, Purpose is galactic propagation, and Method is still institutional overhead to be minimized. The equation does not change across a thousand years because it measures ratios, not absolutes. Ratios are dimensionless. Dimensionless quantities are scale-invariant. This is why BEST/SOUND/GOOD governance metrics work identically in a THOW and on a generation ship: they measure bio-electric coherence relative to environment, decision quality relative to protocols, and outcome alignment relative to ethics.

4. The Convergence Point: Where Bottom-Up Meets Top-Down

4.1 Collecting the Components for a New Planet

The convergence point — where bottom-up infrastructure engineering meets top-down civilizational trajectory planning — is discovered when you perform a simple exercise: list everything a human settlement needs to survive on a new planet with zero external supply chain.

Energy generation. Water cycling. Food production. Materials fabrication. Medical systems. Governance protocols. Education delivery. Identity management. Emergency response. Communication infrastructure. Privacy preservation. Economic exchange. This is the component list for planetary colonization.

Now perform the same exercise for a quarter-acre homestead in Arkansas. Energy generation. Water cycling. Food production. Materials fabrication. Medical systems. Governance protocols. Education delivery. Identity management. Emergency response. Communication infrastructure. Privacy preservation. Economic exchange.

> *The component list is identical. The engineering is parametric, not architectural. The design pattern is fractal.*

This is not a metaphor. It is a mathematical finding confirmed by 91 validated scale tests across 7 scales (S0-Personal, S1-Family, S2-Community, S3-Municipal, S4-Regional, S5-Planetary, S6-Interstellar). Every closure system that functions at S0 functions at S6 with parameter substitution only. No new architectural concepts are required between a homestead and a generation ship. The same twelve systems close their loops at every scale.

4.2 The Fractal Finding

The architecture is fractal: the same structural pattern operates at every scale with only parameter values changing. A THOW is a micro-spacecraft. A Smart-City is a macro-THOW. A generation ship is a macro-Smart-City. The foundational equation $C = R \times P / M$ is itself scale-invariant. This means every problem solved at S0 is a problem solved at S6. Every failure mode discovered at S0 is a failure mode prevented at S6. The THOW is the test article for the generation ship.

4.3 The Seven-Scale Validation Matrix

Scale	Name	Physical Form	Closure Characteristics
S0	Personal	THOW	Individual closed-loop habitat; personal BERA monitoring; sovereign identity
S1	Family	THOW Cluster	2–10 person group; shared energy/water; internal governance protocols

S2	Community	THOW Village	50–500 persons; GunnySack service network; CyberRAVE validation active
S3	Municipal	Solid-State Smart-City	10K–1M persons; full BEE infrastructure; PlayNAC governance operational
S4	Regional	Smart-City Network	Multi-city coordination; GERP environmental monitoring; regional SECUIR grid
S5	Planetary	Global	GAIA SOMT overlay; 1000-Year Future Map active constraint; Earth-Moon zone
S6	Interstellar	Generation Ship	Macro-FDRV; zero external dependency; all twelve closure systems operational

4.4 Bidirectional Processing

The ERES conventionality of bottom-up/top-down, top-down/bottom-up processing is not a rhetorical device. It is a formal engineering methodology. Disease does not originate exclusively at the cellular level (bottom-up) or the environmental level (top-down) — it emerges from the interaction between scales. A patient's cellular glycation load (bottom-up) interacts with their nutritional environment (top-down), which is itself shaped by their metabolic signaling (bottom-up influencing food cravings and absorption), creating a feedback loop that either spirals toward disease or converges toward health.

The same bidirectional processing applies to civilizational architecture. A homesteader's energy closure (bottom-up) is constrained by the 1000-Year Future Map's requirement for interstellar-viable energy systems (top-down), which in turn shapes which energy technologies receive Meritcoin yield multipliers (bottom-up economic incentive shaped by top-down trajectory). The convergence point is where the bottom-up engineering solution simultaneously satisfies the top-down civilizational constraint. When this convergence is achieved across all twelve closure systems, the architecture is complete.

5. The Palindromic Curriculum Bridge

MIT / SPRU / BAIDU : BAIDU / SPRU / MIT

5.1 The Education Layer Must Match the Infrastructure Layer

An architecture that survives at interstellar scale but cannot be taught is an architecture that dies with its creator. The ERES Institute addresses this through the TETRA certification system — a 4×4×4 cube of 64 modules delivered through a palindromic institutional bridge that is itself subject to VLSA verification.

The palindrome structure ensures that a student entering from the West (MIT as engineering/computation anchor) and a student entering from the East (BAIDU as AI/population-scale deployment anchor) traverse structurally identical content, converge at the SPRU policy bridge (where SPRU carries the ERES method as denominator in C=R×P/M), and emerge with the same Solid-State Smart-City Citizen (SSSC) credential. The curriculum is direction-invariant because the governing equation is direction-invariant.

5.2 The TETRA Cube Architecture

Level	Credential	Meritcoin	Hours	Competencies
101 Foundations	SSSC Credential	1.5x	480	Core principles of each pillar; BERA sensor literacy; PlayNAC governance basics; EarnedPath credential mechanics
201 Measurement	Specialist	2.0x	480	BERA resonance index calibration; CyberRAVE validation protocols; Meritcoin yield optimization; GraceChain audit competency
301 Integration	Practitioner	3.0x	480	Cross-pillar integration; RT Media delivery; PlayNAC simulation design; MIEVM validation methodology; COE operational planning
401 Advanced	CERT:TETRA-FULL	5.0x	480	Full COE establishment qualification; curriculum replication authority; VLSA verification competency; interstellar closure audit; authority to train the next generation

The four SCALULAR pillars — Health (SSHP), Law (SSLA), Protection (SSPS), and Skills/Trade (SSST) — cross the four levels to produce the 4×4 face of the cube. The third dimension is the four delivery contexts (MIT anchor, BAIDU anchor, SPRU bridge, and COE Network), yielding the full 4×4×4 = 64-module curriculum totaling 1,920 hours. Each module is measurable through BERA, credentialed through EarnedPath (EP = CPM × WBS + PERT), and recorded on GraceChain.

5.3 Self-Healing Against Institutional Capture

The palindrome self-heals against institutional capture. No institution owns the curriculum — it is commons property under CCAL v2.1. If any anchor institution withdraws, the remaining paths and any Center of Excellence (COE) with a CERT:TETRA-FULL graduate continue delivery independently. This is not a contingency plan. It is a design requirement derived from the VLSA constraint.

> *On a generation ship with no MIT, no BAIDU, no institutions at all — only the structural grammar (C = R × P / M), the TETRA cube, and CERT:TETRA-FULL graduates remain. The curriculum survives the institutions that launched it.*

The 401 graduate IS a Center of Excellence in human form: qualified to establish, operate, validate, and replicate a COE, and to train the next generation. Teaching is the highest-yield mining operation — it multiplies resonance without diminishing anyone else's.

5.4 Institutional Positions Within C = R × P / M

Institution	Position in C=R×P/M	Function
MIT	Resource (R) — Western	Engineering, computation, empirical method, material science, systems integration
BAIDU	Resource (R) — Eastern	AI/ML at population scale, Traditional Chinese Medicine bioenergetic traditions, DeepSeek as MIEVM validation node, Mandarin-language delivery to 1.4 billion citizens
SPRU (ERES)	Method (M) — Bridge	Policy translation, BERA measurement framework, CCAL licensing governance, curriculum structural grammar. The denominator in C=R×P/M: to be minimized, not maximized. SPRU carries the seed metaphor: sprout connecting root system to canopy
COE Network	Purpose (P) — Replication	Self-replicating practitioner community. Each COE established by a CERT:TETRA-FULL graduate. The network IS the generation ship's education system at S6

6. Measurement: BERA Resonance Index Architecture

The BERA (Bio-Electric Resonance Architecture) provides the measurement layer that makes the entire system empirically testable rather than aspirational. Four resonance indices form a closed feedback loop that feeds directly into Meritcoin value accrual:

Index	Full Name	Function
ARI	Aura Resonance Index	Individual bio-electric coherence relative to environment. Measured through ERES Kirlianography optics and wearable biometric sensors (Ship's Mate wristband). The personal health baseline.
ERI	Emission Resonance Index	System-level energy emission patterns. Measures the bio-electric output of communities, infrastructure, and ecological systems. The environmental health baseline.
RHC	Resonant Harmony Cycle	Cyclical biological processes measured as resonant systems. Formalizes the understanding that biological cycles (circadian, menstrual, seasonal) are resonance phenomena subject to harmonic disruption and restoration.
RCI	Resonant Continuity Index	Intergenerational measurement. RCI = P_Ω_norm × ARI_sys × VibConst. Measures whether the architecture maintains coherence across generations — the metric that matters on a generation ship where the crew who arrives is not the crew who departed.

These four metrics feed into Meritcoin through Proof-of-Resonance — not Proof-of-Work. Ethical and ecological harmony IN, economic value OUT. It is not mining — it is tuning. The measurement standard that determines whether a THOW is well-governed is the same standard that determines whether a generation ship is well-governed, because ratios are dimensionless and dimensionless quantities are scale-invariant.

At S6 (interstellar), the Schumann Resonance (~7.83 Hz) reference used on Earth is replaced by the ship's engineered electromagnetic ground state — a designed Schumann-equivalent maintained by the SECUIR power architecture for precisely this purpose. The measurement framework adapts to the environment while the measurement principles remain constant.

7. Implications for Space Infrastructure Research

7.1 The Closed-Loop Challenge Is the Same Challenge

Contemporary space infrastructure research — including lunar surface operations, space habitat design, advanced sensing architectures, and space economy development — is solving closure problems. How does a lunar habitat close its water loop? How does a Mars colony close its materials fabrication loop? How does a space station close its governance loop when communication delay makes Earth-based authority impractical?

These are the same twelve closure problems the ERES architecture solves at every scale. The sensor miniaturization challenge facing advanced space sensing programs is a parametric instance of the BERA measurement challenge at S4–S5. The 3D printing with simulated regolith challenge for lunar construction is a parametric instance of the GSSG self-healing structures challenge at S3. The autonomous decision-making challenge for long-duration missions is a parametric instance of the PlayNAC governance challenge at S6, where communication delay is measured in years rather than seconds.

7.2 Workforce Development and the TETRA Bridge

Space economy workforce development requires certification systems that produce graduates capable of operating in closed-loop environments. The TETRA curriculum addresses this directly: the SCALULAR certification pillars (Health, Law, Protection, Skills/Trade) map onto the competency requirements for space habitat operations. A CERT:TETRA-FULL graduate is qualified to establish, operate, and replicate a Center of Excellence — which is operationally identical to establishing, operating, and maintaining a space habitat module.

The palindromic bridge structure (MIT/SPRU/BAIDU : BAIDU/SPRU/MIT) also addresses the cross-border collaboration challenge in the space industry. The UK-US space industry linkage, the international partnerships required for Artemis and post-Artemis programs, and the inevitable integration of Chinese space capabilities all require education architectures that function across institutional and cultural boundaries. The palindrome achieves this by making the curriculum direction-invariant: the structural grammar is the same regardless of entry point.

7.3 The 1000-Year Map and Space Policy

Space policy decisions made today are 1000-Year Future Map decisions whether policymakers recognize it or not. The choice between expendable and reusable launch systems is a Century 1 constraint that determines Century 2 viability. The choice between proprietary and commons-based space data standards determines whether Century 3 solar system coordination is achievable. The choice between competitive national space programs and cooperative international frameworks determines whether Century 7 interstellar civilization is possible or whether the species fragments into incompatible technological branches.

The 1000-Year Future Map provides the temporal constraint function that makes these long-horizon tradeoffs explicit and testable. It is not idealism. It is engineering applied to civilizational trajectory.

8. The Mathematical Foundation

The ERES Triune Math provides three canonical equations that govern the entire architecture:

Formula 1: The Governing Equation

$$C = R \times P / M$$

Cybernetics = Resource × Purpose ÷ Method. The foundational operating equation. Resource and Purpose are to be maximized; Method (institutional overhead) is the denominator to be minimized. This equation is scale-invariant, time-invariant, and direction-invariant.

Formula 2: The Physical Equation

$$M \times E + C = R$$

Matter × Energy + Constant = Reason. The physical substrate equation. Describes how material and energetic inputs, governed by a constant (natural law), produce rational outcomes. The bridge between physics and governance.

Formula 3: The Resonance Equation

$$REAL = (E \cdot M \cdot R) / (T \cdot S)$$

Energy · Matter · Resonance over Time · Space. No repeated letters. The measurement equation that makes the architecture empirically testable. REAL is the product of the system's energetic, material, and resonant properties divided by its temporal and spatial constraints. This is the equation that scales from THOW to generation ship because it measures intensive properties (ratios) rather than extensive properties (absolutes).

9. Conclusion: Build the THOWs — The Ship Follows

The bottom-up/top-down convergence architecture presented in this paper demonstrates that the component list for planetary survival is identical at every scale — from homestead to generation ship — and that the engineering required to move between scales is parametric, not architectural. The twelve closure systems, the four BEE infrastructure technologies, the BERA measurement framework, the PlayNAC governance layer, the Meritcoin economic instrument, and the TETRA palindromic curriculum bridge are all designed as fractal components of a single architecture that operates at every scale the species will encounter over the next thousand years.

The VLSA Principle provides the verification methodology: test at S0, validate at S6. If it works in a THOW, it works on a generation ship. If it breaks on a generation ship, it was broken in the THOW.

The 1000-Year Future Map provides the temporal constraint: every decision tested against the question of whether it moves the civilization toward or away from the trajectory defined by the Three Governing Principles.

The palindromic curriculum bridge provides the knowledge preservation guarantee: the education survives the institutions that launched it, because a CERT:TETRA-FULL graduate IS a Center of Excellence in human form.

> *The species does not need to build a generation ship to test the architecture. It needs to build THOWs. Millions of them. The ship follows.*

About the Author

Joseph Allen Sprute is the Founder and Director of the ERES Institute for New Age Cybernetics, established in February 2012 in Bella Vista, Arkansas. He is a U.S. Army veteran (Oregon Army National Guard, 1983–1989, Infantry 11B, Honorable Discharge) and independent researcher with 408 publications on ResearchGate spanning the complete ERES architecture from CyberRAVE (pre-1997) through SaleBuilders (1997–2012) to the current ERES Institute era.

The ERES research program operates under the CARE Commons Attribution License v2.1 (CCAL) with formal submissions to The Hague (ERES-HAGUE-2026-001), ISO/ANSI standards bodies, and the DBDM 2026 conference in Sydney. Cross-Pacific collaboration with SYU JIA WUN (Tatung University, Taiwan) provides Eastern validation of the architecture.

Contact: eresmaestro@gmail.com

ORCID: 0000-0001-9946-3221

ResearchGate: 408 publications (as of April 2026)

GitHub: ERES-Institute-for-New-Age-Cybernetics

Companion Documents

ERES-VLSA-2026: The VLSA White Paper — 91 scale tests, fractal architecture proof, FDRV IS the ship

ERES-TETRA-CURRICULUM-2026-001: The Palindromic Bridge — 64-module TETRA certification cube, MIT/SPRU/BAIDU : BAIDU/SPRU/MIT

ERES-COE-DEFINITION-2026-001: Center of Excellence operational specification — the five-phase COE operational sequence

ERES-BEC-WP-2026-001: BEC Architecture — Bio-Electric Cybernetics white paper with PlayNAC multi-scale simulation

ERES-COVENANT-2026-001: ERES Equity Covenant — 1000-year NAC/PlayNAC governance instrument

ERES-HAGUE-2026-001: Hague Submission — Three challenges: intellectual priority, UBIMIA as human right, intergenerational equity