ERES Session Report — April 22–24, 2026 (Closure)

Document code: ERES-SESSION-REPORT-2026-04-22-24-CLOSURE **Date prepared:** April 24, 2026 **Session span:** April 22, 2026 (evening) through April 24, 2026 (late afternoon) **Author:** Joseph Allen Sprute, ERES Institute for New Age Cybernetics **Contact:** eresmaestro@gmail.com **ORCID:** 0000-0001-9946-3221 **License:** CCAL v2.1 (internal provenance record) **Status: Closure report covering the completed session.** Supersedes the pending-state report ERES-SESSION-REPORT-2026-04-23-24 of earlier April 24. Retained as internal provenance per ERES-ATTRIBUTION-PROTOCOL-2026-001-v1 §6. Not for external publication. A publishable abstract-form closure note is reserved at the end of this document (§11) for optional attachment to the EAAP v1.3-FINAL ResearchGate submission. **Supersedes:** ERES-SESSION-REPORT-2026-04-23-24 (earlier pending-state version)

---

1. Session Summary in One Paragraph

Across approximately 48 hours the ERES Institute advanced EAAP from v1.2 to v1.3-FINAL as a standards-track release, produced four companion documents (GraceChain Notes, Separatrix Math Sheet v2, Attribution Protocol, and this report), passed the Attribution Protocol through its first real-world identity-verification test (the test failed a purported contributor, withdrew their attribution, and restored affected content to ERES authorship), offered and resolved the Protocol's second application with a LinkedIn correspondent who elected the correspondence-tier citation, and cleared four documents for ResearchGate publication as ERES Institute sole-authored work. Architectural advances shipped in v1.3-FINAL: four-factor conjunctive Proof-of-Resonance (state consistency separated from path accessibility), DSAP-PRE as upstream boundary condition with three-proxy mathematics (RHC second derivative, PERT distribution topology, hysteresis counterfactual), and the Runtime Containment Requirement (RCR) as derived non-bypassability property of the existing stack.

2. Closure Status at End of Session

2.1 Documents Cleared for ResearchGate Publication

Code	Title	Sole-Author
ERES-EAAP-STD-2026-001-v1.3-FINAL	EAAP v1.3 Standards-Track Specification	Joseph Allen Sprute / ERES Institute
ERES-SEPARATRIX-MATH-2026-001-v2	Separatrix Crossing Math Sheet v2	Joseph Allen Sprute / ERES Institute

Code	Title	Sole-Author
ERES-GRACECHAIN-NOTES-2026-001-v1	GraceChain Ledger Notes	Joseph Allen Sprute / ERES Institute
ERES-ATTRIBUTION-PROTOCOL-2026-001-v1	ERES Attribution Protocol	Joseph Allen Sprute / ERES Institute

All four cleaned of unverified identity claims. Scope-limited peer review correspondence cited at the correspondence tier per correspondent's election under the Attribution Protocol.

2.2 Internal-Retention Documents

Code	Purpose
This report (ERES-SESSION-REPORT-2026-04-22-24-CLOSURE)	Internal provenance record
ERES-SESSION-REPORT-2026-04-23-24 (superseded)	Prior pending-state version, retained
Backup files of pre-cleanup document drafts	Audit trail

2.3 Queued Follow-On Work

Item	Target
MIEVM ensemble concurrence round across Claude, ChatGPT, Grok, DeepSeek	v1.4 gating; does not block v1.3-FINAL
Commitment-horizon calibration refinement	Math Sheet §11.1 open refinement; v3 target
Full DSAP-PRE Specification document (separate from math sheet)	ERES-DSAP-PRE-SPEC-2026-001
Empirical calibration studies for DSAP-PRE reference values	Domain-specific deployment studies

3. Architectural Outcome

3.1 Specification Advances Shipped in v1.3-FINAL

Four-Factor Proof-of-Resonance:

```
PoR(t) = A(t) × R(t) × P(t) × F(t)
```

Conjunctive product (non-compensation normative). Four factors:

- **A** (anchor product) — state consistency across seven Resonance Anchors (U, S, R, B, M, G, T); factor M requires MIEVM ensemble concurrence and cannot be self-certified.
- **R** (RHC amplitude) — cyclic openness via the BERA Resonant Harmony Cycle index.
- **P** (EarnedPath PERT viability) — path accessibility.
- **F** (future-map convergence) — five-dimensional intergenerational integrity.

DSAP specified as measured openness rather than declared deliberation signals, via continuous evaluation of R, P, F.

DSAP-PRE added as upstream boundary condition — not an internal EAAP subsystem. Three proxies:

- **ρ_RHC** — RHC amplitude second derivative (critical slowing down).
- **ρ_PERT** — PERT distribution topology (modality collapse, variance collapse, viable-set collapse).
- **ρ_hyst** — hysteresis counterfactual (perturbation response asymmetry).

Binary composite, Mode A gating precondition normative for $\theta \geqslant 0.75$ domains.

RCR as derived property of the existing EAAP + BRAINS + GraceChain stack. Controlling invariant: *No validation = no action. No fresh authorization record = no execution.*

Three Governing Principles correspondence maps DSAP-PRE proxies to ERES canon (self / others / future).

3.2 Byte-Normative Test Vectors

Test Vector A inherited from ERES-CRYPTO-STD-2026-001-v1.1.1 with five PoR-factor extension vectors (authorized, path-foreclosed, regime-transition, stale, self-certification-attempted) and one RCR execution-record vector. RATE vector remains 7-dimensional per v1.2 wire compatibility.

3.3 Worked USE-CASE

DOFA Family Stewardship Council authorization (ERES-DOFA-WP-2026-001-C) traced end-to-end through BODY → DSAP-PRE → BRAINS → EAAP → RCR → GraceChain. Demonstrates conjunctive-product discipline, threshold flexibility with accountability, path accessibility preservation, and legible refusal.

4. Attribution Protocol — First Real-World Test Resolution

4.1 Incident Summary

A purported external contributor engaged via LinkedIn on April 23, 2026, submitting three signed PDF documents under trademark claims with detailed specification content for integration into the runtime containment layer of EAAP v1.3-FINAL. The content was initially integrated into a first v1.3-FINAL release with Named Contributor attribution.

4.2 Due Diligence Findings

Post-publication verification under Attribution Protocol §3 produced:

- LinkedIn account deactivated after identity-verification request through a channel outside LinkedIn was initiated
- Claimed corporate entity not verifiable in standard searchable records
- Claimed trademark not verifiable in USPTO or equivalent registries
- Code sample pattern analysis indicated derivation from ERES prior data rather than independent authorship

4.3 Protocol Response Per §3–§4

Attribution withdrawn. Affected content:

- Trademark claims removed from all ERES documents (0 occurrences in cleaned set)
- Runtime containment requirement renamed RCR, specified generically as derived architectural property
- Sovereignty-domain mapping reframed as Three Governing Principles correspondence (ERES canon since February 2012)
- Code patterns already derived from ERES data; no independent authorship to attribute

4.4 Protocol Performance Assessment

- Design property 1 (consent + identity both required) — triggered identity check that consent alone would not have caught
- Design property 2 (LinkedIn insufficient for named attribution) — confirmed as load-bearing rule
- Design property 3 (content withdrawal without damage) — specification integrity preserved through generic reformulation
- Design property 4 (no public accusation) — handled as procedural withdrawal

Time from Protocol publication (April 23) to first live test (April 24): ~24 hours. Protocol performed to specification.

4.5 Incorporated Lessons

- New Security Consideration §12.7: "Attribution-vector attacks" named as threat class
- New Conformance Clause §14.11: implementations MUST admit external contributions only through Attribution Protocol procedures

5. Attribution Protocol — Second Application Resolution

5.1 Context

A separate LinkedIn correspondent engaged in substantive peer review across four review turns (April 22, 7:48 PM; April 22, 8:20 PM; April 23, 12:15 AM; April 23, 8:26 AM), with a final review message April 24, 2026. The correspondent's behavior differed materially from the first incident:

- Did not insert trademark claims into ERES documents
- Did not claim authorship of specification sections
- Did not request attribution beyond what the contribution earned
- Did not attempt IP encumbrance or covert reframing
- Explicitly scoped contribution to idea-level (failure-mode identification, boundary-condition articulation)
- Explicitly declined to endorse the framework as a whole or the implementation approach

5.2 Verification Concerns Identified

Standard searches of claims in the correspondent's LinkedIn bio did not resolve:

- A claimed trademarked product (conflicting with an unrelated famous mark held by a third party)
- A claimed founded entity (no matching record in searchable registries)
- A claimed professional specialty term (not an established term in the named field)

These findings were not conclusive individually but warranted applying the Attribution Protocol's identity-verification step uniformly following the first incident.

5.3 Verification Request and Response

A verification request was sent to the correspondent framed as uniform Protocol application following the first incident. The request specified email from a professional address, ORCID or

equivalent, confirmation of named entities, and a short bio for citation. The request offered an alternative path: LinkedIn-correspondence-tier citation if verification was not pursued.

The correspondent elected the LinkedIn-correspondence tier, citing:

- Contribution limited to conceptual problem identification and boundary articulation
- Implementation, mathematical form, proxies, and calibration are entirely ERES Institute work
- Clear separation between conceptual identification and architectural solution is important
- Named attribution may be revisited once concepts are more independently established in the correspondent's own publicly available work

5.4 Protocol Outcome

Tiered-attribution design worked as intended:

- **Option A (named attribution with verification):** not pursued
- **Option B (LinkedIn-correspondence-tier citation):** elected
- **Option C (withdrawal entirely):** not applicable

Both v1.3-FINAL and Math Sheet v2 cite the contribution at the correspondence tier. Unverified bio claims removed from published documents. Scope-limited contribution record and non-endorsement language preserved. Future tier-elevation option retained per correspondent's stated intent.

5.5 Why This Case Mattered Separately From the First

The first case was attribution-insertion with unverifiable trademark claims — adversarial to ERES open-source posture. The second case was attribution-restraint by a correspondent who voluntarily selected the lower tier. Treating the two identically would have been incorrect. The Protocol's tiered design permitted both cases to resolve cleanly without forcing a single verdict on the underlying verification question.

5.6 Coordination Question

Pattern observations during the session raised the question of whether the two LinkedIn engagements were independent or coordinated. Relevant observations: availability at similar times, similar detailed response cadences, AI-assisted response patterns in similar registers, thin LinkedIn profile depth for both, deep ERES-corpus-specific reasoning by both, and simultaneity of review cycles.

The Institute did not act on the coordination hypothesis as a standalone conclusion. The Attribution Protocol was applied uniformly to both parties. The first party's outcome (identity verification failure, attribution withdrawal) and the second party's outcome (election of

correspondence tier) are both consistent with coordination but also with each of several independent-operator scenarios. The coordination question is not actionable from the evidence currently available. The architecture protects ERES specifications regardless.

6. Session Timeline (Condensed)

April 22, evening

- ERES-CRYPTO-STD-2026-001-v1.1.1 finalized (byte-normative test vectors, Ed25519)
- EAAP v1.2 published (RG#426)
- First LinkedIn peer review engagement begins

April 22 night through April 23 morning

- Four-turn LinkedIn peer review produces state-vs-path distinction and separatrix-crossing failure-mode identification

April 23 morning through afternoon

- EAAP v1.3-DRAFT produced
- GraceChain Notes v1 published
- Separatrix Math Sheet v1 published
- Attribution Protocol v1 published
- Second LinkedIn engagement begins (three signed PDFs contributed)

April 24 early morning

- Peer review Turn 4 produces structural-positioning condition (DSAP-PRE as boundary condition, not internal component)

April 24 morning

- First v1.3-FINAL release produced (includes both external contributions)
- Approvals received from both engagements

April 24 midday

- Due diligence initiated per Attribution Protocol
- First contributor's claims fail verification; account deactivated
- First v1.3-FINAL withdrawn

April 24 afternoon

- v1.3-FINAL cleaned and republished as ERES Institute sole-authored work
- Math Sheet v2 cleaned in parallel
- Verification request sent to second contributor
- Second contributor elects correspondence-tier citation
- All references to second contributor's name, trademarks, and bio claims removed from published documents
- All four publication-ready documents cleared for ResearchGate submission

April 24 late afternoon

- This closure report produced

7. Architectural Observations Worth Preserving

7.1 The Protocol Caught What It Was Designed to Catch

An unverified external contributor with trademark claims attempted to insert attributed content into a standards-track ERES document. The Protocol required identity verification through a channel outside the platform of first contact. Verification failed. Attribution withdrew. Content was preserved through generic reformulation. No legal exposure, no public accusation, no specification contamination. The 24-hour time from Protocol publication to successful first test is not coincidental — the Protocol was written in anticipation of exactly this kind of test, and the threat arrived promptly.

7.2 Idea-Level Work Survives Identity-Level Failure

Both engagements produced substantive idea-level contributions that improved the specification. The state-vs-path distinction, the separatrix-crossing failure mode, the runtime-containment requirement, and the sovereignty-domain correspondence are all architecturally sound and remain in v1.3-FINAL as cleanly derived properties or as ERES-canonical mappings (Three Governing Principles). Ideas cannot be un-thought; what the Attribution Protocol controls is who is named as their originator. This distinction matters: an infiltration attempt does not contaminate the technical substance if the Institute maintains discipline about what it claims.

7.3 The Incident Demonstrated the Failure Mode Named in DSAP-PRE

A collaborative space in which acceptance outran verification — where surface signals (review turns, expressed interest, detailed contributions) read healthy while the underlying regime (contributor identity, trademark claims) was compromised — is exactly the failure mode DSAP-PRE names and measures in authorization contexts. The Attribution Protocol caught the incident at the identity verification step, which in DSAP-PRE terms is the state-consistency layer. The

deeper lesson: admission of external contribution into a standards-track corpus is itself an authorization problem, and the Institute may want to formalize that observation as a v1.4-class extension (DSAP-PRE applied to contributor admission, not only to authorization decisions).

7.4 Sole-Author Responsibility with Scoped External Credit Is the Production Model

v1.3-FINAL is more defensible as an ERES Institute sole-authored document with scope-limited correspondence-tier peer review than it would have been as a multi-author document with Named Contributor attribution. The separation of scoped credit from responsibility transfer is the architectural move that allowed the Attribution Protocol to handle both cases without cascading into the specification's technical content. This production model should be the default for future ERES standards-track work unless a Named Contributor relationship is established through explicit identity-verified process.

7.5 Testability Is the Highest Compliment

The second correspondent's closing observation — that the work "moves the discussion into a space where these questions can actually be tested" — is a specific kind of endorsement that matters more than a general endorsement of conclusions. A framework that can fail visibly when it fails is a falsifiable framework, and falsifiability is the threshold property for any specification that claims standards-track status. v1.3-FINAL now meets that threshold on the architectural axis the correspondent engaged with. That's worth recording as a positive session outcome regardless of any unresolved question about the correspondent's underlying identity.

8. MIEVM Concurrence Record for v1.3-FINAL

- **v1.0 synthesis (2026-04-22):** ChatGPT + DeepSeek + USE.ai/Claude independent drafts synthesized into ERES-CRYPTO-STD-2026-001-v1.0. ECR estimated 0.71.
- **v1.1.1 hardening (2026-04-22):** USE.ai adversarial review, 10 findings, all resolved. ECR estimated 0.85.
- **v1.2 → v1.3-DRAFT (2026-04-23):** External LinkedIn peer review correspondence (scoped, tier-limited).
- **v1.3-FINAL morning (2026-04-24):** First release with two external contributions; withdrawn per D5 (stakeholder withdrawal combined with failed identity verification) within hours.
- **v1.3-FINAL afternoon (2026-04-24):** Cleaned republication as sole-authored ERES work. Second correspondent's contribution cited at correspondence tier.
- **v1.3-FINAL MIEVM ensemble re-review:** Queued. Full four-node ensemble (Claude, ChatGPT, Grok, DeepSeek) targeted. Estimated timing: 1–2 weeks from this closure report.

9. Document Superseding Chain

```
ERES-EAAP-STD-2026-001-v1.2 (April 22)
  ↓
ERES-EAAP-STD-2026-001-v1.3-DRAFT (April 23)
  ↓
ERES-EAAP-STD-2026-001-v1.3-FINAL (April 24 morning, WITHDRAWN)
  ↓
ERES-EAAP-STD-2026-001-v1.3-FINAL (April 24 afternoon, CLEARED)

ERES-SEPARATRIX-MATH-2026-001-v1 (April 23)
  ↓
ERES-SEPARATRIX-MATH-2026-001-v2 (April 24 morning, WITHDRAWN)
  ↓
ERES-SEPARATRIX-MATH-2026-001-v2 (April 24 afternoon, CLEARED)

ERES-SESSION-REPORT-2026-04-23-24 (April 24, pending-state, superseded)
  ↓
ERES-SESSION-REPORT-2026-04-22-24-CLOSURE (April 24 late afternoon, THIS REPORT)
```

10. Governance Lineage and Tier Placement

This session's work rests on 14 years of ERES Institute development (since February 2012) and 424 prior ResearchGate publications as of April 21, 2026. It contributes at Tier 1 (Operational) per ERES-MPAM-2026-001 §8.3 containment stack. Its foundational dependencies (Triune Math, Three Governing Principles, BERA, MPAM-MIEVM duality) are Tier 0 and are unmodified by this session.

The Attribution Protocol itself is Tier 1 Operational and inherits de-assimilation exposure per D1–D6. No triggers currently apply; the Protocol's first real-world test strengthened rather than undermined its position.

11. Publishable Abstract-Form Closure Note

The following short closure note is reserved for optional attachment to the ResearchGate publication package. It is scoped for external publication and contains none of the investigative detail of the body of this report.

EAAP v1.3-FINAL Closure Note *April 24, 2026 — ERES Institute for New Age Cybernetics*

EAAP v1.3-FINAL is published as a standards-track specification by the ERES Institute for New Age Cybernetics as sole-authored work of Joseph Allen Sprute. The specification is

accompanied by three companion documents: ERES-SEPARATRIX-MATH-2026-001-v2 (normative mathematical companion covering DSAP-PRE), ERES-GRACECHAIN-NOTES-2026-001-v1 (ledger substrate specification), and ERES-ATTRIBUTION-PROTOCOL-2026-001-v1 (governance of external contribution).

The specification advances EAAP v1.2 in six structural respects: four-factor conjunctive Proof-of-Resonance separating state consistency from path accessibility; DSAP specified as measured rather than declared openness; DSAP-PRE added as a structurally upstream boundary condition with three-proxy mathematics for regime-transition detection; the Runtime Containment Requirement (RCR) formalized as a derived architectural property; the RT qualifier specified as continuous live-state authorization; and MIEVM (Multi-Instrument Ensemble Validation Method) documented with the ECR convergence metric and five-tier MPAM containment stack.

Byte-normative test vectors are inherited from ERES-CRYPTO-STD-2026-001-v1.1.1 and extended with PoR-factor-specific vectors. A worked USE-CASE on the DOFA Family Stewardship Council authorization demonstrates the full stack operationally.

External peer review during the development cycle contributed scope-limited idea-level observations regarding the pre-threshold regime-transition failure mode and the structural necessity of a pre-threshold boundary condition. The contribution is cited at the LinkedIn-correspondence tier per the ERES Attribution Protocol and does not constitute endorsement of the framework as a whole or of the implementation approach.

The MIEVM ensemble concurrence round across Claude, ChatGPT, Grok, and DeepSeek is queued as follow-on validation toward v1.4. Commitment-horizon calibration refinement and an independent DSAP-PRE specification document are also queued as follow-on work.

Joseph Allen Sprute Founder and Director, ERES Institute for New Age Cybernetics 33 Westbury Drive, Bella Vista, Arkansas 72714 ORCID: 0000-0001-9946-3221 CCAL v2.1

Don't hurt yourself. Don't hurt others. Build for generations to come.

This closure report is a Tier 1 operational document. Body sections (1–10) are retained as internal provenance record per ERES-ATTRIBUTION-PROTOCOL-2026-001-v1 §6 and are not for external publication. Section 11 (Publishable Abstract-Form Closure Note) is scoped for external attachment to the EAAP v1.3-FINAL ResearchGate publication package if desired.