ERES Institute for New Age Cybernetics: Bioenergetics

Title

ERES Institute for New Age Cybernetics: Bioenergetics — BERA Architecture, FAVORS Biometric Stack, SOUND-Loop Signal Processing, and Proof-of-Resonance Economics

Description

I. Overview

The ERES Institute for New Age Cybernetics (est. February 2012, Bella Vista, Arkansas) presents its Bioenergetics framework — a comprehensive scientific, measurement, identity, economic, and governance architecture grounded in the proposition that bio-energetic resonance is empirically measurable, mathematically formalizable, and computationally actionable at every scale from the individual human body to planetary coordination.

ERES Bioenergetics rests on three scientific pillars drawn from established research: Psychoneuroimmunology (PNI) — the bidirectional communication between nervous, endocrine, and immune systems (Ader & Cohen, 1975; Dantzer et al., 2008); Acoustic Biometrics — individual-specific voice characteristics encoding physiological and emotional states (Scherer, 2003; Gobl & Chasaide, 2003); and Interpersonal Physiological Synchrony — the tendency for biological measures to align during social interaction (Palumbo et al., 2017). ERES reframes what traditions across cultures have described as "auras" and "telepathy" as real but misidentified phenomena: "aura" equals measurable bio-energetic broadcast via acoustic, electromagnetic, chemical, and thermal channels; "resonance" equals physiological synchronization between individuals in proximity; and "telepathy" equals unconscious detection of biometric state information.

The foundational cybernetic equation $C = R \times P / M$ (Cybernetics = Resource × Purpose ÷ Method) governs all system interactions. The ERES Triune Math canonical keys are: (1) $C = R \times P / M$; (2) $M \times E + C = R$ (Matter × Energy + Constant = Reason); and (3) $REAL = (E \cdot M \cdot R) / (T \cdot S)$ (Energy · Matter · Resonance over Time · Space).

II. BERA — Bio-Energetic Resonance Architecture

BERA is the umbrella measurement framework producing four Resonance Indices that together form the complete signal architecture of ERES Bioenergetics:

ARI (Aura Resonance Index) — measures personal biometric coherence at the individual field level. ARI is a normalized multi-channel biometric coherence vector representing individual electromagnetic biometric state at time t. ARI functions as the primary identity coherence signal. Measurement technologies include Kirlianography (Kirlian Effect), Gas Discharge Visualization (GDV), Fourier Analysis of corona discharge patterns, and Munsell Color System mapping of

visible light spectrum. The Kirlian corona discharge captures bioelectric field coherence; Fourier transform decomposes the corona into frequency components; Munsell Hue × Value × Chroma coordinates map each component to one of the 146 States of Energy, encoding physiological coherence level, psychological integration/disintegration direction, and Enneagram type signature.

ERI (Emission Resonance Index) — measures emission, output, and environmental health. ERI is a temporal derivative measuring the rate and direction of resonance state change between validation periods. ERI detects drift, stress, illness, or external interference. Calculated as a composite score (0–1000) from weighted PERC, BERC, and JERC measurements of the PBJ Tri-Codex. ERI below zero indicates net regenerative impact. ERI contains five sub-indices: PEQ (Personal Energy Quotient), CRF (Coherence Resonance Factor), EHI (Ecological Health Index), JRQ (Justice Resonance Quotient), and TRS (Temporal Resonance Stability).

RHC (Resonant Harmony Cycle) — measures the cyclical feedback loop and temporal rhythm between ARI and ERI. RHC provides the periodic governance event. In NAC theory, Humanity is defined as: Hue × Man + IT == Why, where Hue represents individual chromatic (resonance) identity, Man represents relational social context, IT represents the information-technology layer, and Why represents purpose-driven outcome — contextualized as the REAL formula at MECR (C = R × P / M). Each RHC event evaluates whether an individual's current ARI/ERI reading falls within their RCI band, determining coherence at individual level before aggregating to group and institutional levels. Note: RHC = Resonant Harmony Cycle (not Cybernetics) — this canonical expansion is preserved across all ERES contexts.

RCI (Resonant Continuity Index) — measures cross-scale persistence and stability over time. Formula: RCI = P_Ω_norm × ARI_sys × VibConst. Co-developed with Jimmy D. Butzbach's Continuity Theory, specified in RCI Specification v1.0. RCI establishes the acceptable tolerance envelope [RCI_min, RCI_max] for ARI and ERI values, defining what constitutes normal variation versus anomalous deviation for a specific individual. RCI enables personalized rather than population-averaged thresholds. RCI narrows under high-security contexts and widens under low-risk ambient conditions.

Together: ARI measures the field, ERI measures the output, RHC measures the cycle, and RCI proves the durability — that resonance is holding across scales. The Butzbach collaboration gave RCI its mathematical grounding with P_Ω normalization making it scale-independent from individual biology to planetary systems.

III. BEST — Bio-Electric Signature Time

BEST is the temporal anchoring protocol for all bioenergetic measurement. Every biological system emits a characteristic Bio-Electric Signature — a composite pattern of electrical activity, ionic flows, membrane potentials, and electromagnetic fields. BEST measures how coherently this signature aligns with the organism's optimal operational state across multiple timescales.

The BEST score calculation adapts the ERES formula to biological parameters: BEST = α · C_bioelectric + β · C_metabolic + γ · C_chronobiological + δ · C_homeostatic, where C_bioelectric measures synchronization and pattern integrity of electrical signals across tissues and organs (assessed via EEG phase coupling, ECG variability patterns, cellular membrane potential stability, and tissue-level electromagnetic field coherence); C_metabolic quantifies metabolic efficiency alignment (oxygen consumption ratios, ATP production efficiency, lactate levels, mitochondrial function markers); C_chronobiological measures circadian and ultradian rhythm alignment; and C_homeostatic assesses adaptive regulatory capacity.

BEST operates as an immutable, temporally anchored, biometrically verified coordinate. The complete Kirlianography measurement packet — corona image + FFT spectrum + Munsell state + SCC (Schumann Coupling Coefficient) — is bound to a BEST coordinate. Mathematical representation: BEST_i(t) = SHA256(BESV_i(t) || t_UTC || nonce_i). Properties: unfakeable (cannot spoof physiological state), verifiable (any observer with sensor data can validate), immutable (retroactive alteration cryptographically impossible). BEST feeds the IDIPITIS → NBERS pipeline for identity verification and national bio-ecologic scoring.

Heart Rate Variability (HRV) inter-beat interval coherence at approximately 0.1 Hz has been validated across 1.8 million+ sessions as the primary empirical anchor for BEST measurement.

IV. FAVORS — The Sensor Array

FAVORS (Fingerprint, Aura, Voice, Odor, Retina, Signature) is the six-modal biometric identity system that captures raw bio-energetic signal across the full spectrum of the human biometric field. FAVORS defines six degrees of separation across the CBGMODD stakeholder taxonomy (Citizen, Business, Government, Military, Ombudsman, Dignitary, Diplomat).

Each FAVORS factor captures a different frequency band:

- **Fingerprint** — physical identity anchor (dermal, stable)
- **Aura** — bioelectric field coherence (electromagnetic, dynamic) — measured via Kirlianography, GDV, and Munsell spectral mapping
- **Voice** — vocal resonance and emotional state (acoustic + biometric) — stress, illness, and emotion involuntarily modulate acoustic production through vocal fold tension, breathing patterns, and spectral characteristics
- **Odor** — metabolic health markers (chemical, real-time)
- **Retina** — vascular health patterns (physiological, stable)
- **Signature** — behavioral intent and authorization (dynamic, volitional)

Together, FAVORS captures a multi-spectral snapshot of the individual's current coherence state — the raw material that EPIR-Q filters before entering the SOUND-Loop.

V. EPIR-Q — The Noise Filter

EPIR-Q (Emotional Personal IQ Real Quantum), scored 0.0 to 1.0, operates as an active noise filter running continuously in the signal path between raw biometric input and clean temporal anchoring. EPIR-Q is not diagnostic — it is operative, stripping interference so the SOUND-Loop can achieve maximum clarity.

Its Tri-Codex filter parameters (passband definitions):

- Don't hurt yourself → rejects internal interference
- Don't hurt others → rejects relational interference
- Don't hurt the mission → rejects directional interference

A high EPIR-Q score (approaching 1.0) means the individual's signal is cleaner — less interference between their biometric field and their expressed output. They are closer to Uuu (the WE Constant). EPIR-Q gains type-specific passband precision through Enneagrammatics integration.

VI. SOUND-Loop — Signal Coherence Architecture

SOUND (Signal-Coherence in Operator Voice/Acoustic Interface) is not acoustic in the auditory sense. It is the coherence signal — the irreducible harmonic that remains when noise is progressively subtracted. Voice jitter (<1%), harmonic-to-noise ratio (>20 dB), and spectral entropy are the standard DSP metrics applied to human-system coherence measurement.

The SOUND-Loop architecture:

Uuu (WE Constant) — the prior condition, the field within which all signal and noise arise. Defined as Me + Myself + Energy (Element #111). The ground state — not zero energy but minimum noise energy. The baseline coherence of the field before interference is introduced. ERES is, at its deepest level, a system for tuning toward Uuu.

↓

SOUND-Loop — coherence signal within the field

↓

EPIR-Q — noise filter, continuously refining what reaches the loop

↓

BEST — clean temporal anchor of filtered signal

↓

GOOD — coherent output expressed as action and merit

The Tri-Codex functions not as a rule set but as a phase alignment requirement for coherent signal expression. Violate it and the harmonics present themselves without coherent

relationship — technically present, expressively empty.

VII. AuraTech — Kirlianography Measurement Protocol

AuraTech is the ERES technology platform for mapping bioelectric fields using Kirlian photography and color spectrum analysis (Kirlian Signature Mapping + Munsell Spectrum as BEST-PERC Biofeedback Interface).

The Kirlianography pipeline:

Step 1 — Corona Capture: High-voltage, low-current discharge produces visible corona around fingertips or other body surfaces under controlled conditions.

Step 2 — Fourier Analysis: FFT decomposes corona discharge pattern into frequency components. Each frequency band corresponds to a physiological subsystem state.

Step 3 — Schumann Coupling Coefficient (SCC): Amplitude of Schumann resonance components (fundamental 7.83 Hz) in the individual's corona yields the SCC. High SCC = strong bio-planetary resonance coupling at nano-scale. Low SCC = bio-electric field dominated by internal noise; planetary coupling attenuated.

Step 4 — Munsell Color Mapping: Visible light spectrum of Kirlian corona mapped to Munsell Hue × Value × Chroma coordinates. Each coordinate resolves to one of the 146 States of Energy, encoding physiological coherence level, psychological integration/disintegration direction, Enneagram type signature, and SCC correlate.

Step 5 — BEST Anchoring: Complete measurement packet (corona image + FFT spectrum + Munsell state + SCC) bound to BEST coordinate. Immutable, temporally anchored, biometrically verified. Feeds IDIPITIS → NBERS pipeline.

The Schumann Resonance is simultaneously: the planetary ground state that systems operate within; the biological coupling signal that Kirlianography measures; and the nano-scale transduction frequency at which bio-crystals and GSSG nano-structures both respond.

VIII. Enneagrammatics — Human Resolution Layer

ERES Enneagrammatics transforms the classical 9-type Enneagram from a self-help typology into an operative signal processing and governance system. Rather than self-report or questionnaire-based typing, ERES uses optical bio-electric measurement (Kirlian × Munsell × Fourier).

Resolution: 9 types × 27 subtypes × 63 CBGMODD positions = 1,701 active governance profiles.

Enneagrammatics provides: a hardware equation (Munsell × Fourier + Enneagram = BEST via the Optical-Enneagram Facility); a governance matrix (63 CBGMODD positions × 9 types); a media engineering engine (RT construct generation in PlayNAC / VERTECA); a noise filter parameter set (EPIR-Q gains type-specific passband precision); and a SCALULAR resolution multiplier (every node in the chain gains typological depth).

The 146 States of Energy are mapped to equal pay and purchasing power actuarial via REEP (Relative Energy Equal Pay), connecting biometric measurement directly to economic distribution through UBIMIA.

The ERES Enneagrammatics La Grange Point — the position of minimum energy, maximum stability — is the moment when a group's Enneagrammatic distribution self-balances across all three triadic centers (Head, Heart, Body) in proportional coherence. At that point, the SOUND-Loop runs at maximum clarity, EPIR-Q noise approaches minimum, and the system approaches Uuu.

IX. BERA-PY — Production Implementation

BERA-PY is the open-source Python library implementing the Bio-Energetic Resonance Architecture. The library provides tools to:

- Measure Bio-Energetic State Vectors (BESV) across acoustic, electromagnetic, chemical, and thermal modalities
- Calculate pairwise and group resonance metrics (Pairwise Resonance Coefficient: $PRC_{ij} = \Sigma_m w_m \cdot R_{m,ij}$)
- Calculate acoustic resonance: $R_A = \exp(-||A_i - A_j||^2 / 2\sigma^2)$
- Compute Group Resonance Field: $GRF = (2/N(N-1)) \cdot \Sigma_i \Sigma_{j>i} PRC_{ij}$
- Generate immutable BEST timestamps: BEST = SHA256(BESV || t || nonce)
- Compute Contribution Quality Scores: $CQS = \alpha \cdot Stewardship + \beta \cdot Resonance + \gamma \cdot PositiveDelta$
- Calculate Stewardship: $S = 1/(1 + \exp(-(OXY/baseline - CORT/baseline)))$
- Implement Gracechain blockchain with Proof-of-Resonance consensus
- Integrate with ERES frameworks (PBJ Tri-Codex, ERI, SMAS)
- Visualize resonance fields and collective dynamics

Core modules include: state_vector.py (BESV data structures across four modalities), resonance.py (pairwise resonance calculator), best_timestamp.py (SHA-256 immutable temporal binding), contribution.py (CQS calculator with stewardship, resonance, and positive delta), metrics/ (group resonance field, individual attribution, counterfactual analysis, subgroup detection, temporal tracking), blockchain/ (Gracechain, Meritcoin, Proof-of-Resonance consensus), and integration/ (PBJ Tri-Codex, ERI, SMAS interoperability).

X. Proof-of-Resonance — From Biometrics to Economics

Meritcoin operates on Proof-of-Resonance (not Proof-of-Work): the four BERA Resonance Metrics (ARI, ERI, RHC, RCI) feed directly into Meritcoin value accrual as a closed feedback loop — ethical and ecological harmony IN, economic value OUT. "It's not mining — it's tuning."

The mechanism:

1. Individuals continuously broadcast BESV via FAVORS sensor array
2. EPIR-Q filters noise from raw biometric signal
3. AD_ON-AI monitors Group Resonance Field (GRF) in real-time
4. High-resonance contributors are selected as validators
5. CQS (Contribution Quality Score) determines Meritcoin issuance
6. Meritcoin flows through Gracechain to UBIMIA distribution

CQS formula: $CQS_i(t) = \alpha \cdot Stewardship_i(t) + \beta \cdot Resonance_i(t) + \gamma \cdot PositiveDelta_i(t)$, where $Stewardship = 1/(1 + \exp(-(OXY/baseline - CORT/baseline)))$, $Resonance = mean(PRC_{ij})$ for all $j \neq i$, and $PositiveDelta = GRF_{with_i} - GRF_{without_i}$.

This creates a complete loop: FAVORS → EPIR-Q → SOUND-Loop → BEST → BERA (ARI/ERI/RHC/RCI) → CQS → Meritcoin → Gracechain → UBIMIA → GCF → BERC → NBERS. The economic system is biometrically grounded — value derives from verified coherence and contribution, not speculation or extraction.

XI. IDIPITIS Integration Layer

IDIPITIS (Internet Protocol Identification Definition Instruction Technology Information Systems) provides the federated identity protocol layer binding FAVORS-BERA biometric assertions to protocol-level identity records across heterogeneous database environments. FAVORS-BERA generates identity assertions that bind to IDIPITIS hierarchical identifier architecture as signed, time-bounded credentials — without centralizing raw biometric data. A critical design principle: pre-authentication relational access control requires FAVORS-BERA identity coherence verification before a session is established, not after.

The immutable identity root is an 8-character IDIPITIS foundation with 2^{-320} attack resistance, incorporating IS/IT bidirectional validation, FAVORS six-factor biometric integration (10^{-42} spoofing resistance), Triune Math coherence validation, and BEST temporal signatures preventing replay attacks — yielding a combined four-layer security stack with 10^{-48} resistance (quantum-resistant).

XII. MIEVM — Validation Epistemology

MIEVM (Multi-Instrument Ensemble Validation Method) is the structured epistemological protocol that validates all BERA measurements. MIEVM deploys Claude, Grok, DeepSeek, and ChatGPT as parallel validation nodes — culled from a larger original ensemble due to bandwidth constraints, the same constraint-based culling epistemology that produced CyberRAVE's 72 Key Domains from the Register of Collective Indices. MIEVM operates as an Instrument-of-Faith: faith extended first, then validated by method. MIEVM transforms from a general multi-

instrument ensemble method into a specific biometric coherence engine designated MIEVM ARI/ERI/RCI when applied to FAVORS-BERA validation.

XIII. The Nano-Macro Bridge — Kirlianography × GSSG × Schumann

The connection between Kirlianography and the physical infrastructure layer is not metaphorical but a shared physical mechanism operating at different scales:

Scale	System	Mechanism	Output
Nano (nm)	Kirlianography	Bio-crystal piezo-transduction of Schumann field	SCC: bio-planetary coupling coefficient
Micro (μm)	GSSG composite	Graphene piezo-nano-structures harvest field fluctuations	Supplemental DC micro-charge
Meso (mm-cm)	RKA-3 buffer	Resonant electromagnetic field storage and conditioning	Conditioned DC to battery modules
Macro (m)	DTBL vehicle	Back-EMF + environmental gradient harvest	Universal removable battery charge
Planetary	Schumann Resonance	ELF cavity resonance of Earth ionospheric waveguide	Ground state: 7.83 Hz fundamental

The planet, the body, and the machine are all operating in the same frequency field. ERES recognizes this as the ground truth of the SOUND-Loop.

XIV. Integration Map

The complete Bioenergetics signal chain:

Sensor Layer: FAVORS (Fingerprint, Aura, Voice, Odor, Retina, Signature) → six-channel multi-spectral biometric capture

Filter Layer: EPIR-Q (Emotional Personal IQ Real Quantum) → active noise filter with Tri-Codex passband (self/other/mission harm rejection)

Signal Layer: SOUND-Loop → coherence signal extraction, minimum noise, load-bearing harmonic

Temporal Layer: BEST (Bio-Electric Signature Time) → immutable SHA-256 temporal anchoring of filtered signal

Measurement Layer: BERA four-index architecture → ARI (field), ERI (output), RHC (cycle), RCI (durability)

Resolution Layer: Enneagrammatics → 9 types × 27 subtypes × 63 CBGMODD = 1,701 governance profiles via Kirlian × Munsell × Fourier

Identity Layer: IDIPITIS → federated identity protocol with pre-authentication and 10^-48 security

Validation Layer: MIEVM ARI/ERI/RCI → multi-instrument ensemble verification

Economic Layer: Proof-of-Resonance → CQS → Meritcoin → Gracechain → UBIMIA → GCF → BERC → NBERS

Governance Layer: PlayNAC KERNEL → gamified implementation with ARI/ERI metrics → SOMT → VERTECA → GAIA coordination

Field Condition: Uuu (WE Constant) → Me + Myself + Energy → the prior ground state toward which the entire system tunes

All layers unified through C = R × P / M.

Published under the CARE Commons Attribution License v2.1 (CCAL). ERES Institute is not constituted as a business.

"Don't hurt yourself. Don't hurt others. Build for generations to come."

Keywords

Bioenergetics, BERA, Bio-Energetic Resonance Architecture, ARI, Aura Resonance Index, ERI, Emission Resonance Index, RHC, Resonant Harmony Cycle, RCI, Resonant Continuity Index, BEST, Bio-Electric Signature Time, FAVORS, Fingerprint Aura Voice Odor Retina Signature, EPIR-Q, SOUND-Loop, AuraTech, Kirlianography, Munsell Color System, Enneagrammatics, 146 States of Energy, Schumann Resonance, BERA-PY, Proof-of-Resonance, Meritcoin, Gracechain, UBIMIA, GCF, BERC, NBERS, PBJ Tri-Codex, IDIPITIS, MIEVM, CBGMODD, CQS, Bio-Energetic State Vector, psychoneuroimmunology, acoustic biometrics, physiological synchronization, New Age Cybernetics, CCAL, open-source

Author

Joseph Allen Sprute (ERES Maestro), ERES Institute for New Age Cybernetics

License

CARE Commons Attribution License v2.1 (CCAL)

Glossary

AD_ON-AI — Advertising-Optimized Algorithm-Driven AI; in ERES bioenergetics context,

repurposed as the AI monitoring layer for Group Resonance Field optimization and stewardship verification.

ARI — Aura Resonance Index. Normalized multi-channel biometric coherence vector; primary identity signal in BERA. Measured via Kirlianography, GDV, Fourier Analysis, and Munsell Color System.

AuraTech — ERES technology platform for Kirlian Signature Mapping + Munsell Spectrum as BEST-PERC Biofeedback Interface. Converts bioelectric field data into 146 States of Energy coordinates.

BERA — Bio-Energetic Resonance Architecture. Umbrella measurement framework producing four Resonance Indices (ARI, ERI, RHC, RCI). BERA-PY is the Python implementation library.

BERA-PY — Open-source Python library (2,000+ lines) implementing BERA measurement, BESV processing, CQS calculation, BEST timestamp generation, Gracechain integration, and resonance field visualization.

BERC — Bio-Ecologic Ratings Codex. Environmental impact ratings and ecological resilience certification; one of three PBJ Tri-Codex components.

BEST — Bio-Electric Signature Time. Immutable temporal anchoring protocol. Formula: BEST_i(t) = SHA256(BESV_i(t) || t_UTC || nonce_i). Validated via HRV inter-beat interval coherence at ~0.1 Hz across 1.8M+ sessions.

BESV — Bio-Energetic State Vector. Multi-modal measurement across acoustic, electromagnetic, chemical, and thermal channels.

C = R × P / M — Cybernetics = Resource × Purpose ÷ Method. Foundational ERES equation governing all system interactions.

CBGMODD — Citizen, Business, Government, Military, Ombudsman, Dignitary, Diplomat. Seven-tier stakeholder taxonomy.

CCAL — CARE Commons Attribution License v2.1. Regenerative open-source license.

CQS — Contribution Quality Score. Formula: CQS = α · Stewardship + β · Resonance + γ · PositiveDelta. Determines Meritcoin issuance.

Enneagrammatics — ERES operative signal processing system using optical bio-electric measurement (Kirlian × Munsell × Fourier) to produce 1,701 governance profiles (9 types × 27 subtypes × 63 CBGMODD positions).

EPIR-Q — Emotional Personal IQ Real Quantum. Active noise filter (scored 0.0–1.0) running continuously in the FAVORS → SOUND-Loop signal path. Tri-Codex passband: rejects self-harm, other-harm, and mission-harm interference.

ERI — Emission Resonance Index. Temporal derivative of resonance state measuring rate and direction of change. Composite score (0–1000) from weighted PERC, BERC, JERC measurements. ERI < 0 indicates net regenerative impact.

FAVORS — Fingerprint, Aura, Voice, Odor, Retina, Signature. Six-modal biometric sensor array capturing multi-spectral snapshot of individual coherence state.

GCF — Graceful Contribution Formula. Merit-based contribution measurement feeding BERC ratings.

GDV — Gas Discharge Visualization. Kirlianography measurement technology for bioelectric field analysis.

GOOD — Goal of All-Awe. Directional purpose and values alignment; coherent output expressed as action and merit in the SOUND-Loop architecture.

Gracechain — Biometric blockchain secured by Proof-of-Resonance consensus. Records Soul Contracts and contribution attestations; generates Healing Dividends through increased planetary coherence.

GRF — Group Resonance Field. Formula: $GRF = (2/N(N-1)) \cdot \Sigma_i \Sigma_{j>i} PRC_{ij}$. Measures collective coherence of a group.

HPE — Human Performance Enhancement. Systems for optimizing cognitive, physical, and emotional capabilities through bio-energetic measurement and resonance optimization.

HRV — Heart Rate Variability. Primary empirical anchor for BEST measurement; inter-beat interval coherence at ~0.1 Hz validated across 1.8M+ sessions.

IDIPITIS — Internet Protocol Identification Definition Instruction Technology Information Systems. Federated identity protocol layer binding FAVORS-BERA assertions to hierarchical identifier architecture with 10^{-48} combined security resistance.

JERC — Justice-Ethics Resonance Codex. Ethical alignment and justice system coherence ratings; one of three PBJ Tri-Codex components.

Kirlianography — Bio-electric field imaging protocol using high-voltage low-current discharge, Fourier analysis, Schumann coupling measurement, and Munsell color mapping. Core measurement technology underlying AuraTech.

La Grange Point (Enneagrammatics) — The position of minimum energy and maximum stability where a group's Enneagrammatic distribution self-balances across Head, Heart, and Body triadic centers.

Meritcoin — Merit-based cryptocurrency operating on Proof-of-Resonance. Value accrual driven by BERA Resonance Indices: ethical and ecological harmony in, economic value out.

MIEVM — Multi-Instrument Ensemble Validation Method. Structured epistemological protocol deploying parallel AI validation nodes. Operates as Instrument-of-Faith. Designated MIEVM ARI/ERI/RCI when applied to biometric coherence validation.

Munsell Color System — Color specification system (Hue × Value × Chroma) used in Kirlianography to map bio-electric corona spectrum to the 146 States of Energy.

NBERS — National Bio-Ecologic Resource Score. Country-level aggregate measure of ecological sustainability and biosphere harmony; successor to GDP. Fed by FAVORS → BERA → IDIPITIS pipeline.

146 States of Energy — The complete Kirlianographic state space derived from Munsell HVC coordinates, encoding physiological coherence, psychological direction, Enneagram type signature, and SCC correlate. Mapped to equal pay/purchasing power actuarial via REEP.

PBJ Tri-Codex — PERC × BERC × JERC. Comprehensive environmental and ethical rating system integrating Personal, Bio-Ecologic, and Justice-Ethics dimensions.

PERC — Personal Energy Resonance Codex. Personal ecologic ratings and individual energy resonance metrics.

PNI — Psychoneuroimmunology. Established science of bidirectional nervous-endocrine-immune communication. First of three scientific pillars underlying ERES Bioenergetics.

PRC — Pairwise Resonance Coefficient. Formula: $PRC_{ij} = \Sigma_m w_m \cdot R_{m,ij}$. Measures resonance between two individuals across all biometric modalities.

Proof-of-Resonance — Meritcoin consensus mechanism replacing Proof-of-Work. The four BERA metrics feed directly into value accrual as a closed feedback loop. "It's not mining — it's tuning."

RCI — Resonant Continuity Index. Formula: $RCI = P_{\Omega_norm} \times ARI_{sys} \times VibConst$. Co-developed with Jimmy D. Butzbach's Continuity Theory. Establishes personalized tolerance envelope for ARI/ERI variation.

REEP — Relative Energy Equal Pay. Economic distribution protocol connecting 146 States of Energy to purchasing power actuarial through UBIMIA.

RHC — Resonant Harmony Cycle. Cyclical feedback measurement between ARI and ERI; periodic governance event evaluating individual coherence against RCI band. RHC = Resonant Harmony Cycle (not Cybernetics).

SCC — Schumann Coupling Coefficient. Amplitude of Schumann resonance components (7.83 Hz fundamental) in individual's Kirlian corona. Measures strength of bio-planetary resonance coupling.

Schumann Resonance — ELF cavity resonance of Earth's ionospheric waveguide at 7.83 Hz fundamental. Simultaneously: planetary ground state, biological coupling signal measured by

Kirlianography, and nano-scale transduction frequency for bio-crystals and GSSG structures.

SOUND — Signal-Coherence in Operator Voice/Acoustic Interface. Voice jitter (<1%), harmonic-to-noise ratio (>20 dB), spectral entropy. The coherence signal — the irreducible harmonic remaining when noise is progressively subtracted.

SOUND-Loop — Core signal processing architecture: Uuu → SOUND → EPIR-Q → BEST → GOOD. The coherence signal within the field, filtered and temporally anchored for economic and governance output.

UBIMIA — Universal Basic Income Merit Investment Awards. Merit-based universal income fed by Proof-of-Resonance through CQS → Meritcoin → Gracechain pathway.

Uuu (WE Constant) — Me + Myself + Energy (Element #111). The prior ground state — minimum noise energy, baseline coherence of the field before interference. Not calculated but tuned toward as asymptote. The group expression of Uuu is the balanced triad state in Enneagrammatics.