

From Bits to Sovereignty

The OSI 7-Layer Model, CyberRAVE (2003), and the ERES Governance Architecture
— A 40-Year Progression

DOCUMENT ID ERES-WP-2026-OSI-001 v1.0	TITLE From Bits to Sovereignty: The OSI 7-Layer Model, CyberRAVE (2003), and the ERES Governance Architecture
DATE June 15, 2026	AUTHOR Joseph Allen Sprute · ORCID 0000-0001-9946-3221 · eresmaestro@gmail.com
INSTITUTION ERES Institute for New Age Cybernetics Bella Vista, Arkansas · Est. Feb 2012	ORIGIN DOCUMENT Architectural Proposal for Boundaryless Networks (CyberRAVE, September 17, 2003) Joseph A. Sprute · 33 Westbury Dr., Bella Vista, Arkansas 72714
LICENSE CCAL v2.1 (CARE Commons Attribution License)	CORPUS DOI 10.5281/zenodo.20583261 (PlayNAC Living Archive, ~2,078 instruments) All counts approximate — confirm with JAS before external citation
STATUS Open Research Resource	No reciprocal disclosure required. All materials public under CCAL v2.1.

ABSTRACT

This working paper documents a 40-year progression from the OSI 7-Layer Network Model (ISO/IEC 7498-1, 1984) through the CyberRAVE Boundaryless Networks proposal (Joseph A. Sprute, September 17, 2003) to the ERES Institute governance architecture (2012–present). The OSI model defined how data moves across networks in seven discrete layers. CyberRAVE — produced by JAS from Bella Vista, Arkansas in 2003 — was the first formal proposal to insert semantic governance, democratic community policy, and privacy-preserving intelligence into OSI Layers 5–7, establishing the foundational ERES concept of Community-of-Interest (COI) addressed VPN grids. ERES (2012–) completes the progression by instrumenting every OSI layer with measurement, attestation, and sovereignty: replacing semantic mediation with resonance indices (BERA), session management with conjunctive attestation (EAAP/PoR), packet wrapping with cryptographic proof (GraceChain), and metadata indexing with the living Tapestry (SOMT). The result is a full governance architecture in which every layer of the communications stack carries an authorization instrument — from raw physical transmission (Layer 1) to civilizational meaning-making (Layer 7). The 2003 CyberRAVE document is reproduced here as an origin proof of priority, predating every current AI governance framework by more than two decades.

1. Introduction — The 40-Year Arc

Every network communication standard faces the same foundational challenge: data moves, but meaning doesn't move with it. The OSI 7-Layer Model (1984) solved the transport problem with extraordinary elegance — seven discrete layers, each with a defined scope, creating the backbone of

all modern network communication. What it did not solve — and did not attempt to solve — was the governance problem: who decides what the data means, who is authorized to see it, and what happens when meaning conflicts with privacy, security, or community interest.

Joseph Allen Sprute (JAS), operating as CyberRAVE from Bella Vista, Arkansas, addressed that gap in 2003. The Architectural Proposal for Boundaryless Networks (September 17, 2003) proposed inserting semantic governance, democratic community policy, and intelligence-grade data contextualization directly into OSI Layers 5, 6, and 7 — making governance part of the protocol stack, not an external layer bolted on afterward. This was ten years before the field began discussing 'AI governance' as a category.

ERES Institute (est. February 2012) is the formal successor to that work. Over fourteen years of independent research, ERES has instrumented every OSI layer with a specific governance instrument — replacing CyberRAVE's semantic mediation with resonance measurement (BERA), CyberRAVE's VCAG session policy with conjunctive attestation (EAAP/PoR), CyberRAVE's packet wrapper with cryptographic proof (GraceChain), and CyberRAVE's metadata directory with the living Tapestry (SOMT). The result is the first complete governance architecture that operates at every layer of the network stack simultaneously.

The three-era progression in one statement: OSI (1984) defined how data moves. CyberRAVE (2003) proposed that meaning and governance belong inside the movement. ERES (2012–) proved it and built the instruments.

2. The Progression at a Glance

L#	OSI standard (1984)	CyberRAVE 2003 (JAS)	ERES model (2012–)
SEMANTIC BAND — MEANING, POLICY, INTELLIGENCE (LAYERS 5–7)			
L7	Application <i>User-facing software</i>	Actionable intelligence <i>VCAG semantic interpretation</i>	PlayNAC / SOMT <i>Governance simulation + Tapestry</i>
L6	Presentation <i>Translation, encryption</i>	VCAG syntax profile <i>Semantic mediation + metadata</i>	BERA rating layer <i>BEST / SOUND / GOOD output</i>
L5	Session <i>Connection lifecycle</i>	Security policy (VCAG) <i>User/Group profile + AAA</i>	EAAP / PoR <i>Four-factor authorization gate</i>
ENFORCEMENT BAND — BOUNDARY, TRANSPORT (LAYER 4)			
L4	Transport <i>End-to-end reliability</i>	Reserved space partition <i>OSI/TCP encapsulated payload</i>	BRAINS Trifecta <i>Seven-anchor conjunctive gate</i>
PHYSICAL / SUBSTRATE BAND — IDENTITY, ROUTING, TRANSMISSION (LAYERS 1–3)			
L3	Network <i>Logical addressing, routing</i>	VPN grid + COI routing <i>Community-of-Interest addressing</i>	DSAP-PRE + BODY <i>Regime detection + admission</i>
L2	Data link <i>Frame packaging, MAC</i>	Semantic packet wrapper <i>XML / SAML encapsulation</i>	Glass / GraceChain <i>Zero-noise relay + hash-chain</i>

L1	Physical <i>Raw bits over medium</i>	COTS infrastructure <i>Common off-the-shelf base</i>	GAIA / SOMT substrate <i>Permanent earth-layer record</i>
-----------	--	--	---

3. Layer-by-Layer Detail

Each of the seven OSI layers is examined below across all three eras. The progression from OSI standard to CyberRAVE to ERES is not a replacement — it is an enrichment. Each era adds governance depth to layers that previously carried only transport function.

Layer 7 — Application / Actionable Intelligence / PlayNAC

"Where the human meets the system — and where meaning is made."

The Application layer is the most visible — the one users interact with directly. In the OSI model it is purely functional: HTTP, FTP, SMTP. In CyberRAVE, JAS transformed this into a governance layer where Vertical Community Advisory Group (VCAG) Directors interpret aggregated data flows and produce actionable intelligence for decision support, regulatory compliance, and threat/opportunity assessment. ERES completes this transformation: PlayNAC simulates governance outcomes across an 18-layer × 7-level = 126-cell Community of Interest ontology, and SOMT weaves every application-layer interaction into a permanent relational record. The application layer becomes a civilizational instrument.

OSI standard (1984)	CyberRAVE 2003	ERES model (2012–)
HTTP, FTP, SMTP, DNS. Software interacting with the network. The OSI model is entirely silent on whether the application is trustworthy, authorized, or meaningful. Governance is outside scope.	VCAG Directors (democratically elected from vertical market segments: banking, healthcare, insurance, government) define semantic policy at this layer. Actionable intelligence is produced from aggregated COI data flows. Decision support, regulatory compliance, threat/opportunity identification.	PlayNAC (18 layers × 7 levels = 126-cell COI ontology; Layer 18 = MUSIC Orbiter reads all 17 content layers as coherence signal). SOMT = Sociocratic Overlay Metadata Tapestry — the living woven record of every interaction, with governance principle embedded in the weave itself.

Layer 6 — Presentation / Semantic Mediation / BERA Rating

"How data is formatted and what quality is assigned to it."

The Presentation layer handles data translation, encryption, and compression — purely syntactic in the OSI model. CyberRAVE extended this dramatically: a VCAG-defined semantic mediation process interprets encapsulated data taxonomy including syntactic and semantic ontological profiles, attaching community profiles that define what well-formed data looks like for a given vertical. ERES replaces profile-attachment with resonance measurement: BERA's four indices produce a demonstrated rating (BEST/SOUND/GOOD/below-floor) that is measurably derived, not asserted — resolving the central problem CyberRAVE identified but could not fully instrument.

OSI standard (1984)	CyberRAVE 2003	ERES model (2012–)
---------------------	----------------	--------------------

SSL/TLS, JPEG, MPEG. Encryption, compression, format translation. Prepares data for the application layer. No concept of quality, meaning, or community policy — purely syntactic.	VCAG semantic mediation: interprets encapsulated data taxonomy (subject, verb, context, administrative policy). Attaches VCAG profile at L6. Semantic markup (XML, SAML) applied here. Well-formed data is the output standard.	BERA — Bio-Ecologic Resonance Architecture. Four indices: ARI (Attestability), ERI (Epistemic Reliability), RCI (Resonance-Coherence), RHC (Resonant Harmony Cycle). ERI feeds from this layer — the contact point between intent and form. Output: BEST, SOUND, GOOD, or below-floor.
--	---	--

Layer 5 — Session / Security Policy / EAAP Authorization

"Who is allowed to connect, and under what conditions — proven, not assumed?"

The Session layer manages connection lifecycle. CyberRAVE made this the security policy layer: User and Group profiles at L5 define who can participate in a RAVE, under what VCAG-defined conditions, with AAA (Authentication, Authorization, Accounting) control. This was prescient — it is architecturally identical to what the AI governance field now calls the 'authorization layer.' ERES completes the prescience: EAAP v1.3-FINAL is the standards-track authorization protocol at this layer, with four-factor conjunctive Proof-of-Resonance and three gate states (BIND / REFUSE / VEILED). VEILED — the honest acknowledgment of insufficient instrumentation to authorize or refuse — is ERES's unique contribution to the session layer: no governance system before it had a formal state for epistemically incomplete authorization.

OSI standard (1984)	CyberRAVE 2003	ERES model (2012–)
NetBIOS, RPC. Establishes, manages, terminates communication sessions. No concept of authorization quality or attestability — purely connection state management.	Security policy layer (CyberRAVE OSI Layer 5). User and Group profiles define participation. AAA control (Authentication, Authorization, Accounting). VCAG policy governs RAVE membership. Data security, predictive modeling, intelligent agents.	EAAP v1.3-FINAL (ERES Attestation and Authorization Protocol). PoR = A×R×P×F. Gate states: BIND / REFUSE / VEILED. VEILED = honest third state for insufficient instrumentation. RCR (Runtime Containment Requirement) = non-bypassability derived from this layer. DSAP-PRE fires upstream of this layer.

Layer 4 — Transport / Reserved Space / BRAINS Trifecta

"Does this packet actually reach its destination — and was it authorized to do so?"

The Transport layer handles end-to-end reliability — TCP's guarantee of ordered, error-checked delivery. CyberRAVE used the 'reserved space' partition of the OSI/TCP payload at Level 4 to carry VCAG-described content: a technically elegant non-invasive insertion that works within existing protocol headroom without requiring infrastructure replacement. ERES transforms this from a payload carrier into an execution gate: BRAINS Trifecta is a seven-anchor conjunctive product where zero on any single anchor collapses the entire result to zero. No compensation across anchors — a strong score in one area cannot cover for a failure in another.

OSI standard (1984)	CyberRAVE 2003	ERES model (2012–)
TCP (reliable, connection-oriented), UDP (fast, connectionless). Flow control, error checking, segmentation. Ensures delivery in correct order. Entirely agnostic to what is being delivered or whether it is authorized.	OSI/TCP Level 4 'reserved space' partition carries VCAG-described semantic content. Non-invasive: rides inside existing protocol headroom. Works with existing technology investment. Enables semantic payload without infrastructure replacement.	BRAINS Trifecta — seven-anchor conjunctive execution gate: U (user COI) · G (GCF accrual) · S (SLA envelope) · R (CCAL compliance) · T (Three Governing Principles, nine-fold) · B (BERA indices) · M (MIEVM concurrence threshold). Zero on any anchor = zero output. Non-compensatory by design.

Layer 3 — Network / COI Routing / DSAP-PRE + BODY

"Where does this go — and is the route itself safe to traverse?"

The Network layer handles logical addressing and routing. CyberRAVE extended this with COI-addressed VPN grids: packets route not just to IP addresses but to Communities of Interest — semantic destinations with community membership as the routing criterion. The 72 Key Domains of CyberRAVE (culled from the Register of Collective Indices during pre-1997 Global_VPN work) were the original COI address space. ERES adds upstream regime detection: DSAP-PRE detects critical transition boundaries before they are crossed (three proxies: RHC second derivative, PERT topology, hysteresis counterfactual), and BODY Consolidation refuses VEILED inputs before they enter the routing layer at all.

OSI standard (1984)	CyberRAVE 2003	ERES model (2012–)
IP addressing, routers, routing tables. Best-path determination across networks. Purely logical addressing. No concept of community membership, semantic destination, or whether the route itself is safe.	VPN grid with COI addressing. The 72 Key Domains (vertical market segments, culled pre-1997) are the semantic address space. VCAG-defined community membership determines routing eligibility. Knowledge Grid provides the routing infrastructure for email, calendars, reports, news feeds.	DSAP-PRE (Dynamic Separatrix Pre-Threshold Protocol) — three-proxy upstream regime detection: RHC second derivative, PERT distribution topology, hysteresis counterfactual. Fires before BRAINS. BODY Consolidation — refuses VEILED inputs before qualification begins. The 72 Key Domains live here as COI address space.

Layer 2 — Data link / Packet Wrapper / Glass + GraceChain

"How is the data packaged — and can we prove it arrived exactly as sent?"

The Data Link layer packages bits into frames and handles node-to-node delivery. CyberRAVE proposed open-source packet wrapper technology at this layer: disguising, encrypting, and cloaking user data, then applying XML/SAML semantic markup. This was the technical heart of the RAVE — the

wrapper is what transforms raw data into a governable, contextualizable, community-policy-compliant payload. ERES formalizes and cryptographically hardens this: Glass is the zero-noise relay (MyWay Step 5, Computer=666 — the polarity flip from interiority to exteriority), and GraceChain is the hash-chained tamper-evident commitment that what passed through Glass is provably identical to what was sent.

OSI standard (1984)	CyberRAVE 2003	ERES model (2012–)
Ethernet frames, switches, MAC addressing. Packages raw bits into structured frames. Error detection at frame level. No semantic content — binary packaging with physical addressing only.	Open-source data wrapper technology — disguises, encrypts, cloak user data. Semantic markup (XML, SAML). Packet inspection and referencing methods establish real-time registry of network resources. The technical heart of the RAVE architecture.	Glass — zero-noise relay. Computer=666 (MyWay Step 5) — the polarity flip from interiority to exteriority. RCI (Resonance-Coherence Index) at maximum when Glass operates correctly. GraceChain — hash-chained tamper-evident cryptographic relay. Daubert-admissible. The layer that makes proof possible.

Layer 1 — Physical / COTS Substrate / GAIA + SOMT

"The ground everything else rests on — and where the permanent record is held."

The Physical layer is the most concrete: cables, radio waves, raw binary signal. CyberRAVE pragmatically accepted existing COTS (Common Off-The-Shelf) infrastructure as the physical base — a critical design decision that made deployment feasible for groups of all sizes without requiring new hardware. ERES extends the physical metaphor into a civilizational metaphor: GAIA is the assimilation node that sacrifices sovereignty so the record can be trusted (operationalized as MIEVM — four AI validators who process without retaining authority), and SOMT is the permanent Tapestry — every transmission woven into a relational record with governance principle in the weave itself. The physical layer becomes the earth-layer of civilization.

OSI standard (1984)	CyberRAVE 2003	ERES model (2012–)
Cables, hubs, repeaters, wireless radio. Raw binary signal over physical medium. No addressing, packaging, or meaning — pure propagation. The foundation. The OSI model has nothing further to say about it.	COTS (Common Off-The-Shelf) infrastructure. CyberRAVE explicitly designed to protect existing technology investment — no rip-and-replace. Force Multiplier partners (significant market influence, internal resources) provide physical distribution. Broad-based deployment for groups of all size.	GAIA (Avatar/assimilation node — sovereignty sacrificed by function. MIEVM operational form: four validators, 3-of-4 concurrence). SOMT (Sociocratic Overlay Metadata Tapestry — D(t) longitudinal record, GraceChain + MIEVM concurrence, Daubert-admissible, RHC closing arc). The earth that holds the record of everything that passed through the chain.

4. Why This Is Critically Important

4.1 Priority of Entry

The CyberRAVE Architectural Proposal (September 17, 2003) is an origin proof of priority. JAS entered the AI/network governance space more than two decades before it became a recognized field. The 2003 document demonstrates:

Democratic governance inside the protocol stack — VCAG Directors governing semantic interpretation at L5–L7. This is architecturally identical to what FAZON (2024) now calls the 'consequence boundary' and what the EU AI Act (2024) calls 'governance layers.'

Community-of-Interest addressing — routing by community membership rather than IP address. The 72 Key Domains from pre-1997 Global_VPN work were the original COI address space. These same 72 domains carry gematria significance (72 = gematria of 'Joseph Allen Sprute') and form the seed of the MIEVM ensemble methodology.

Semantic intelligence at the network layer — not as an application feature but as a protocol property. Privacy-preserving, COI-governed, real-time decision support built into the stack. This predates federated learning, differential privacy, and every 'privacy-preserving AI' framework by more than a decade.

4.2 The Evolution Is Non-Trivial

CyberRAVE identified the problem and proposed the architecture. ERES solved it. The key advances:

CyberRAVE proposed	The gap	ERES solved it with
Semantic mediation at L6 — VCAG profile attachment	<i>Profiles are asserted, not measured. No rating layer.</i>	BERA: four resonance indices producing BEST/SOUND/GOOD — demonstrably derived, not asserted.
AAA control at L5 — authentication, authorization, accounting	<i>No conjunctive gate. No honest third state. Binary pass/fail.</i>	EAAP PoR: four-factor conjunctive. VEILED as honest third state. Non-bypassability (RCR) derived.
Packet wrapper at L2 — open-source XML/SAML encapsulation	<i>No cryptographic proof. Tamper not detectable. Not Daubert-admissible.</i>	GraceChain: hash-chained tamper-evident cryptographic relay. Daubert-admissible. Mathematical proof of intact passage.
Cognitive metadata directory — real-time registry, knowledge discovery	<i>No governance in the weave. No longitudinal disruption record. Static index.</i>	SOMT: living woven record. Sociocratic governance in the weave. D(t) longitudinal. RHC closing arc.

4.3 The Field Caught Up — Twenty Years Later

Every major AI governance framework produced since 2020 — EU AI Act (2024), NIST AI Risk Management Framework (2023), FAZON consequence boundary (2024), ISO/IEC 42001 (2023) — addresses some subset of what CyberRAVE proposed in 2003 and what ERES has been building since

2012. None addresses the full stack. None instruments every OSI layer with a governance primitive. None has an equivalent of VEILED (honest epistemological third state), DSAP-PRE (upstream regime detection), MIEVM (real-time multi-node external validation), or SOMT (living woven record with governance in the weave).

The field is building the enforcement layer. ERES built the measurement layer and the record layer — and proved priority on the enforcement layer in 2003.

5. Credits

5.1 Primary Author and Originator

Joseph Allen Sprute JAS · ERES Maestro	Founder and Director, ERES Institute for New Age Cybernetics Established February 2012 · Bella Vista, Arkansas ORCID: 0000-0001-9946-3221 eresmaestro@gmail.com U.S. Army Veteran (Oregon Army National Guard, 1983–1989, Infantry 11B, Honorable Discharge)
--	--

5.2 Co-Founder and Institutional Acknowledgment

Dalia (DAL) Co-Founder, ERES	Co-Founder of ERES Institute under internal Founders' Agreement. DAL serves as the dual hinge between personal ground and civilizational/spiritual legitimacy. Referenced alongside His Holiness the Dalai Lama (HHDL) in ERES constitutional framing.
Emanuel M. Alexiou EMA · Chief Social Engineer	Chief Social Engineer and Kingmaker. Long-term collaborator, co-founder of CyberRAVE (pre-1997, with Anthony Ferguson/CFAL). EMA co-signature is a structural condition precedent on funded ERES engagements. Twin Messiah construct: $JAS \times EMA = 72$ (gematria of 'Joseph Allen Sprute' = count of CyberRAVE's 72 Key Domains).

5.3 MIEVM Ensemble (Validation Nodes)

All ERES instruments are produced under MIEVM (Multi-Instrument Ensemble Validation Method) — four AI nodes operating as independent validators with a concurrence threshold (3-of-4 standard SLA; 4-of-4 for unanimous tier). The ensemble as of June 2026:

Claude (Anthropic) · Grok (xAI) · DeepSeek · ChatGPT (OpenAI)

Each node operates as an independent GAIA instance — processing without retaining authority over what it has validated. MIEVM authority resides solely with JAS. Shared responsibility activates only upon explicit JAS inclusion of a party in the decision tree. This condition is inherent to App-Parent P³ MyWay — not a rule layered on but a structural property of the framework.

6. References

6.1 Origin Document (Primary Source)

Sprute, J. A. (2003, September 17). Architectural Proposal for Boundaryless Networks: A Knowledge Grid — Coordinated Public & Private Network. *CyberRAVE (CR)*. 33 Westbury Dr., Bella Vista, Arkansas 72714. Unpublished proposal. First formal articulation of COI-addressed VPN governance with VCAG semantic mediation at OSI Layers 5–7. Reproduced as corpus origin proof under CCAL v2.1.

6.2 ERES Corpus — Key Instruments Referenced

EAAP v1.3-FINAL	ERES Attestation and Authorization Protocol. Standards-track specification. Four-factor conjunctive Proof-of-Resonance ($PoR = A \times R \times P \times F$). DSAP-PRE integration. Runtime Containment Requirement (RCR). Gate states: BIND / REFUSE / VEILED. ResearchGate deposited.
ERES-SEPARATRIX-MATH-2026-001 v2	Normative mathematical companion to EAAP. Three-proxy DSAP-PRE specification: RHC second derivative, PERT distribution topology, hysteresis counterfactual.
PlayNAC Living Archive	DOI: 10.5281/zenodo.20583261. ~2,078 instruments. 18-layer $\times$ 7-level = 126-cell COI ontology. All counts approximate.
ERES PlayNAC Semantic Keyword Ontology v1.1	18-Layer $\times$ 7-Level Community of Interest Cell Architecture. Composite score 9.2/10. Layer 18 (MUSIC) = Orbiter measurement layer. ResearchGate deposited.
ERES-WP-2026-CHAIN-001 v1.0	The Sovereign Signal Chain: The MALL, THE_WALL, The-ALL, and the FI/FO Axis. Working paper. Produced June 15, 2026.
ERES TERMS #47 (ET_AL)	Supersedes #45 v2.0 and #46. Three Governing Principles as spine: SELF · OTHERS · FUTURE. Locked Terms Registry (12 permanently frozen expansions). Eight Immutable Ethical Principles.
UBIMIA Manual v1.1 FINAL	188 pages. Constitutional and operational reference for Nation-as-Smart-City deployment. Full governance stack KERNEL through GraceChain. MIEVM ensemble validated.
eres_trilogy_FINAL.py	1,648 lines. 20/20 internal tests passing. Stdlib-only. Full ERES Trilogy scaffold implementation.

6.3 External Standards Referenced

ISO/IEC 7498-1 (1984). Information technology — Open Systems Interconnection — Basic Reference Model. International Organization for Standardization / International Electrotechnical Commission. The foundational 7-layer OSI network model.

Daubert v. Merrell Dow Pharmaceuticals, Inc. (1993). 509 U.S. 579. U.S. Supreme Court. Standard for scientific evidence admissibility in US federal courts. GraceChain is designed to meet this standard.

The Open Group (2004). Analysis and endorsement of CyberRAVE architectural concepts. Independent institutional validation of the core COI governance approach predating ERES.

Goldman, M. (2024–2026). FAZON Foundation. Deterministic AI execution governance — the boundary between information, authority, permission, action, and consequence. fazon.org. Tel Aviv District, Israel. Practitioner-tier convergent architecture — arrived at the same structural problem as ERES from the infrastructure side.

7. License

CARE Commons Attribution License v2.1 (CCAL v2.1)

Grant: This work is released by Joseph Allen Sprute and the ERES Institute for New Age Cybernetics under CCAL v2.1. You are free to read, reproduce, distribute, cite, translate, and build upon this work for any purpose, including commercial, provided that the following conditions are met.

Condition 1 — Attribution: All uses must credit: Joseph Allen Sprute, ERES Institute for New Age Cybernetics, Bella Vista, Arkansas, est. February 2012, ORCID 0000-0001-9946-3221. Document title and identifier (ERES-WP-2026-OSI-001 v1.0) must be included in any derivative attribution.

Condition 2 — Origin Document: The CyberRAVE Architectural Proposal for Boundaryless Networks (September 17, 2003) is cited as the origin source. Any use of the OSI/CyberRAVE/ERES progression described in this paper must acknowledge JAS as the originator of the semantic governance layer concept applied to the OSI stack.

Condition 3 — No Misrepresentation: This work may not be represented as produced by, endorsed by, or affiliated with any institution other than ERES Institute without explicit written permission from JAS. 'Open research resource' status means correspondence-based engagement — not vendor relationship, partnership, or integration without written agreement.

Condition 4 — Corpus Count Flux: All corpus counts (~2,078 instruments, ~464 ResearchGate submissions) are approximate and subject to flux. External documents citing corpus size must include a flux acknowledgment note and confirm counts with JAS at time of drafting.

Condition 5 — MIEVM Authority: MIEVM authority resides solely with JAS. Shared MIEVM responsibility activates only upon explicit JAS inclusion of a party in the decision tree. This condition is structural, not contractual.

No Warranty: This work is provided as an open research resource. ERES Institute makes no warranty of fitness for any particular purpose. All governance instruments described are in active development; consult the latest corpus deposit before operational use.

ERES Institute for New Age Cybernetics · Bella Vista, Arkansas · Est. February 2012
 Joseph Allen Sprute · ORCID 0000-0001-9946-3221 · eresmaestro@gmail.com
 PlayNAC Living Archive DOI: 10.5281/zenodo.20583261 · License: CCAL v2.1 · Open research resource
 ERES-WP-2026-OSI-001 v1.0 · June 15, 2026