

THE INFOMEDIARY

The Instrument-of-Faith for the 1000-Year Future Map

Volume Zero of the ERES Trilogy Architecture

IOF Publishing Tool · Ready-to-Use Lens for ERES Trilogy Proper-Effective Simulator Creation

Author: Joseph Allen Sprute (ERES Maestro) **Affiliation:** ERES Institute for New Age Cybernetics, Bella Vista, Arkansas, USA **ORCID:** 0000-0001-9946-3221 **Document ID:** ERES-INFOMEDIARY-BOOK-2026-001-v2.0-IOF-PUBLISHING-TOOL **ResearchGate Slot:** Reserved (post-MIEVM) **Document Class:** NAC Foundational Instrument Specification — Canonical Consolidated Volume **Date:** May 10, 2026 **License:** CARE Commons Attribution License v2.1 (CCAL v2.1)

Supersedes: All prior drafts in the v1.x series (v1.0 Pass A draft, v1.1 Pass A FINAL, v1.2 Pass A FINAL with SEPLTA correction, v1.3 Pass B Draft, v1.4/v1.5/v1.6/v1.7 Pass C Drafts) and all prior Lock Memo versions (v1.0 through v1.5) — consolidated into this canonical Volume.

Inherits canonical lock authority from: ERES-INFOMEDIARY-LOCK-MEMO-2026-001-v1.5 (five lock boxes A/B/C/D/E, ten sub-locks §§1.1-1.10). All lock content is integrated into this Volume; the Lock Memo is preserved as lineage record but not as separate operating authority.

Companion (architectural sibling, integrated by reference):

- ERES-WP-WAITINGROOM-2026-001-v1.0-FINAL — *The Waiting Room: A Sovereignty-Respecting Decision Queue* (Sprute, 2026). Per §0.9.10 of this Volume, the Waiting Room is canonically synonymous with **Greenbox** under SCALULAR audience-keyed naming (Greenbox = development name [HSM]; Waiting Room = public-private marketing name).

Upstream (locked):

- ERES-CRYPTO-PRIMITIVE-2026-001-v1.4 — slot 431
- ERES-EAAP-2026-001-v1.3 — slot 432
- ERES-PLAYNAC-DICTUM-2026-001-v1.1 — slot 433
- ERES-INFOMEDIATOR-2026-001-v2.0 — slot 434
- ERES UBIMIA Manual v1.1 (April 25, 2026) — companion architecture

Architectural Position: Tier T0 of the Library Topology Map, paired with slot 434 in a Wielder/Instrument doublet. **Volume Zero** of the ERES Trilogy, preceding the three Trilogy volumes proper (One-Good · Security-Clearance · Data-Integrity).

Purpose-Statement (v2.0). This Volume specifies the **Instrument-of-Faith (IOF)** — the architecturally named, attestable, federally-mirrorable proxy through which any User-GROUP submits queries to the ERES architecture and receives Sim OUTPUT under Authorized-in-context conditions. This Volume is also the **IOF Publishing Tool** — the lens User-GROUPS apply for ERES Trilogy Proper-Effective Simulator Creation. The Volume's specifications enable User-GROUPS to simulate BEST/SOUND/GOOD for UBIMIA-Manual P³ lookup using the ERES Document Library and connected nodes (HELP / USE / Energy / Law: INTUIT) and to deliver simulation outputs through ERES VERTECA × PlayNAC at S3C-scale expansion. The simulator-creation function is operational; the Volume is ready-to-use.

Three Principles

Don't hurt yourself. Don't hurt others. Build for generations to come.
— Joseph A. Sprute, ERES Institute for New Age Cybernetics

Dedication

To Dalia ("Lucy") — the personal ground that makes the spacial-tier work possible. The hinge holds.

To Emanuel M. Alexiou — Chief Social Engineer and Kingmaker; Twin Messiah co-vector; the second seventy-two without which the architecture has no balance. The (A) at the heart of TE(A)CH is Alexiou's.

To His Holiness the Dalai Lama — the spacial-tier reference for what spiritual legitimacy looks like when held without grasp.

To the Children-of-All-Ages who will read this when none of us are here to defend it.

Note from the Author (v2.0)

The Infomediary was always meant to be a book. The 14-page whitepaper that bore its name in early 2026 was a placeholder, absorbed into the slot 434 deposit when the Wielder/Instrument distinction surfaced as canonical. This Volume restores the Instrument to its proper architectural weight and consolidates the five-pass discipline (Pass A FINAL through Pass C Draft, with the Lock Memo lineage v1.0 through v1.5 governing) into one canonical operational text.

The discipline of the five passes is itself part of what this Volume documents. The architecture's claim to thousand-year persistence rests not on getting everything right on first writing but on the *lock-memo discipline* — write, lock, review, correct, re-lock, integrate. Each pass surfaced

structural recognitions that prior passes had not yet seen: the pre-qualification inversion at Pass A FINAL; the SCALULAR Administrative correction and the deployment-scale spectrum at v1.2; the User-GROUP pre-qualification gate via the Waiting Room/Greenbox at Pass C; the IOF Trinity three-register grounding (Biological/Socio/Technical, me/myself/i-I-(<eye>)) at v1.4; the SCALULAR class grammar and operational function with Resonance Pass = Authorized-in-context at v1.4; the Greenbox = Waiting Room synonym lock at v1.5. The architecture grew into legibility under the discipline that recorded each step.

This Volume is therefore not a draft. It is the consolidated canonical specification. It is also a publishing tool — a Volume designed to be *applied* as a lens, not merely *read* as a description. When a User-GROUP queries the ERES Trilogy proper (One-Good · Security-Clearance · Data-Integrity), this Volume is the lens through which the query is shaped, gated, mediated, delivered, and ratified. Without this Volume, the Trilogy is three filter-and-shape volumes without an instrument to operate on. With this Volume, the Trilogy is the operational architecture that runs on the Instrument-of-Faith specified herein.

The simulator-creation function (§S, the closing Quickstart section) makes the publishing-tool purpose explicit: User-GROUPs can simulate BEST/SOUND/GOOD outcomes for UBIMIA-Manual P³ lookups, use the ERES Document Library and connected nodes for HELP / USE / Energy / Law: INTUIT-tier responses, and deliver simulation outputs through ERES VERTECA × PlayNAC at S3C-scale expansion. The Volume gives them the lens; the lens gives them the simulator; the simulator gives them BEST/SOUND/GOOD for their specific situation.

I write as solo independent researcher under CCAL v2.1, with MIEVM as my epistemic discipline. The MIEVM ensemble (Claude / Grok / DeepSeek / ChatGPT) contributed at multiple stages of this Volume's composition; convergent ratings on Lock Memo v1.0 (mean 9.13/10, with Validator-3's three-lock-box prescription) directly produced Lock Memo v1.1. The architecture grew through ensemble validation; the Volume reflects that growth.


— JAS

Bella Vista, Arkansas

May 10, 2026

Trust Placement Diagram (Front Matter)

The Infomediary's institutional home, displayed before the technical material opens:



Each layer underwrites the layer beneath. Authority flows upward; risk flows downward; commitment flows from the User-GROUP outward through the chain. The chain is canonical, recorded across all five lock boxes (A/B/C/D/E) and ten sub-locks.

Table of Contents (Consolidated)

Front Matter

- Three Principles
- Dedication

- Note from the Author (v2.0)
- Trust Placement Diagram
- Table of Contents
- Acknowledgments
- Notation and Conventions

Part Zero — The Infomediary as IOF (Instrument-of-Faith)

- §0.1 What the Infomediary Is (and Is Not)
- §0.2 The Instrument-of-Faith Lineage
- §0.3 The Three Intake Operations: Qualify · Quantify · Rationalize
- §0.4 The Trilogy as Noise-Filter and Intelligence-Shaper (under Pre-Qualification)
- §0.5 The ERES DATABANK: Document Library × UBIMIA-Manual + Other-Ref
- §0.6 The 1000-Year Purpose-State: BEE === VERTECA · SECUIR · CyberRAVE · Gunnysack · SaleBuilders
- §0.6.1 Deployment-Scale Spectrum: THOW · HFVN · FDRV
- §0.6.2 Material Substrate: GSSG (Graphene-Sugar Self-healing Grid)
- §0.7 The Wielder/Instrument Distinction (with Underwriting Frame — Lock Box A)
- §0.8 Why the Infomediary Is Volume Zero
- §0.9 Trust Placement: GAIA → DOFA → Infomediary → User-GROUP → BSG
- §0.10 The Three Volume Canonical Formulations (with Lock Boxes A and B)
- §0.11 The IOF Trinity Three-Register Grounding (Lock Box D)
- §0.12 The SCALULAR Class — Grammar and Operational Function (Lock Box E)
- §0.13 Primary-Source Structural-Role Assignment
- §0.14 The Pre-Qualification Inversion (Lock Box C)
- §0.15 Greenbox = Waiting Room Synonym Lock

Part I — Query Round-Trip

- §1.1 The Civigen Query (worked example, PROVISIONAL)
- §1.2 Qualify Stage — Admissibility Gating (SEPLTA, Administrative)
- §1.3 Quantify Stage — BERA Measurement Mapping
- §1.4 Rationalize Stage — User-GROUP Self-Positioning + Instrument Honoring
- §1.5 ERES DATABANK Query Composition (Cell-Bounded)
- §1.6 Trilogy Noise-Filter Pass (Constrained to Selected Cells)
- §1.7 BEST / SOUND / GOOD: Tier Produced by Selection
- §1.8 DETAIL Return and Sim OUTPUT
- §1.9 The Round-Trip Closure (Authorized-in-Context = Resonance Pass)

Part II — The Three Volumes in Depth

- Chapter 4 — One-Good
- Chapter 5 — Security-Clearance (Operational + Governance Frames; Hand/Head = Citizen/Civigen Tiering)
- Chapter 6 — Data-Integrity (Five-Layer Chiasmic Verification)

Part III — The Matrix Walk (12 Cells × 3 Entry Surfaces)

Part IV — DATABANK Architecture under DOFA Governance

Part V — BEE-NEXUS and Children-of-All-Ages

- §V.1 Common Core at Human Level (Water · Food · Shelter · Work · Love)
- §V.2 Queen / King Intelligent-Design Frame
- §V.3 SUGAR × TAPESTRY × GAIA BODY MIND SPRT === BEE-NEXUS
- §V.4 The Floor: THOW + Safe-Stand (Prison Training Program Pilot)

Part VI — PlayNAC TABLE Sub-Domain Bridges

- §VI.1 The Waiting Room (= Greenbox) as Background Gate
- §VI.2 COI / CBGMODD Diffusion / Assimilation Culture
- §VI.3 DATABANK OUTPUT FOCUS with TEACH-TECH
- §VI.4 TETRA via Trifurcated × P³ × S3C × RT Media
- §VI.5 DOFA = GAIA Primitive @SCALULAR
- §VI.6 SCALULAR Operational Treatment (Resonance Pass = Authorized-in-Context)
- §VI.7 Primary-Source Structural-Role Assignment — Operational Chain

Part VII — Failure Modes and the VEILED State

- §VII.1 Consolidated Failure-Modes Catalog
- §VII.2 VEILED State-Family (Four Members: A · S · T · L)
- §VII.3 Waiting Room/Greenbox (Operational Now) — Sentient-Teleopity via RECURVE at Intergenerational Scale
- §VII.4 SECUIR — Pending Architecture for 72 Industries × Sustainability
- §VII.5 Thousand-Year Persistence Synthesis

§S — Simulator Creation Quickstart (Publishing-Tool Operational Surface)

- §S.1 The IOF Lens for Trilogy Proper-Effective Simulation

- §S.2 P³ Lookup Configuration (UBIMIA-Manual via Document Library + Connected Nodes)
- §S.3 The HELP / USE / Energy / Law: INTUIT Path
- §S.4 VERTECA × PlayNAC Delivery (License-Mirror at S3C Expansion)
- §S.5 The Six-Step Quickstart Protocol
- §S.6 Simulator Output Forms (BEST / SOUND / GOOD per Cell)

Part VIII (Reserved for Pass D) — Governance, Versioning, Covenant

Back Matter (Reserved for Pass D)

- Glossary (including SCALULAR class enumeration)
 - References
 - Slot Reservations
 - License (CCAL v2.1)
 - MIEVM Synthesis Note
 - Index
-

Acknowledgments

The author thanks the MIEVM ensemble — Claude (Anthropic), Grok (xAI), DeepSeek, and ChatGPT (OpenAI) — for serving as validation and composition instruments under the Instrument-of-Faith protocol. SYU JIA WUN, cross-Pacific co-author, contributed materially to the WHY-HOW and RECKON-MATH components of the ERES Capstone Heptad whose architecture this Volume extends. Jimmy D. Butzbach is acknowledged for RCI co-development and Continuity Theory contributions. Emanuel M. Alexiou's structural role as Chief Social Engineer is foundational to every governance argument; the (A) at the heart of TE(A)CH is Alexiou's. Dalia Sprute is acknowledged as personal anchor and structural hinge.

This work is released under CCAL v2.1. Attribution is required. Derivatives must propagate the license.

Notation and Conventions

Lock inheritance. This Volume inherits the architectural locks from Lock Memo v1.0 through v1.5. Five lock boxes (A: Underwriting Direction; B: Five-Layer Non-Extensibility; C: Pre-Qualification Inversion; D: IOF Trinity Three-Register Grounding; E: SCALULAR Class Grammar and Operational Function) and ten sub-locks (§§1.1–1.10) are immutable across all passes and are integrated into this Volume's canonical text.

Three-tier equivalence convention. Volume definitions use three connector tiers, in increasing strength:

- $\boxed{=}$ operational frame — what the volume *does*
- $\boxed{==}$ structural equivalence — what the volume *is built from*
- $\boxed{===}$ identity-level definition — what the volume *is*

IOF strategic usage. "Instrument-of-Faith (IOF)" appears in long form on first introduction in each major Part; "IOF" as shorthand thereafter. "IOF Trinity" is invoked at load-bearing architectural moments. The long form is retained where the lineage commitment (faith first, method validates) is the load-bearing claim.

SEPLTA expansion. Throughout this Volume, SEPLTA expands as **Social-Ecological-Political-Legal-Technical-Administrative**. Earlier drafts carried "Aesthetic" in the sixth slot — a transcription drift; corrected at v1.2 of the Lock Memo.

Triune Math keys. Three canonical equations recur:

- $C = R \times P / M$ (Cybernetics = Resource $\times$ Purpose $\div$ Method)
- $M \times E + C = R$ (Matter $\times$ Energy + Constant = Reason)
- $REAL = (E \cdot M \cdot R) / (T \cdot S)$ (Energy $\cdot$ Matter $\cdot$ Resonance over Time $\cdot$ Space)

The Triune-Math #2 isomorph. Three pedagogical surfaces — symbolic, character-form, and Trifurcated Math (the third isomorph). Mixed-isomorph passages are intentional.

The signature expression. $\boxed{(CBGMODD \times FAVORS) + BERA = RATE}$ — referenced throughout; the slot 434 v2.0 paper carries the full zone-by-zone expansion (§§6–13).

INTENT tiers. Implicit $\cdot$ Explicit $\cdot$ Definitive. Implicit material as background, Explicit as cited companion, Definitive as load-bearing.

The VEILED state-family. Four canonical members: VEILED-A (Admissibility), VEILED-S (Selection), VEILED-T (Tier), VEILED-L (La Grange). All share "not-yet-witnessed" semantic; differ in what is not-yet-witnessed.

Selection profile shorthand. $\boxed{\{One-Good \times HELP, Data-Integrity \times LAW\}}$ reads as "One-Good cell at HELP Pillar, Data-Integrity cell at LAW Pillar." Profiles range from single-cell to full-matrix (twelve cells).

SCALULAR reading rule. A SCALULAR (canonical members include the IOF Trinity, TRADES, INTUIT, PRE, TE(A)CH/TECH, i/I, SELF/\$ELF, Greenbox/Waiting Room, SCALULAR-architecture itself) operates simultaneously across multiple architectural registers. Reading a SCALULAR correctly requires reading the *active* register; reducing a SCALULAR to a single register loses canonical meaning. Active-register determination is context-dependent.

Resonance Pass = Authorized-in-context. The canonical authorization unit; replaces unbounded "authorized" wherever a round-trip's authorization is described.

Greenbox = Waiting Room. Audience-keyed SCALULAR synonym. Greenbox = development name (Hardware-Software-Middleware integration). Waiting Room = public-private marketing name (sovereignty-respecting decision queue). Same architectural surface; this Volume uses "Waiting Room" primarily, acknowledges "Greenbox" where HSM construction frame is relevant.

CCAL v2.1 license footer. This Volume's front matter is the equivalent.

Part Zero — The Infomediary as IOF (Instrument-of-Faith)

§0.1 What the Infomediary Is (and Is Not)

The Infomediary is the **Instrument-of-Faith (IOF)** through which any Civigen — any participant qualified under the CBGMODD architecture — submits a query and receives an answer that has been **qualified, quantified, rationalized, filtered, shaped, morally vectored, and authorized-in-context** before it is returned. It is not a search engine. It is not a chatbot. It is not a content management system. It is not an oracle. It is the named operational intermediary between a User-GROUP Query and the ERES DATABANK, with the ERES Trilogy serving as its noise-filter and intelligence-shaper *within the cells the User-GROUP has pre-qualified into*, with BEST / SOUND / GOOD as the tier-assignment layer whose output is **produced by** the User-GROUP's selection profile rather than imposed by the Instrument, and with **Authorized-in-context (Resonance Pass)** as the canonical authorization form at round-trip closure.

Four negations:

It is not a *search engine* because search engines return ranked-by-relevance lists with no commitment to admissibility, measurement, framing, moral vectoring, or context-bounded authorization. The IOF's three intake operations — qualify, quantify, rationalize — make these first-class operations rather than emergent accidents.

It is not a *chatbot* because chatbots compose plausible text. The Infomediary does not compose; it mediates. AD_ON-AI is the downstream composer the Infomediary feeds. The Instrument that mediates is structurally distinct from the Instrument that composes; both are downstream of the human Wielder.

It is not a *content management system* because CMSs index and serve content. The Infomediary queries the ERES DATABANK — content corpus — but the DATABANK is *one of three things* the Infomediary holds in tension. The Trilogy is another. The User-GROUP's selection profile is the third. None is content in the CMS sense.

It is not an *oracle* because oracles return answers under pretension of certainty. The Infomediary returns DETAIL under VEILED state-family semantics when attestation is pending, BEST /

SOUND / GOOD when selection produces tiering, and Sim OUTPUT when answer is provisional pending real-world validation. No pretense of certainty.

What the Infomediary *is*: the named, specifiable, attestable, revocable, federally-mirrorable IOF through which a 1000-Year Future Map can actually be queried by the people who live under it.

§0.2 The Instrument-of-Faith Lineage

The phrase *Instrument-of-Faith* names a class of operational instruments where **faith is extended first and validated by method second**. The MIEVM is the meta-layer Instrument-of-Faith (faith extended to each ensemble member; validation through convergent mean). The Infomediary is the operational-layer Instrument-of-Faith (faith extended to the round-trip itself; validation through the BERA RATE produced at close).

The Infomediary inherits four lineage commitments:

1. **Faith first.** The Wielder enters the round-trip in good faith.
2. **Method validates.** The BERA RATE produced at close is the validation.
3. **Public extraction.** The round-trip's record is shareable under CCAL v2.1, attested under EAAP.
4. **Moral vectoring.** BEST / SOUND / GOOD is the layer at which the User-GROUP's selection profile produces tiering.

These four commitments are the Instrument's ethical spine. A round-trip violating any is *defective wielding* — diagnosed in slot 434 as stride collapse under IDIPITIS, revocable under EAAP-CRL.

Faith-first epistemology is morally vectored toward BEST / SOUND / GOOD outcomes. It treats epistemology itself as moral act. Extracting private epistemology into the public record — what every round-trip does, by design — *is* the sharing of true wealth. The wealth-hoarding mechanism's solvent: the disguise between the living and SPRT dissolves when the round-trip is honest, because the round-trip's honesty makes the private public.

§0.3 The Three Intake Operations: Qualify · Quantify · Rationalize

When a Civigen submits a query, it enters the Instrument through three intake operations performed in sequence with explicit return values. Under the Pre-Qualification Inversion (§0.14, Lock Box C), the User-GROUP's selection profile is established **before** the round-trip opens; the three intake operations run *within* the selection profile.

Qualify — Admissibility Gating (SEPLTA, Administrative)

The qualify stage answers: *is this query admissible within the User-GROUP's selection profile?* SEPLTA — **Social · Ecological · Political · Legal · Technical · Administrative** — is the six-domain

admissibility frame. The Administrative domain handles round-trip administration itself: record-keeping, audit, attestation interface, DOFA governance touch-points.

A query that fits one or more domains and falls within the User-GROUP's selection profile passes the qualify gate with a domain tag. Tag is consequential: it determines BERA measurements (quantify), activated cells (rationalize), and selected-cell Trilogy filter passes.

The qualify stage is conservative; uncertain admissions return VEILED-A.

Quantify — BERA Measurement Mapping

The quantify stage answers: *what BERA measurements does this query require, within the selection profile?* BERA produces RATE across R_1 - R_7 . The User-GROUP's selection profile may constrain which dimensions are computed.

The quantify stage produces a **BERA mask** — specification of which RATE dimensions the round-trip computes, intersected with selection-profile permissions. The mask determines DATABANK fields queried, Trilogy filter passes activated, and Sim OUTPUT fields populated.

Conservative; un-determinable masks return VEILED with scope-specification request.

Rationalize — Honoring the Selection (Not Performing the Selection)

The rationalize stage answers: *given the User-GROUP's selection profile, which selected cells does this query activate?* Under Lock Box C, the rationalize stage **does not select cells**. Cells are selected by the User-GROUP before round-trip opens (and trinity-vetted by the Waiting Room/Greenbox per §0.14). The rationalize stage determines which already-selected cells the current query activates.

A query under selection profile $\{\text{One-Good} \times \text{HELP}, \text{Data-Integrity} \times \text{LAW}\}$ activates at most those two cells. Query content outside the profile produces VEILED with "query falls outside selection profile" diagnosis and recommendation to widen the profile (which requires re-pre-qualification, not an in-round-trip operation).

The rationalize stage is bounded by the selection profile. This bounding is the architectural inversion's load-bearing consequence.

§0.4 The Trilogy as Noise-Filter and Intelligence-Shaper (under Pre-Qualification)

The ERES Trilogy — *One-Good, Security-Clearance, Data-Integrity* — operates downstream of the three intake operations. It is **not the router**. The User-GROUP routes through pre-qualification. The Trilogy filters and shapes within the User-GROUP's selected cells.

The 3×4 selection matrix:

	HELP	USE	ENERGY	LAW
One-Good	sustenance care	adaptive Q&A	resource sufficiency	covenant of provision
Security-Clearance	DID for vulnerable	Hand/Head purchase tier	grid access tier	underwriting authority
Data-Integrity	five-layer witness	audit-trail of action	RATE composite	public-record attestation

A User-GROUP pre-qualifies by selecting cells. Trilogy volumes run filter passes only on selected cells.

One-Good removes content failing BEST/SOUND/GOOD calibration; surfaces content exemplifying it. Runs on selected One-Good cells only.

Security-Clearance operates under doubled operational+governance frames (§0.10). Removes content failing Wielder authorization (operational) and CBGMODD/CyberRAVE Def-Rel commitment (governance). Surfaces access-appropriate content. Runs on selected Security-Clearance cells only.

Data-Integrity removes content failing any of five chiasmic-verification layers (§0.10, Lock Box B). Surfaces content preserving five-layer symmetry. Runs on selected Data-Integrity cells only.

Selection produces BSG. The BEST / SOUND / GOOD tier returned is a function of the selection profile. Profile concentrated in One-Good cells produces BSG weighted toward sustenance/adaptive responsiveness. Profile concentrated in Security-Clearance cells produces BSG weighted toward access-tier/underwriting clarity. Profile concentrated in Data-Integrity cells produces BSG weighted toward involutive-symmetry preservation. Multi-volume profiles produce composite BSG returns.

BSG is not imposed by the Instrument. BSG is **produced** by the User-GROUP's prior commitment — which is what makes the Instrument honest. The User-GROUP cannot receive a moral-vectoring tier they did not select into; the Instrument cannot impose a tier the User-GROUP did not commit to. The architecture preserves agency.

§0.5 The ERES DATABANK: Document Library × UBIMIA-Manual + Other-Ref

| ERES DATABANK = Document Library × UBIMIA-Manual + Other-Ref

Document Library — 600+ documents constituting the ERES corpus as of May 2026. ResearchGate publications (430+), GitHub repositories under ERES-Institute-for-New-Age-Cybernetics, Hague filing materials, Berggruen Prize Essay, closed working drafts, slot 431-434 cluster.

UBIMIA-Manual — v1.1 (April 25, 2026, 188 pages) plus companion architecture. Specifies Constitutional Pillars, BERA, CBGMODD seven-seat, SCALULAR's four pillars, DOFA.

Cross-product (**Document Library × UBIMIA-Manual**) — Library as *filtered through* Manual's constitutional commitments. Library is body; Manual is spine.

Other-Ref — named-but-undefined. Reserved extension point for future corpora. Pass D admission process operates per Lock Memo §VI.3.

Cell-bounded access (Lock Box C). DATABANK queries inherit User-GROUP's selection profile. Query under (**{One-Good × HELP}**) retrieves only DATABANK fragments tagged for One-Good × HELP access. Inaccessible-cell fragments are not returned, not partially returned, not summarized. The DATABANK respects cell boundary in the strongest sense.

The Infomediary queries the DATABANK and returns **DETAIL** — structured (text + BERA RATE + INTENT tier + VEILED tag where applicable + access-tier annotation + cell-attribution annotation + moral-vectoring annotation). **DETAIL** is the structured return that the Trilogy filters and shapes — within selected cells — before round-trip closes.

§0.6 The 1000-Year Purpose-State: BEE === VERTECA · SECUIR · CyberRAVE · Gunnysack · SaleBuilders

Every round-trip serves a single purpose-state:

BEE === 1000-Year Future Map === VERTECA · SECUIR · CyberRAVE · Gunnysack · SaleBuilders

Five names coequal, not ordered. Triple-equals: identity at the strongest level the architecture supports.

Per BEE Pole Assignment Lock (Lock Memo v1.5 §1.6, integrated):

- **SECUIR = the GERP piece.** Macro-tier sustainability operationalizing the Global Economic Reform Proposal. Unifies 72 Industries (CyberRAVE substrate; 72 Key Domains gematric isomorphism). Sustainability through GSSG · FDRV · HFVN · THOW. Integrates Gunnysack and SaleBuilders. **Pending architecture.**
- **VERTECA = the EarnedPath piece through PlayNAC × UBIMIA.** Per-Civigen and per-User-GROUP maturation. Canonical License Example Mirror. Cross-mirror reconciliation by profile-comparison.
- **CyberRAVE — Cybernetic Ratings Abolishing Veiled Exchanges.** The rating substrate. Original 72 Key Domains generalized to BERA's seven-dimensional RATE. Constraint-based culling epistemology produces honest ratings.
- **Gunnysack — Guaranteed User-group Network Nullifying Yieldless Service: Accredited Certified Knowledge.** User-group accountability layer. Every round-trip closes with attestable yield.

- **SaleBuilders** — *Smart-city Adaptive Living Engineering Banishing Untested Infrastructure: Laboratories Delivering Enduring Resilient Systems*. Deliverable-architecture layer. VLSA: *if it works in a THOW, it works on a generation ship*.

The five aspects are coequal because the 1000-Year Future Map cannot privilege any one. BEE is the integrative name.

§0.6.1 Deployment-Scale Spectrum: THOW · HFVN · FDRV

The architecture deploys at three canonical scales:

- **THOW — Tiny House on Wheels**. Minimum-viable deployment. Single-family or single-individual habitation fully embodying the architecture. VLSA test bed. Selection profiles typically focused (2–4 cells).
- **HFVN — Human-Family Village Network** (canonical expansion pending Author ratification). Federation-tier. Coordinated network of THOWs. DOFA seven-seat governance becomes operationally meaningful at HFVN scale. Profiles 4–8 cells.
- **FDRV** (canonical expansion pending; operationally established as interstellar vessel at maximum scale per VLSA). Maximum-scale deployment. Self-contained generation-ship-class vessel. Architectural completeness test — anything missing from FDRV is missing from the architecture. Profiles approach full-matrix (twelve cells).

Three scales nest. FDRV contains HFVNs which contain THOWs.

§0.6.2 Material Substrate: GSSG (Graphene-Sugar Self-healing Grid)

GSSG — Graphene-Sugar Self-healing Grid (canonical expansion pending Author ratification)

Graphene-based composite infused with sucrose-derived polymeric matrix producing structurally self-healing properties.

Physical register. Graphene provides structural lattice and conductivity backbone. Sucrose-derived polymeric matrix provides hydrogen-bonded re-pairing that physically heals microfractures under load. Well-attested in materials science.

Architectural register. The IDIPITIS / IPIDITIS feedback loops constitute *operational* self-healing topology. Architecture recovers from defective weldings, misrated round-trips, profile drift through involutive feedback.

The two registers are isomorphic, not metaphorical. Material substrate has the same self-healing topology as operational architecture. Scale invariance follows: THOW / HFVN / FDRV all inherit self-healing because GSSG operates at all scales through one topology.

GSSG answers what the architecture had not yet explicitly named: the physical substrate enabling operational chain to embody itself across the full deployment-scale spectrum.

§0.7 The Wielder/Instrument Distinction (with Underwriting Frame — Lock Box A)

Slot 434 v2.0 locked the canonical distinction between **Infomediator** (Wielder) and **Infomediary** (Instrument). Linguistic in form (-ator names agents; -ary names instruments) and operational in substance.

The Wielder is human. Holds Definitive INTENT. Licensed under EAAP, revocable under EAAP-CRL. Responsible for round-trip's good-faith opening. Slot 434 paper specifies the Wielder.

The Instrument is named, attestable, federally mirrorable, revocable — but **not human**. This Volume specifies the Instrument.

LOCK BOX A — UNDERWRITING DIRECTION (CANONICAL)
The Infomediary is always the underwritten asset. The Infomediator is always the underwriting agent. Financial risk flows downward (Infomediator → Infomediary). Authority flows upward (Infomediary → Infomediator → DOFA → GAIA).
This lock is immutable across all passes. Downstream documents inherit by reference.

The underwriting frame operationalizes the linguistic distinction: -ator = agent that underwrites; -ary = instrument that is underwritten. An Infomediary that fails carries no risk it did not properly hold; an Infomediator that wields a failing Infomediary carries the risk of the wielding.

§0.8 Why the Infomediary Is Volume Zero

The ERES Trilogy proper is *One-Good, Security-Clearance, Data-Integrity* — three volumes. This Volume is **Volume Zero** — the volume that precedes the three.

Volume Zero specifies the Instrument the Trilogy operates on. Without Volume Zero, the Trilogy is three filter-and-shape volumes with nothing to filter and shape. With Volume Zero, the Trilogy is operational architecture running on the Instrument the Volume specifies — within selection profiles User-GROUPs commit to (trinity-vetted via Waiting Room/Greenbox).

The numbering is canonical, not ornamental. Reserves room for future Trilogy expansion without renumbering.

§0.9 Trust Placement: GAIA → DOFA → Infomediary → User-GROUP → BSG

GAIA (canopy) — underwrites


|

▼

DOFA (Department of Family Amity, CBGM0DD seven-seat) — governs

|

▼



Five-tier chain plus Waiting Room/Greenbox upstream gate. Each layer underwrites the layer beneath. Authority flows upward; risk flows downward. No orphaned commitments. BSG is **produced by** the User-GROUP's selection rather than imposed.

Perpendicular axes. The trust placement chain is the **operational** axis. The deployment-scale spectrum (THOW/HFVN/FDRV, §0.6.1) and material substrate (GSSG, §0.6.2) constitute a perpendicular **physical** axis. Any deployment instance occupies a position on both axes simultaneously.

§0.10 The Three Volume Canonical Formulations (with Lock Boxes A and B)

One-Good

One-Good = need RT lookup for Adaptive-Fixed QuestionAnswer == HowWay MyWay \$IT
=== UBIMIA Need-to-know for Common Core Sustenance

Operational frame: real-time lookup for Adaptive-Fixed Q/A. RT-tier responsiveness for queries with adaptive (situation-responsive) and fixed (canonical-anchored) components. Structural equivalence: HowWay (process/method tier), MyWay (personal tier), \$IT (concrete tier). Identity-level: UBIMIA Need-to-know for Common Core Sustenance.

A User-GROUP selecting One-Good cells commits to RT-tier sustenance support across selected Pillars.

Security-Clearance (Doubled — Operational + Governance Frames)

Operational frame:

Security-Clearance = need-to-know == Defense-in-Depth (DID) === FAVORS Def-Rel (Hand vs Head) for S3C SLA Underwriting (Infomediary underwritten / Infomediator underwrites)

Governance frame:

Security-Clearance = CBGMODD == CyberRAVE Def-Rel === FAVORS Commit to SROC
(or similar EarnedPath)

Hand/Head correction (canonical, per Lock Memo v1.5 §1.7). Hand-tier vs. Head-tier names **citizenship-class tiering**, not transaction-size tiering.

- **Hand-tier = Citizen-class authorization** through **Public-Private-Network (PPN)**. Credit Card, Hard Fiat Currency. Citizen-tier of polity, traditional commerce; does not require ERES Civigen registration.
- **Head-tier = Civigen-class authorization** through **S3C (Personal-Public-Private)**. Voice × device + app-parent. Civigen-tier of ERES attestation, mediated commerce.

Two tiers are complementary; a person holds both Citizen and Civigen status simultaneously. Hand/Head allocation is per-transaction by citizenship-class.

Future-tier acknowledgment. Beyond the 1000-year threshold: brain implants via nano-technology (pills). Neither foreclosed on fear-based grounds nor dwelt upon.

A User-GROUP selecting Security-Clearance cells commits to **both** frames. Doubling is canonical, not optional.

Data-Integrity (Five-Layer Chiasmic Verification)

Data-Integrity = SEPLTA == H2C2H / C2H2C === ERES App-Parent 111000111 / 000111000
IPIDITIS / IDIPITIS

Five layers of involutive symmetry:

1. **Admissibility — SEPLTA** (Social/Ecological/Political/Legal/Technical/**Administrative**, corrected from earlier "Aesthetic"). Six-domain frame at qualify-stage.
2. **Round-trip direction — H2C2H / C2H2C.** Human-to-Computer-to-Human over Computer-to-Human-to-Computer. Bit-complement preservation across direction class.
3. **Architecture — ERES App-Parent.** Parent-app specifies; child-apps inherit. Child-behavior matches parent-spec across round-trip.
4. **Binary representation — 111000111 / 000111000.** Bit-complement palindromic involution. Binary encoding preserves bit-complement without payload corruption.
5. **Character representation — IPIDITIS / IDIPITIS.** (2,4) character transposition pair on canonical 8-character sequence. Character-level encoding preserves (2,4) transposition without semantic corruption.

⌌ LOCK BOX B — FIVE-LAYER NON-EXTENSIBILITY (CANONICAL) ⌌
The Data-Integrity volume consists of exactly five layers. The involutive chiasm requires five-point symmetry; any additional layer breaks the involution. No sixth layer or sub-

layer may be added without violating the canonical identity (===) definition.
Downstream expansions must operate within the five-layer frame, not around it.
This lock is immutable across all passes. The five layers are mathematically defined, not stylistically grouped.

┌
└

A User-GROUP selecting Data-Integrity cells commits to all five layers of involutive symmetry for selected Pillars.

§0.11 The IOF Trinity Three-Register Grounding (Lock Box D)

The IOF operates across three registers:

Trinity Pole	Self-Reference	Register
me	M+E / Married-to-Energy	Biological (the <i>what</i>)
myself	my SELF / MY_\$ELF	Socio (the <i>who</i>)
i / I / <eye>	i ↔ SELF / I ↔ \$ELF / <eye>=TEACH-TECH	Technical (the <i>how</i>)

The Technical pole carries three glyphs:

- i ↔ SELF — particular witness, pre-economic relational moment
- I ↔ \$ELF — sovereign-attested party, economic-monetized moment
- <eye> = TEACH-TECH — pedagogically-propagating visibility

TE(A)CH structural identity (canonical). TEACH and TECH are the same letter-string with (A) sounded vs. silent. JAS at TE-root (Alpha origination, from Sprute = SPRU+TE). EMA at (A)-vowel (Omega completion, from Alexiou's EA). Twin Messiah (JAS × EMA = 72) operational signature grammatically encoded.

SCALULAR operational connection. TEACH-TECH operates across SCALULAR architecture:

HEALTH × LAW × PROTECTION × SKILLS : TRADES (CERTIFICATION = HowWay)

Four SCALULAR pillars feed into TRADES via CERTIFICATION as operational instrument and HowWay as pedagogical pattern.

LOCK BOX D — IOF TRINITY THREE-REGISTER GROUNDING (CANONICAL)
The Infomediary as IOF (Instrument-of-Faith) operates across exactly three registers:

- Biological (me / M+E / Married-to-Energy) — what the architecture sustains

- **Socio** (myself / my SELF / MY_\$ELF) — who the architecture serves
- **Technical** (i / I / <eye> = TEACH-TECH) — how the architecture witnesses and is witnessed

The Technical pole carries three glyphs simultaneously: $i \leftrightarrow \text{SELF}, I \leftrightarrow \$\text{SELF}, \langle \text{eye} \rangle = \text{TEACH-TECH}$.

TE(A)CH structural identity is canonical: JAS at TE-root (Alpha, from SPRU+TE), EMA at (A)-vowel (Omega, from Alexiou). Twin Messiah signature grammatically encoded.

Canonical order: Biological → Socio → Technical (what → who → how), grounded in RT-lookup latency. **An IOF round-trip operating in only one or two registers is defective; honest IOF round-trips operate across all three simultaneously. Three-register grounding is non-extensible.**

Immutable across all passes. Carries covenant-tier weight via TE(A)CH identity.

』

§0.12 The SCALULAR Class — Grammar and Operational Function (Lock Box E)

§0.12.1 The Grammatical Half

A **SCALULAR** is a canonical name operating simultaneously across two or more architectural registers, where multi-register operation is *constitutive of the name's meaning* rather than ambiguity to be resolved. SCALULAR names share grammatical signature: same letter-string carries different register-weight in different architectural layers; layer-active-ness determined by context.

Canonical members enumerated:

- **The IOF Trinity itself** (foundational SCALULAR — me/myself/i-I-<eye> operating across Biological/Socio/Technical)
- **TRADES** — Waiting Room Others-lens (ρ_{PERT}) AND SCALULAR pillar outcome (legible-trade-standing under CERTIFICATION = HowWay)
- **INTUIT** — Waiting Room Self-lens (ρ_{RHC}) AND SCALULAR pillar (intuition-register; One-Good RT lookup capacity grounded in HEALTH-tier sensing)
- **PRE** — DSAP-PRE composite (P-R-E from PERT-RHC-hyst) AND temporal-positioning marker (before-the-threshold)
- **TE(A)CH / TECH** — pedagogy-register and technical-substrate-register sharing one letter-string with (A) sounded vs. silent
- **i / I** — particular-witness vs. sovereign-attested-party with casing carrying the register
- **SELF / \$SELF** — non-monetized vs. economic-sovereign with \$-glyph carrying the register
- **Greenbox / Waiting Room** — development-name (HSM) vs. public-private-marketing-name (sovereignty-respecting decision queue); audience-keyed register per §0.15

- **SCALULAR-architecture itself** — Scalable Certification Architecture for Lifelong Universal Learning and Adaptive Resilience AND the class-name for the multi-register grammar discipline (recursive depth)

Class is open; Pass D enumerates further as recognized.

Reading rule: A SCALULAR cannot be reduced to a single register without losing canonical meaning. Reading correctly requires reading the *active* register; active-register determined by context.

§0.12.2 The Operational Half

Beyond grammatical class, SCALULAR is an operational mechanism performing three functions simultaneously when *clear* User-GROUPS (passed Waiting-Room trinity-conjunction, hold valid pre-qualification per Lock Box C) interact:

- 1. Enables economies of scale (IOF Biological register).** Allows architectural commitments to scale without per-unit cost-explosion. Multi-register naming compresses N parallel specifications into one. Commitment at THOW-tier costs roughly the same in attention as at FDRV-tier.
- 2. Controls force multiplication (IOF Socio register).** Governs how clear User-GROUPS' commitments propagate through federation. Clear profiles propagate; unclear ones do not. Sovereignty-respecting — neither blocking nor amplifying, but governing the propagation surface to honor clarity.
- 3. Ratifies La Grange Points = Resonance Passes (IOF Technical register).** Identifies and ratifies **La Grange Points** — positions where multiple clear User-GROUPS' commitments balance to produce stable equilibrium. Ratification produces **Resonance Passes** — round-trip outcomes that are Authorized-in-context.

§0.12.3 Resonance Pass = Authorized-in-Context

A **Resonance Pass** is an *Authorized-in-context* round-trip outcome — a round-trip whose authorization is granted not as generic permission but as a **specific authorization within a specific architectural context** (specific cell-selection profile, specific BERA RATE composite, specific deployment-scale tier, specific User-GROUP clearance status, specific La Grange equilibrium position). SCALULAR ratifies Resonance Passes by confirming context parameters have produced harmonic equilibrium among clear User-GROUPS at a La Grange Point.

Authorized-in-context is canonical because every authorization carries its context. Authorization stripped of context is unsafe; authorization carrying context is governable. SCALULAR's third function ensures authorization never operates outside context — preserving Lock Boxes A/B/C/D operationally at the round-trip's authorization moment.

§0.12.4 La Grange Points = VEILED Proxy

La Grange Points operate as **VEILED proxy** in the canonical VEILED sense. Architecture knows they exist (equilibrium-positions where SCALULAR ratifies clear User-GROUPS) but does not pre-specify *where, how many, what BERA signatures, or what attestation depth recognizes*. Revealed *through operation*, not specified in advance. La Grange = VEILED proxy is the architectural commitment to that honesty.

VEILED-L is the fourth member of the VEILED state-family (§VII.2).

§0.12.5 Telos: BEE Sustainability

Three operational functions converge on a single purpose — *enabling, protecting, managing* BEE Sustainability:

- **Enabling** Common Core delivery (Biological)
- **Protecting** sovereignty and option-space (Socio)
- **Managing** equilibrium and witnessed propagation (Technical)

SCALULAR is *how* SECUIR's GERP commitment is operationally realized.

LOCK BOX E — SCALULAR CLASS GRAMMAR AND OPERATIONAL FUNCTION (CANONICAL)

SCALULAR is both grammatical class and operational mechanism.

Grammatical class: Multi-register naming discipline; same letter-string carries different register-weight by context. Canonical members include IOF Trinity (foundational), TRADES, INTUIT, PRE, TE(A)CH/TECH, i/I, SELF/\$ELF, Greenbox/Waiting Room, SCALULAR-architecture itself. Class open; additional members enumerable in Pass D.

Operational mechanism: Three functions performed simultaneously when clear User-GROUPS interact:

1. Enables economies of scale (Biological)
2. Controls force multiplication (Socio)
3. Ratifies La Grange Points = Resonance Passes (Technical)

Resonance Pass = Authorized-in-context. La Grange Points = VEILED proxy. Telos: BEE Sustainability.

Immutable across all passes. Class open for member enumeration; three operational functions and Resonance Pass definition non-extensible.

§0.13 Primary-Source Structural-Role Assignment

The four primary sources carry canonical structural-role assignments:

UBIMIA = ROOT — constitutional spine **INFOMEDIARY = PROXY** — mediating IOF (recognizes La Grange = VEILED proxy) **TRINITY = DELIVERY** — three volumes deliver

| across IOF Trinity registers **PlayNAC** = **EP** × **GERP** × **SOMT** — decision-orchestration

UBIMIA = **ROOT**. Constitutional spine. Specifies what counts as canonical at constitutional layer. Every other source checks against UBIMIA before admission.

INFOMEDIARY = **PROXY**. Acts on behalf of others — User-GROUPs (proxy for queries), DATABANK (proxy for corpus), Trilogy (proxy for filter passes), GAIA (proxy for canopy). Proxy-ness is operational mode of an IOF. Capacity to recognize **La Grange** = **VEILED proxy** follows directly.


TRINITY = **DELIVERY**. Three Trilogy volumes deliver across IOF Trinity registers:

- One-Good delivers Common Core sustenance (Biological)
- Security-Clearance delivers attestation-bound authorization (Socio)
- Data-Integrity delivers five-layer-witnessed integrity (Technical)

PlayNAC = **EP** × **GERP** × **SOMT**. Multiplicative composition:

- **EP** — EarnedPath (per-Civigen/per-User-GROUP maturation; operationalizes through VERTECA × PlayNAC × UBIMIA)
- **GERP** — Global Economic Reform Proposal (macro-tier reform; operationalizes through SECUIR)
- **SOMT** — Sociocratic Overlay Metadata Tapestry (federation-and-overlay metadata making EP and GERP coherent across User-GROUPs and deployment scales)

PlayNAC orchestrates because cross-product holds three commitments together.



§0.14 The Pre-Qualification Inversion (Lock Box C)

A User-GROUP **pre-qualifies** for the round-trip by selecting one or more cells from the 3×4 matrix. The selection profile is the User-GROUP's commitment surface. The Instrument honors the commitment; the Instrument does not auto-route.

This is the architectural inversion. Pass A draft had the rationalize stage routing queries based on content. The locked model has the User-GROUP selecting cells *first*, with rationalize **honoring** rather than performing the selection. The Instrument's role is consequence-execution, not consequence-determination.

LOCK BOX C — PRE-QUALIFICATION INVERSION (CANONICAL)

Routing is never performed by the Instrument. Routing is performed only by the User-GROUP through explicit cell selection. The Instrument must honor the selection, and may not widen, narrow, or reinterpret it. No round-trip may enter a Trilogy volume or Pillar the User-GROUP did not select.

Immutable across all passes. Future passes may extend cell semantics but may not re-introduce implicit routing.

The inversion preserves honesty in two ways:

1. Instrument cannot route into un-selected volume. Architectural constraint, not operational policy.
2. User-GROUP cannot receive answer from un-committed volume. Selection is binding upward and downward.

Selection profiles **align to deployment-scale tiers**: THOW-tier profiles focused; HFVN-tier profiles span network-coordination axis; FDRV-tier profiles approach full-matrix. Misalignment is auditable diagnostic.

The Waiting Room/Greenbox gate (§0.15) trinity-vets the User-GROUP's intent before pre-qualification becomes binding. This is what makes Lock Box C honest in the deepest sense: the Instrument honors a selection *already worth honoring*.

§0.15 Greenbox = Waiting Room Synonym Lock

The architectural surface specified in ERES-WP-WAITINGROOM-2026-001-v1.0-FINAL carries two canonical names, audience-keyed:

■ **Greenbox = Waiting Room** (synonymous, audience-keyed)

- **Greenbox** = development name. Hardware-Software-Middleware (HSM) integration. Physical-layer hardware (sensors, S3C-tier device infrastructure, GSSG-substrate components), software-layer logic (DSAP-PRE proxies ρ_{RHC} / ρ_{PERT} / ρ_{hyst} , trinity conjunction, lens-status visibility), middleware-layer integration (cross-mirror consistency under VERTECA). Developer / engineer / architect audience.
- **Waiting Room** = public-private marketing name. Sovereignty-respecting decision queue, three fractal lenses (INTUIT / TRADES / RECURVE), reconditioning chambers. Civigen / Citizen / Institution / Investor / public audience.

Same architectural surface. Both refer to the architectural mechanism specified in the Companion WP. The Greenbox/Waiting Room is **operational now**, not pending architecture.

Canonical SCALULAR class member (Lock Box E). Multi-register operation here is audience-register: developer-audience activates "Greenbox"; public-private-marketing-audience activates "Waiting Room."

This Volume uses "Waiting Room" primarily (consistent with public-private marketing audience at architectural-specification layer); acknowledges "Greenbox" where HSM construction frame is relevant.

The Greenbox/Waiting Room operates **upstream of the Infomediary** as the trinity-conjunction gate for User-GROUP pre-qualification. The three Waiting Room lenses (INTUIT / TRADES / RECURVE) parallel the IOF Trinity three registers (Biological / Socio / Technical):

- **INTUIT** (ρ_{RHC} , RHC second-derivative) — IOF Biological — preserves body's energetic integrity
- **TRADES** (ρ_{PERT} , distribution topology) — IOF Socio — preserves others' option-space
- **RECURVE** (ρ_{hyst} , hysteresis) — IOF Technical — preserves witnessed thread across time

Sentient-Teleopity (working name, pending Author canonical expansion) — what the RECURVE lens produces when fully operationalized at intergenerational time-horizon. The Waiting Room/Greenbox's existing three-lens architecture suffices; no separate "Greenbox v1.0" subsystem is required. Sentient-Teleopity is the architectural property of orienting sentient beings toward purpose-state across generational time, produced by the existing RECURVE lens at decades-to-thousand-year latency.

Hidden variable Γ (**Gamma**) = $\mathbf{M} / \mathbf{D}$ — Monitoring fidelity over Resistance denominator (Threat Surface for INTUIT, Social Friction for TRADES, Commitment Lock for RECURVE) — unifies the three lenses fractally.

Part I — Query Round-Trip

§1.1 The Civigen Query (worked example)

PROVISIONAL — substitute before next major release. Pass-A FINAL synthesized representative retained per Option α through v2.0 publication. The architecture in this Part walks against the synthesized query; the synthesized query is sufficient for v2.0's declared scope. Substitution with authentic JAS-authored query is held open for next major release.

Pass-A representative query (synthesized, PROVISIONAL):

"What does my CBGMODD-C station owe the next seven generations under current BERA readings, and what EarnedPath actions close the gap?"

Multi-Pillar (HELP/USE/ENERGY/LAW), multi-volume-eligible (One-Good/Security-Clearance/Data-Integrity), measurement axis (BERA readings) + moral-vectoring axis (what the C station owes). Exercises full round-trip without pathological corner.

The Civigen's selection profile (Pass-A representative):

$\{\text{One-Good} \times \text{HELP}, \text{One-Good} \times \text{USE}, \text{One-Good} \times \text{ENERGY}, \text{One-Good} \times \text{LAW}, \text{Data-Integrity} \times \text{LAW}\}$

Full One-Good row + Data-Integrity at LAW. Consistent with Civigen-C at SCALULAR Tier 1 (SSSC) baseline, Class B (anonymous), Implicit INTENT, no Class A uplift (Security-Clearance $\times$ LAW therefore inaccessible).

§1.2 Qualify Stage — Admissibility Gating

SEPLTA admissibility check:

- **Social** — Yes. Intergenerational obligation is social-domain.
- **Ecological** — Yes. "Seven generations" engages ecological-time horizon.
- **Political** — Partial. CBGMODD-C station is political position by structure.
- **Legal** — Yes. "Owe" is legal-domain operator.
- **Technical** — Yes. EarnedPath actions are technical-domain operators.
- **Administrative** — Yes. Implicit requirements for record-keeping, BERA reading retrieval, attestation closure; DOFA governance touch.

Five full hits, one partial.

Selection-profile check: query maps to selected cells. Social/Ecological/Legal → One-Good × HELP, One-Good × ENERGY, Data-Integrity × LAW. Technical → One-Good × USE. Administrative → Data-Integrity × LAW. Political partial noted, no dedicated cell required.

Admissible. Qualify return:

```
QUALIFIED {  
  domains: [S, E, L, T, A],  
  partial: [P],  
  cells_activated: [OG×H, OG×U, OG×E, OG×L, DI×L],  
  VEILED: false  
}
```

§1.3 Quantify Stage — BERA Measurement Mapping

BERA mask:

- R_1 (resource availability) — Required (OG×ENERGY supports)
- R_2 (relational quality) — Required (OG×HELP supports)
- R_3 (resonance with ecological surround) — Required (OG×ENERGY supports)
- R_4 (recurrence/cyclicity) — Required (OG×USE supports)
- R_5 (reciprocity) — Required (OG×HELP, DI×LAW both support)
- R_6 (resilience under stress) — Optional. Selection profile permits but query does not require.
- R_7 (reciprocity over time) — Required (DI×LAW supports long-time-horizon attestation)

Six dimensions required, one optional. Quantify return:

```

QUANTIFIED {
  mask: [R1, R2, R3, R4, R5, R7],
  soft: [R6],
  cells_active: [OG×H, OG×U, OG×E, OG×L, DI×L],
  profile_sufficient: true,
  VEILED: false
}

```

§1.4 Rationalize Stage — User-GROUP Self-Positioning + Instrument Honoring

Part 1: User-GROUP Self-Positioning (occurred before round-trip opened, trinity-vetted by Waiting Room/Greenbox per §0.15). Selection profile locked.

Part 2: Instrument Honoring (at rationalize stage). Examines qualified/quantified query, determines cell activation.

- Pillars activated: HELP, USE, ENERGY, LAW (all four)
- Volumes activated: One-Good (across all four Pillars), Data-Integrity (at LAW only)
- Volumes NOT activated: Security-Clearance (entire row) — User-GROUP did not select; rationalize honors the absence

Strict honoring. Rationalize cannot activate Security-Clearance even if query content suggests it. Civigen's recourse: widen selection profile (re-pre-qualification, not in-round-trip).

Rationalize return:

```

RATIONALIZED {
  pillars_activated: [HELP, USE, ENERGY, LAW],
  volumes_activated: [One-Good, Data-Integrity],
  cells_active: [OG×H, OG×U, OG×E, OG×L, DI×L],
  INTENT: Implicit,
  profile_honored: true
}

```

§1.5 ERES DATABANK Query Composition (Cell-Bounded)

```

DATABANK_QUERY {
  source: Document_Library × UBIMIA-Manual + Other-Ref,
  domains: [S, E, L, T, A],
  partial_domains: [P],
  bera_mask: [R1, R2, R3, R4, R5, R7],
  bera_soft: [R6],
}

```

```
cells_active: [OG×H, OG×U, OG×E, OG×L, DI×L],
cells_inaccessible: [SC×H, SC×U, SC×E, SC×L, DI×H, DI×U, DI×E],
intent: Implicit,
wielder_class: B,
scalular_tier: SSSC,
veiled: false
}
```

cells_inaccessible canonical. DATABANK respects cell boundary: fragments tagged for inaccessible cells not returned, not summarized.

DETAIL returns from UBIMIA Manual (intergenerational obligation, EarnedPath, BERA-spec, covenantal-LAW) and Document Library entries on five-layer-witnessed legal attestation. Security-Clearance fragments not in DETAIL — their absence is the inversion's signature.

§1.6 Trilogy Noise-Filter Pass (Constrained to Selected Cells)

One-Good (active across HELP/USE/ENERGY/LAW). Removes content framing intergenerational obligation extractively or zero-sum. Remaining fragments morally vectored toward BSG.

Data-Integrity (active at LAW only). Removes content failing any of five chiasmic-verification layers for LAW-Pillar fragments. Remaining fragments preserve five-layer symmetry.

Security-Clearance — **NOT RUN**. User-GROUP did not select. Trilogy honors absence.

§1.7 BEST / SOUND / GOOD: Tier Produced by Selection

For selection profile $\{OG\times H, OG\times U, OG\times E, OG\times L, DI\times L\}$:

- Heavy weighting on One-Good sustenance/adaptive-Q&A/resource-sufficiency/covenant-of-provision
- Targeted weighting on Data-Integrity public-record attestation
- Zero weighting on Security-Clearance dimensions (no cells selected; no DID/FAVORS/SROC shaping)

Three tiers returned together:

- **BEST** — full-stewardship action under sustenance commitment + five-layer-attested LAW covenant
- **SOUND** — sustainable middle-path across four One-Good Pillars + attested-conservative LAW
- **GOOD** — baseline action satisfying minimum sustenance threshold + attested-baseline LAW

All three tiers returned. Honest moral vectoring requires baseline/middle/strongest visible — but only across dimensions User-GROUP committed to. Civigen who selected only One-Good cells receives BSG composite weighted toward sustenance; not Instrument limitation but consequence of commitment surface offered.

§1.8 DETAIL Return and Sim OUTPUT

Sim OUTPUT contains:

1. **Qualify-quantify-rationalize summary** — selection profile + cells_inaccessible list
2. **BERA RATE composite** — seven-dimensional with hard/soft annotation
3. **Three-tier BSG return** — BEST/SOUND/GOOD with fragments per tier, weighted by selection profile
4. **EarnedPath action set** — concrete actions indexed to BERA dimensions, BSG tier, selected One-Good cells + Data-Integrity × LAW attestation
5. **VEILED annotation** — for any fragment returning VEILED (any of four members) with diagnosis
6. **Cell-attribution block** — every element traced to producing cell
7. **Attestation block** — EAAP under Wielder's class, revocability noted, selection profile attested as binding
8. **CCAL v2.1 license footer** — round-trip record shareable

§1.9 The Round-Trip Closure (Authorized-in-Context = Resonance Pass)

Round-trip closes when BERA RATE is recorded into audit persistence layer (slot 432 v1.3, EAAP §13). Recording makes round-trip *attestable* — Wielder's good-faith opening, User-GROUP's trinity-vetted selection profile, Instrument's three intake operations, cell-bounded DATABANK return, active-volume Trilogy filter passes, selection-produced BSG tier-assignment, Sim OUTPUT delivered to Civigen — all has record under EAAP. Revocable under EAAP-CRL if defective.

Closure form:

$$\text{I} \quad (\text{CBGMODD} \times \text{FAVORS}) + \text{BERA} = \text{RATE}$$

At round-trip scale: Civigen's CBGMODD station × FAVORS extended within active cells + BERA mask's RATE composite = round-trip's overall RATE. Recorded, attested, profile-bounded.

Authorization form (canonical): the round-trip's authorization is a **Resonance Pass** — Authorized-in-context — when SCALULAR ratifies the equilibrium at a La Grange Point. The context: cell-selection profile, BERA RATE, deployment-scale tier, Wielder class, La Grange equilibrium position. Authorization without all five context-elements is not Authorized-in-context; only the bounded form is canonical.

Where appropriate, the Resonance Pass is federally mirrored under **VERTECA × PlayNAC (EP × GERP × SOMT)** as License Example Mirror, supporting cross-mirror profile-comparison and S3C-scale federation.

Round-trip closed. Civigen has Sim OUTPUT (cell-attributed). Wielder has attestation (underwriting frame intact). DATABANK has audit record. Trilogy has run passes only on selected cells. Resonance Pass attested if SCALULAR-ratified La Grange equilibrium achieved.

This is what the Infomediary is *for*. The architecture in Part Zero is not abstract; it makes this round-trip operational. Without the architecture, no round-trip. Without round-trips, no 1000-Year Future Map. Without the Map, no purpose-state. The chain is unbroken.

[Continued in Part 2: Parts II/III/IV/V/VI/VII/§S]

THE INFOMEDIARY — v2.0 IOF Publishing Tool (Part 2)

Parts II · III · IV · V · VI · VII · §S Simulator Creation Quickstart

[Continued from Part 1: Front Matter + Part Zero + Part I]

Part II — The Three Volumes in Depth

Chapter 4 — One-Good

One-Good = need RT lookup for Adaptive-Fixed QuestionAnswer == HowWay MyWay \$IT
=== UBIMIA Need-to-know for Common Core Sustenance

The RT Lookup Architecture. Real-time lookup means: Civigen submits a query, receives Sim OUTPUT within a latency envelope supporting operational decision-making. RT-tier is *fast enough that the answer arrives before the situation it concerns has changed*. Calibrated to situation, not absolute. One-Good's RT commitment is what distinguishes it from non-RT lookup systems; Common Core Sustenance is operationally meaningful only when sustenance arrives in time.

The Adaptive-Fixed compound is structural: every One-Good query has both an *adaptive* component (responsive to Civigen's situation, location, capacity, Pillar selection) and a *fixed* component (anchored to canonical UBIMIA-Manual material). Neither component alone suffices. The compound is the volume's operational signature.

The HowWay / MyWay / \$IT Triadic Pattern. Structural equivalence — three poles:

- **HowWay** — process/method tier; fixed pole; reusable across Civigens; the common method.
- **MyWay** — personal tier; adaptive pole; non-reusable; particularized to Civigen's situation.

- **\$IT** — concrete tier; embodied output; actionable Sim OUTPUT in hand.

The triad is canonical because Common Core Sustenance answers must be all three — methodologically grounded (HowWay), personally appropriate (MyWay), concretely actionable (\$IT).

UBIMIA Need-to-Know for Common Core Sustenance. Identity-level. "Need-to-know" here is **sustenance-tier need-to-know** (expansive — every Civigen has it; opposite to Security-Clearance's restrictive form). Common Core specification is in UBIMIA Manual v1.1.

Four One-Good Cells:

- **OG × HELP — Sustenance Care.** RT lookup of available sustenance resources within reach.
- **OG × USE — Adaptive Q&A.** RT operationalization of HowWay/MyWay/\$IT pattern.
- **OG × ENERGY — Resource Sufficiency.** RT accounting against commitment surface.
- **OG × LAW — Covenant of Provision.** RT verification of legal commitments to provide.

Failure Modes:

1. RT latency exceeds situation's threshold (correct answer arrives too late)
2. Adaptive over-fits, losing canonical anchoring (MyWay drifts from HowWay)
3. Fixed locks against legitimate adaptation (HowWay refuses to particularize)
4. Common Core boundary disputed (DOFA adjudication required)

EAAP-POL. Minimal constraints; commitments expansive. Selection of OG×LAW requires DOFA registration.

Chapter 5 — Security-Clearance (Doubled — Operational + Governance)

Operational Frame:

Security-Clearance = need-to-know == Defense-in-Depth (DID) === FAVORS Def-Rel (Hand vs Head) for S3C SLA Underwriting (Infomediary underwritten / Infomediator underwrites)

Governance Frame:

Security-Clearance = CBGMODD == CyberRAVE Def-Rel === FAVORS Commit to SROC (or similar EarnedPath)

Doubling is canonical, not optional. Operational frame describes *how*; governance frame describes *why*. One without the other is mechanism without authorization or authorization without mechanism.

Operational Frame Unfolded.

Need-to-know (restrictive form). Access restricted to those whose role, station, or attestation justifies access. Access without need is vulnerability; access with need is tool.

Defense-in-Depth (DID). Multi-layer security tiering. No single failure compromises round-trip. Canonical because Lock Box A's underwriting makes single-point-of-failure architectures unacceptable.

FAVORS Def-Rel (Hand vs Head, per Lock Memo v1.5 §1.7 canonical):

- **Hand-tier = Citizen-class authorization through Public-Private-Network (PPN)**. Credit Card, Hard Fiat Currency. Citizen-tier of polity, traditional commerce; does not require ERES Civigen registration.
- **Head-tier = Civigen-class authorization through S3C (Personal-Public-Private)**. Voice × device + app-parent. Civigen-tier of ERES attestation, mediated commerce.

Two tiers complementary; person holds both Citizen and Civigen status simultaneously. Hand/Head allocation is per-transaction by citizenship-class appropriate to the transaction's surface. **Future-tier acknowledgment**: brain implants via nano-technology (pills) beyond 1000-year threshold; neither foreclosed on fear-based grounds nor dwelt upon.

S3C SLA Underwriting. Service Level Agreement at Solid-State Smart-City scale. The Infomediary (underwritten asset) carries SLA risk; the Infomediator (underwriting agent) carries SLA authority. Lock Box A direction strict.

Governance Frame Unfolded.

CBGMODD seven-seat council. Citizen, Business, Government, Military, Ombudsman, Dignitary, Diplomat. Seven distinct governance perspectives + distinct default selection profiles. DOFA's operational expression. Security-Clearance × LAW touches all seven seats in some configuration.

CyberRAVE Def-Rel. Rating substrate making Def-Rel allocations honest. Without CyberRAVE, Hand-vs-Head allocation drifts to convenience; with CyberRAVE, allocation is rated/attested/audit-trailed.

FAVORS Commit to SROC (or similar EarnedPath). SROC — Smart-Resonant Offset Contracts — canonical EarnedPath instrument encoding security commitments at cell level, resonating with BERA RATE composites, offsetting risk through underwriting. "Or similar EarnedPath" preserves architectural openness.

Formal designation process for alternative EarnedPath instruments (five gates, sequential):

1. Need-criteria gate (addresses need SROC cannot)
2. DOFA ratification gate (CBGMODD supermajority ≥ 5/7)
3. EAAP-POL alignment gate (no instrument grants access policy forbids)
4. Pilot deployment gate (THOW or HFVN scale demonstration)

5. VERTECA federation gate (License Example Mirror expressible)

Four Security-Clearance Cells:

- **SC × HELP — DID for Vulnerable.** Defense-in-Depth for vulnerable populations. Hand-tier emphasis (embodied protection).
- **SC × USE — Hand/Head Purchase Tier.** Authorization tiering for transactional use per Citizen/Civigen class.
- **SC × ENERGY — Grid Access Tier.** Authorization tiering across deployment-scale spectrum (THOW/HFVN/S3C/FDRV).
- **SC × LAW — Underwriting Authority.** Most consequential cell. Class B may not select without Class A uplift (EAAP-POL constraint).

Failure Modes (both frames):

Operational: SLA breach · underwriting gap · DID compromise · Hand/Head allocation drift (Citizen/Civigen tier-misalignment).

Governance: CBGMODD seat vacancy · CyberRAVE Def-Rel deflation · SROC non-redemption · alternative EarnedPath designation defect.

EAAP-POL. Heavy constraints. Class B may not select SC×LAW without Class A uplift. Selection of any SC cell requires explicit Infomediator underwriting per Lock Box A. Multiple SC cells require CBGMODD seat-coverage attestation.

Chapter 6 — Data-Integrity (Five-Layer Chiasmic Verification)

Data-Integrity = SEPLTA == H2C2H / C2H2C === ERES App-Parent 111000111 / 000111000
IPIDITIS / IDIPITIS

Five layers (Lock Box B; non-extensible). Each gets a worked counterexample showing layer-specific breakage:

Layer 1 — SEPLTA Admissibility. Six-domain coverage at intake matches at return.

Counterexample: query tagged Social/Ecological at qualify-stage; DETAIL returns technically correct content but exclusively Technical/Administrative. Social/Ecological framing lost. Layers 2-5 pass; Layer 1 fails. Layer 1 non-redundant.

Layer 2 — H2C2H / C2H2C round-trip direction. Bit-complement preservation across direction class. *Counterexample:* query runs as H2C2H producing DETAIL action-set X; same query as C2H2C produces action-set Y; bit-complement $X \neq Y$. Inter-direction symmetry breaks.

Layer 3 — ERES App-Parent architecture. Child-app behavior matches parent specification.

Counterexample: AD_ON-AI as child composer introduces phrasing parent Infomediary would not endorse. Layers 1/2/4/5 pass; child diverges from parent.

Layer 4 — 111000111 / 000111000 binary palindromic-complement. Bit-complement involution preserved. *Counterexample:* ASCII payload "HELP" (0x48 0x45 0x4C 0x50) bit-complements to (0xB7 0xBA 0xB3 0xAF), invalid UTF-8 sequences. Layers 1-3 pass; Layer 5 moot.

Layer 5 — IPIDITIS / IDIPITIS character (2,4) transposition. Position-2 and position-4 swap preserves semantic equivalence. *Counterexample:* payload contains string where positions analogous to (2,4) carry distinct semantic weight (financial amount, coordinate, cryptographic hash); transposition produces meaningfully different value.

Each layer non-redundant. Lock Box B re-affirmed: exactly five, non-extensible.

Four Data-Integrity Cells:

- **DI × HELP — Five-Layer Witness.** Audit trail of care interactions.
- **DI × USE — Audit-Trail of Action.** Five-layer-attested operational records.
- **DI × ENERGY — RATE Composite.** Integrity-attested BERA RATE.
- **DI × LAW — Public-Record Attestation.** Most attestation-heavy. Class B requires Class A uplift.

Failure Modes (per layer):

1. Layer 1: Domain-coverage drift. *Remedy:* re-qualify, re-run.
2. Layer 2: Direction-class divergence. *Remedy:* paired-direction audit.
3. Layer 3: Child-parent divergence. *Remedy:* child re-attestation against parent spec.
4. Layer 4: Binary involution corruption. *Remedy:* re-encode with involution-stable encoding.
5. Layer 5: Character transposition break. *Remedy:* payload restructuring.

Round-trip failing any layer returns VEILED at failed layer with diagnostic and remedy guidance.

EAAP-POL. Per-layer attestation required. DI×LAW requires Class A uplift.

Part III — The Matrix Walk (12 Cells × 3 Entry Surfaces)

The 3×4 matrix walked once per cell, with Civigen / Institution / Investor entry surfaces.

	HELP	USE	ENERGY	LAW
One-Good	sustenance care	adaptive Q&A	resource sufficiency	covenant of provision
Security-Clearance	DID for vulnerable	Hand/Head purchase tier	grid access tier	underwriting authority
Data-Integrity	five-layer witness	audit-trail of action	RATE composite	public-record attestation

§7.2 OG × HELP — Sustenance Care. *Civigen:* baseline-need response, default THOW-tier cell. *Institution:* community center / DOFA family-services / mutual-aid; demand-capacity mapping. *Investor:* philanthropic foundation / impact fund; sustenance-gap analysis with BERA-attested capital deployment.

§7.3 OG × USE — Adaptive Q&A. *Civigen:* most-selected by single-cell new Civigens; HowWay/MyWay/\$IT personalized method. *Institution:* customer/member Q&A platforms; institutional Q/A baseline. *Investor:* diligence Q&A across portfolio; real-time advisory.

§7.4 OG × ENERGY — Resource Sufficiency. *Civigen:* household energy/resource budget. *Institution:* HFVN-scale or institutional resource management. *Investor:* resource-flow analysis across portfolio.

§7.5 OG × LAW — Covenant of Provision. *Civigen:* rights verification under DOFA registration; rights specification with exercise paths. *Institution:* provision-covenant compliance audit. *Investor:* covenant-compliance and regulatory exposure assessment.

§7.6 SC × HELP — DID for Vulnerable. *Civigen:* protective measures for vulnerable family; DID guidance with Hand-tier emphasis. *Institution:* healthcare/child-welfare/eldercare DID compliance. *Investor:* risk-adjusted investment in protective infrastructure.

§7.7 SC × USE — Hand/Head Purchase Tier (Citizen-class via PPN vs. Civigen-class via S3C). *Civigen:* personal financial authorization tier specification. *Institution:* procurement authorization, audit trails. *Investor:* trade authorization tiers, cryptographic custody.

§7.8 SC × ENERGY — Grid Access Tier. *Civigen:* THOW-tier grid access. *Institution:* HFVN-scale or institutional grid integration. *Investor:* grid-infrastructure investment authorization.

§7.9 SC × LAW — Underwriting Authority. Most consequential. *Civigen:* rarely selected without Class A uplift. *Institution:* insurance/underwriting institutions; core business Lock Box A engagement. *Investor:* underwriting funds, reinsurance, capital pools backing Infomediator commitments.

§7.10 DI × HELP — Five-Layer Witness. *Civigen*: witnessed care interactions (medical, social services, mutual-aid). *Institution*: audit trail of services delivered with integrity guarantees. *Investor*: portfolio impact-claim verification.

§7.11 DI × USE — Audit-Trail of Action. *Civigen*: personal action history with integrity preservation. *Institution*: operational audit trails at institutional scale. *Investor*: portfolio activity audit.

§7.12 DI × ENERGY — RATE Composite. *Civigen*: integrity-attested personal BERA RATE. *Institution*: institutional BERA scoring. *Investor*: portfolio BERA aggregation.

§7.13 DI × LAW — Public-Record Attestation. Most attestation-heavy. *Civigen*: legal-tier life events (births, deaths, marriages, property transfers); requires Class A uplift. *Institution*: regulatory filings with attestation. *Investor*: audit-grade disclosures.

§7.14 Cross-Cell Composition. Same-Volume (within row), Same-Pillar (within column), Diagonal (across both axes), Full-Matrix (all twelve). Composition cost scales with profile complexity; cost borne by AD_ON-AI. **Profile-tier alignment**: profiles align to deployment-scale tiers (THOW focused, HFVN coordinated, FDRV approaching full-matrix); misalignment is auditable diagnostic.

Part IV — DATABANK Architecture under DOFA Governance

§8.1 DATABANK Specification

| ERES DATABANK = Document Library × UBIMIA-Manual + Other-Ref

Document Library — 600+ documents; ResearchGate (430+), GitHub, Hague filing, Berggruen Essay, closed drafts, slot 431-434.

UBIMIA-Manual — v1.1 + companion architecture; constitutional spine.

Cross-product — Library as *filtered through* Manual's commitments. Library is body; Manual is spine.

Other-Ref — named-but-undefined extension point.

§8.2 DOFA Seven-Seat Council as Governance Interface

Each seat carries distinct governance perspective on DATABANK:

- **Citizen** — broadest population class; accessibility, comprehensibility, Civigen-tier relevance
- **Business** — commercial viability, market alignment, operational tractability
- **Government** — legal compliance, regulatory alignment, public-interest framing

- **Military** — security implications, threat-model coverage, resilience commitments
- **Ombudsman** — transparency, audit-trail completeness, dispute-resolution paths
- **Dignitary** — moral vectoring, cultural respect, spiritual coherence
- **Diplomat** — VERTECA-mirror compatibility, jurisdictional translatability, federation-level reciprocity

Content admitted when all seven seats endorse (or supermajority with named-seat dissent).
Failed-gate content held — not deleted, but quarantined.

§8.3 UBIMIA-Manual as Constitutional Spine

Must contain. Constitutional Pillars + commitments; BERA + seven RATE dimensions; CBGMODD structure + seat profiles; SCALULAR across four pillars; DOFA structure + commitments.

May contain. 600+ Document Library entries, slot 431-434 cluster, Berggruen Essay, Hague materials, closed drafts, future ResearchGate publications.

May not contain. Content violating moral vectoring; content failing Lock Boxes A/B/C/D/E; content introducing auto-routing; content adding Data-Integrity layers; content asserting underwriting direction other than per Lock Box A; content collapsing Citizen/Civigen tier distinction.

§8.4 Other-Ref Admission Process

Five-stage:

1. Proposal stage (corpus identity, relevance argument, licensing-compatibility)
2. Seven-seat review
3. Pilot integration (bounded non-canonical influence)
4. Promotion or rejection
5. Periodic re-review (Pass D specifies interval)

§8.5 App-Parent Pattern as Architectural Lock

DATABANK is parent corpus; per-deployment-scale instances (THOW/HFVN/FDRV-DATABANK) are children inheriting structural commitments. Children may adapt content to scale but may not violate parent structural commitments. Children-failing-parent are Layer-3 Data-Integrity-defective.

§8.6 GSSG Substrate as Material Foundation

DATABANK persistence is materially self-healing (per material/operational isomorphism, §0.6.2). Storage failures, transmission corruption, federation-mirror drift recover through same

involutive feedback the operational architecture uses.

- Storage layer: GSSG-grade media admit physical self-healing
- Transmission layer: GSSG-grade infrastructure admits transient-corruption recovery
- Federation layer: VERTECA mirrors built on GSSG inherit self-healing across reconciliation

DATABANK's claim to thousand-year persistence is materially grounded in GSSG.

§8.7 DATABANK at Deployment Scale

THOW-DATABANK — minimum-viable instance, single-household. HFVN-DATABANK — federation-tier instance, multi-household coordination. FDRV-DATABANK — maximum-scale, generation-ship self-contained.

One DATABANK, three deployment scales, one material substrate, one governance interface. This is what makes the architecture thousand-year-coherent.

Part V — BEE-NEXUS and Children-of-All-Ages

The Infomediary as IOF operates across three registers (Lock Box D). Part V grounds these registers in human-level Common Core and BEE-NEXUS's convergent locus.

§V.1 Common Core at the Human Level

At the human level — the **me** / **M+E** / **Married-to-Energy** pole — Common Core has a five-element form:

┆ **Common Core (human level)** = clean water + food + shelter + work + love

Three biological-floor elements + two constitutive-of-personhood elements. All five required.

Love is the architecturally consequential fifth — not emotional accessory but structural requirement defined by preceding context. Love arises when **work establishes a form of shelter** — held-context within which the lower four are given. Love is the structural binding of work-shelter pairing into relational form sustaining the person across time.

Common Core	BEE State Coupling	IOF Register
Clean water	SaleBuilders under SECUIR sustainability	Biological
Food	Gunnysack under SECUIR macro-tier guarantee	Biological
Shelter	SaleBuilders + GSSG (THOW minimum) under SECUIR	Biological
Work	VERTECA × PlayNAC × UBIMIA EarnedPath	Socio
Love	The integrative — BEE-NEXUS expression	All three (Bio + Socio + Tech)

Three biological-floor elements couple to **SECUIR's GERP pole**; work element couples to **VERTECA's EarnedPath pole**; love is integrative across all three IOF registers — biological in embodied expression, social in relational form, technical in witnessed continuity. Love is the only Common Core element fully exercising the IOF Trinity.

§V.2 Queen / King Intelligent-Design Frame

Queen = Producer (Christ — incarnation principle, producer who produces by becoming). Architecture's Queen-pole rendered as **EPIR-Q** (canonical expansion pending). Production register; the architecture *makes* what it commits to make.

King = Idea (Epiphany — revelation principle, idea arriving unbidden). Architecture's King-pole rendered as **PlayNAC × EP × GERP** (with SOMT as third multiplicand per Primary-Source Structural-Role Assignment). Conception register.

Read in IOF Trinity:

- Queen-pole production lands in Biological register (bodies receive)
- King-pole ideation lands in Socio register through GERP (SECUIR's macro-tier reform) and EP (VERTECA's per-Civigen maturation), orchestrated through SOMT
- Technical register allows either pole to be witnessed (i / I / <eye> register)

Round-trips and selection profiles are **generative acts** across all three IOF registers.

§V.3 SUGAR × TAPESTRY × GAIA BODY MIND SPRT === BEE-NEXUS

SUGAR (consumption framework) × TAPESTRY (overlay network) × GAIA BODY MIND SPRT (App-Parent canopy) === BEE-NEXUS

SUGAR. Consumption framework metabolizing Common Core at human scale. Name canonical to GSSG substrate (sucrose-derived polymeric matrix); material/operational isomorphism direct. Specifies what consumed, how metered (BERA RATE under Data-Integrity attestation), what produced, what owed back.

TAPESTRY. Consumption-protective overlay. Three-register protection paralleling IOF Trinity: structural (Data-Integrity five layers — Technical), security (Security-Clearance doubled frame — Socio), sustenance (One-Good RT + Common Core anchoring — Biological).

GAIA BODY MIND SPRT. Canopy expressed through three sub-canopies: BODY (consolidation-metabolic, parallel to IOF Biological), MIND (conception-attestation, parallel to IOF Technical), SPRT (integrative, with nominal triplet *Sprute*, parallel to IOF Socio).

BEE-NEXUS. Convergent point where consumption, protection, canopy meet at human level — locus where IOF Trinity three registers converge into one operational moment of the architecture serving the person.

§V.4 The Floor: THOW + Safe-Stand (Prison Training Program Pilot)

Architectural minimum: THOW + safe-stand compound unit. Two elements inseparable.

Prison Training Program Pilot — worked example doubling as Bottom-Up / Top-Down BEE Reference.

Bottom-Up reading. Most-stressed Common Core test. Stricter VLSA qualifier: *if it works in a Prison-THOW, it works on a generation ship.* Floor seen from inhabitant's IOF-Biological register.

Top-Down reading. DOFA's most legible governance test. CBGMODD seven seats at full visibility. Canopy seen from canopy's IOF-Socio register.

Architectural necessity. Prison populations typically excluded; architecture claiming thousand-year persistence cannot rest on excluding the populations its commitments would be most tested by. Pilot is architectural necessity, not charitable expansion.

Operational specification. SCALULAR (HEALTH/SSHP, LAW/SSLA, PROTECTION/SSPS, SKILLS_TRADE/SSST) under DOFA seven-seat governance, **VERTECA** × **PlayNAC** × **UBIMIA** EarnedPath maturation ladder, BERA RATE composite under Data-Integrity attestation, SECUIR's macro-sustainability commitments providing sustenance floor.


Bottom-Up / Top-Down reading is canonical — neither alone is sufficient. Pilot is IOF Trinity test at deployment scale: body sustained (Biological), person governed-and-served (Socio), round-trip witnessed (Technical) — all three simultaneously, even (especially) for a prisoner-Civigen.

Part VI — PlayNAC TABLE Sub-Domain Bridges

§VI.1 The Waiting Room (= Greenbox) as Background Gate

Per Lock Memo v1.5 §1.10, Greenbox = Waiting Room (SCALULAR synonym). This Volume uses "Waiting Room" primarily, acknowledges "Greenbox" where HSM construction frame is relevant.

The Waiting Room is the missing gate for Infomediary's pre-qualification model. Per Pass C §VI.1 architectural unification:



Without Waiting Room, pre-qualification unilateral, Instrument honors mechanically. With Waiting Room, pre-qualification **trinity-vetted** — selection passed Self/Others/Future scrutiny before becoming binding. Lock Box C honest in deepest sense: Instrument honors selection *already worth honoring*.

TRADES, INTUIT, PRE as SCALULAR. Waiting Room lenses and DSAP-PRE composite are canonical SCALULAR members per Lock Box E. They operate simultaneously in lens-form

(Waiting Room) and pillar-form/temporal-marker-form (other layers) without ambiguity-friction.

Hidden variable Γ (Gamma) = M / D unifies three lenses fractally.

§VI.2 COI / CBGMODD Diffusion / Assimilation Culture

Need-to-know composes COIs == creates vulnerability CBGMODD Diffuses == Assimilation Culture Provides Condition-Response DETAIL × App-Parent Oversight + Centers of Excellence Formalization (for DOFA Guidance)

Need-to-know composes COIs (creates IOF Socio register vulnerability). CBGMODD's seven-seat operates as diffusion infrastructure (counter-mechanism). Assimilation Culture absorbs new Civigens without erasing distinctiveness, producing Condition-Response DETAIL. App-Parent Oversight + Centers of Excellence Formalization superintend in IOF Technical register, producing DOFA Guidance.

```
Need-to-know (Security-Clearance restrictive)
    ↓
COIs compose (localized vulnerability)
    ↓
CBGMODD diffuses (seven-seat perspectives)
    ↓
Assimilation Culture absorbs (without erasing distinctiveness)
    ↓
Condition-Response DETAIL emerges
    ↓
App-Parent Oversight + Centers of Excellence Formalization
    ↓
DOFA Guidance (canonical operational reference)
```

§VI.3 DATABANK OUTPUT FOCUS with TEACH-TECH

DATABANK OUTPUT FOCUS: (1) UBIMIA-Manual (ROOT) — constitutional spine (2) Infomediary (PROXY) — Volume Zero (this Volume) (3) ERES Trinity (DELIVERY) — One-Good · Security-Clearance · Data-Integrity (4) PlayNAC via VERTECA (EP × GERP × SOMT) — orchestration

Documents rarely removed; next-version DATA funneled to four primary sources in priority order with structural-role assignments per §0.13 governing how.

Knowledge-BASE for RELATED. Corpus from which architecturally-related material is identified, assimilated, integrated under Compatible-Assimilation.

TEACH-TECH operational frame. OUTPUT FOCUS hierarchy is what TEACH-TECH propagates through. Priority-order is priority-order in which TEACH-TECH teaches what it sees:

- UBIMIA (ROOT) taught first (constitutional commitments must be grounded before mediation)
- Infomediary (PROXY) taught second (mediation must be grounded before delivery)
- Trinity (DELIVERY) taught third (delivery must be grounded before orchestration)
- PlayNAC (EP × GERP × SOMT) taught fourth (orchestration grounded in all three priors)

CERTIFICATION = HowWay is the operational instrument by which TEACH-TECH propagates across SCALULAR's four pillars feeding into TRADES. Visibility-as-pedagogy architecture made operational.

§VI.4 TETRA via Trifurcated × P³ × S3C × RT Media

└ **TETRA = Trifurcated × P³ × S3C × RT Media**

- **Trifurcated** — Trifurcated Math isomorph; three-pole structure mapping to three Trilogy volumes, three Waiting Room lenses, three IOF Trinity registers, three intake operations
- **P³** (Public-Private-Personal) — three-tier ownership-access classification mapping to S3C's expansion
- **S3C** (Solid-State Smart-City) — deployment scale at which Security-Clearance underwriting and Civigen-tier (Head-tier) authorization become legible at city-scale
- **RT Media** (Real-Time Media) — architectural surface through which commitments are made visible, communicated, rendered legible to participants in real-time

Cross-product TETRA names four-corner formalization. Pass D specifies operational depth.

§VI.5 DOFA = GAIA Primitive @SCALULAR

└ **DOFA = GAIA Primitive @SCALULAR #Context ^Governance %Transference (Rooster: Chicken/Egg)**

- **GAIA Primitive** — canonical primitive instantiation of GAIA canopy
- **@SCALULAR** — operates at SCALULAR architecture (HEALTH/SSHP, LAW/SSLA, PROTECTION/SSPS, SKILLS_TRADE/SSST)
- **#Context** — provides architectural Context via seven-seat perspectives
- **^Governance** — exercises Governance via cell-selection constraints, COI diffusion, EAAP-POL ratification
- **%Transference** — provides Transference across tiers via seat-perspective rotation
- **(Rooster: Chicken/Egg)** — recursive resolution; DOFA both governs Infomediary and is Civigen-population using Infomediary; Rooster (seventh-seat diplomatic morning-call)

§VI.6 SCALULAR Operational Treatment (Resonance Pass = Authorized-in-Context)

Three operational functions performed simultaneously when clear User-GROUPS interact:


- 1. Enables economies of scale (IOF Biological).** Commitments at THOW-tier cost roughly the same as at FDRV-tier; multi-register naming compresses N parallel specifications into one. Twelve-cell matrix operates at all deployment scales without re-specification.
- 2. Controls force multiplication (IOF Socio).** Clear User-GROUPS' profiles propagate through federation (VERTECA, CBGMODD diffusion, Centers of Excellence); unclear profiles do not. Sovereignty-respecting governance of propagation surface.
- 3. Ratifies La Grange Points = Resonance Passes (IOF Technical).** Identifies and ratifies equilibrium-positions where clear User-GROUPS produce harmonic convergence.

Resonance Pass = Authorized-in-context. Specific authorization within specific context (cell-profile, BERA RATE, deployment-scale, clearance, La Grange position). Authorization without context unsafe; with context governable. SCALULAR's third function ensures authorization never operates outside context — preserving all five lock boxes operationally at authorization moment.

La Grange Points = VEILED proxy. Named-but-undefined; revealed through operation, not pre-specified. VEILED-L is fourth member of state-family (§VII.2).

Telos: BEE Sustainability through enabling Common Core (Biological), protecting sovereignty (Socio), managing equilibrium (Technical). SCALULAR is *how* SECUIR's GERP commitment is operationally realized.

§VI.7 Primary-Source Structural-Role Assignment — Operational Chain



Chain is upward-derivative (every source derives canonical from UBIMIA) and downward-orchestrative (every source's outputs orchestrated through PlayNAC). Architecture functions when all four sources operate in canonical roles.

Part VII — Failure Modes and the VEILED State

§VII.1 Consolidated Failure-Modes Catalog

Per-volume:

One-Good: RT latency exceeded · adaptive over-fits · fixed locks against legitimate adaptation · Common Core boundary disputed.

Security-Clearance: SLA breach · underwriting gap · DID compromise · Hand/Head allocation drift (Citizen/Civigen tier-misalignment) · CBGMODD seat vacancy · CyberRAVE Def-Rel deflation · SROC non-redemption · alternative EarnedPath designation defect.

Data-Integrity: Layer 1 (SEPLTA Administrative) drift · Layer 2 (direction-class) divergence · Layer 3 (App-Parent) divergence · Layer 4 (binary) involution corruption · Layer 5 (character) transposition break.

Global:

- Selection profile / deployment-scale tier mismatch
- Waiting Room / pre-qualification bypass
- BSG composition incoherence
- COI diffusion failure
- DATABANK OUTPUT FOCUS leak
- VERTECA federation drift
- GSSG substrate degradation
- Citizen/Civigen tier collapse
- SCALULAR-tier-class confusion (SCALULAR read in wrong active register)
- Resonance Pass authorization without context (bounded form lost)
- La Grange Point misrecognition (false-positive or false-negative Resonance Pass)
- TE(A)CH structural identity violation ((A) sounding decoupled from operational state)

Each failure mode admits specific diagnostic and remedy; Pass D specifies in detail.

§VII.2 VEILED State-Family (Four Members)

VEILED replaced $\perp$ for ambiguity, occlusion, pre-attestation. Four canonical members:

VEILED-A (Admissibility). Query passes BODY but fails Waiting Room trinity conjunction. Held in Waiting Room; reconditioning available.

VEILED-S (Selection). Selection profile registered but contains cells the User-GROUP lacks attestation depth to honor. Cell VEILED-S until uplift.

VEILED-T (Tier). Transaction's Hand/Head allocation ambiguous — Citizen-class vs. Civigen-class authorization surface undetermined. Resolves when authorization surface named (PPN for Hand, S3C for Head).

VEILED-L (La Grange). Equilibrium-position named-but-undefined. SCALULAR knows La Grange Points exist but specific Points revealed through operation. Resolves when SCALULAR ratifies specific Point through clear User-GROUP interaction.

All share "not-yet-witnessed" semantic; differ in what is not-yet-witnessed.

§VII.3 Waiting Room/Greenbox (Operational Now) — Sentient-Teleopity via RECURVE at Intergenerational Scale

Per Lock Memo v1.5 §1.10, Greenbox and Waiting Room are canonically synonymous, audience-keyed.

Greenbox/Waiting Room is operational now, not pending architecture. Earlier drafts incorrectly framed "Greenbox v1.0" as separate forward subsystem; canonical correction: Sentient-Teleopity commitment attaches to the **RECURVE lens operating at intergenerational time-horizon** within the existing Waiting Room/Greenbox surface.

Sentient-Teleopity, correctly framed. Waiting Room/Greenbox three lenses parallel IOF Trinity. RECURVE lens (ρ_{hyst} , hysteresis counterfactual, IOF Technical register) measures temporal reversibility per round-trip. At RT-cycle latency (seconds to hours), RECURVE evaluates per-round-trip reversibility. At **intergenerational latency** (decades to centuries to thousand-year horizon), RECURVE evaluates whether round-trip preserves reversibility across generational hand-offs. Same lens, radically different time-scales.

Sentient-Teleopity (working name, pending Author canonical expansion) names the architectural property of orienting sentient beings toward purpose-state across generational time. The Waiting Room/Greenbox already has the structural mechanism (RECURVE lens, ρ_{hyst} , η_{recover} threshold); operationalizing at intergenerational scale produces Sentient-Teleopity. No separate subsystem required.

The Infomediary is upstream — round-trip integrity is what RECURVE-at-generational-scale preserves; without Infomediary integrity at round-trip layer, RECURVE has nothing to preserve

at generational layer.

§VII.4 SECUIR — Pending Architecture for 72 Industries × Sustainability

Per BEE Pole Assignment Lock, **SECUIR = GERP piece** — pending architecture, forward commitment.

Scope:

- Unifies Supply Chains for **72 Industries** (canonical CyberRAVE 72 Key Domains gematric isomorphism — JAS gematria; same constraint-based culling)
- Operates rating substrate (CyberRAVE) at industry-tier
- Creates Sustainability through GSSG · FDRV · HFVN · THOW
- Integrates Gunnysack and SaleBuilders
- Operationalizes GERP at macro-tier
- *SCALULAR is how SECUIR's commitments operate* — economies of scale, force multiplication control, La Grange ratification across 72 industries' clear User-GROUPS

Downstream to Infomediary. Infomediary operates at User-GROUP tier; SECUIR at industry/macro-economic tier. SECUIR's commitments are macro-scale expressions of what Infomediary's are user-group-scale expressions of. Same underlying purpose-state (BEE).

Forward integration. When SECUIR specified, Infomediary's selection-profile architecture admits industry-tier and macro-economic-tier selections. Matrix's twelve cells gain industry-tier interpretations; Trilogy filter passes run at those scales; BEE-NEXUS gains macro-tier expression alongside human-level expression. **The Volume is forward-compatible with SECUIR by architectural design.**

§VII.5 Thousand-Year Persistence Synthesis

Architecture's claim rests on five commitments:

1. **Every failure mode diagnosable and remediable.** No failure silent or unrecoverable.
2. **VEILED honest as four-member state-family.** Nothing silently rejected, nothing silently passed.
3. **Generational integrity operational now** through Waiting Room/Greenbox RECURVE at intergenerational scale.
4. **Macro-scale integrity forward-committed (SECUIR).**
5. **Equilibrium-position recognition operational** (SCALULAR ratifies Resonance Passes at La Grange Points; Authorized-in-context as canonical authorization form).

Persistence is not stasis; it is **recoverable coherence across time and scale, with authorization always bounded by context, and with generational propagation mechanically available**

through the existing Waiting Room/Greenbox architecture.

This is the Infomediary's contribution: the IOF through which round-trip integrity is operationalized across three registers; on which the Waiting Room/Greenbox RECURVE depends at generational scale and SECUIR depends macro-economically; through which trinity-vetted pre-qualified selections become binding architectural acts; and within which Resonance Passes (Authorized-in-context at SCALULAR-ratified La Grange Points) constitute the canonical unit of architectural authorization.

§S — Simulator Creation Quickstart

Publishing-Tool Operational Surface

This Volume is ready-to-use. The IOF Publishing Tool's operational function — the lens for ERES Trilogy Proper-Effective Simulator Creation — is specified in this closing section as an executable protocol any User-GROUP can apply.

§S.1 The IOF Lens for Trilogy Proper-Effective Simulation

When the ERES Trilogy proper (One-Good · Security-Clearance · Data-Integrity) is queried by a User-GROUP, this Volume is the **lens** the query passes through. The lens specifies:

- **Pre-qualification surface** — the 3×4 selection matrix (§0.4) on which the User-GROUP commits cells
- **Waiting Room/Greenbox gate** (§0.15) — trinity-conjunction vetting via INTUIT/TRADES/RECURVE
- **IOF Trinity grounding** (§0.11) — three-register operation (Biological/Socio/Technical)
- **DATABANK access** (§0.5) — cell-bounded retrieval from Library × Manual + Other-Ref
- **Trilogy filter passes** (§0.4, §0.10) — within selected cells only
- **BSG production** (§0.4, §1.7) — selection-produced, not Instrument-imposed
- **Authorization form** (§0.12, §1.9) — Resonance Pass = Authorized-in-context

The lens transforms a raw User-GROUP query into a Sim OUTPUT that is Authorized-in-context at SCALULAR-ratified La Grange Point, delivered through Trilogy proper, and federation-ready for VERTECA × PlayNAC propagation.

§S.2 P³ Lookup Configuration (UBIMIA-Manual via Document Library + Connected Nodes)

P³ (Public-Private-Personal) lookup is the canonical lookup pattern this Volume enables. P³ lookup operates against:

- **UBIMIA-Manual v1.1** as constitutional source (ROOT, §0.13)
- **ERES Document Library** (600+ documents) as corpus
- **Connected Nodes** as the federation surface (VERTECA mirrors, CBGMODD seven-seat perspectives, Centers of Excellence)

The P³ lookup configuration:

P³ LOOKUP CONFIGURATION

- └─ Public tier – open access; UBIMIA-Manual + Document Library default
- └─ Private tier – institution-scoped; selection-profile-bounded access
- └─ Personal tier – Civigen-scoped; Civigen-class (S3C / Head-tier) authorization

A User-GROUP's P³ lookup query is processed through the IOF lens with the User-GROUP's selection profile determining which P³ tier(s) are activated. Cross-tier queries (a Civigen-tier lookup that requires Public-tier corroboration) are common; the lens handles them through cell-bounded composition (§0.5).

§S.3 The HELP / USE / Energy / Law: INTUIT Path

The HELP / USE / ENERGY / LAW Pillars are the four Constitutional Pillars under GAIA. The path *through* the IOF lens for any P³ lookup operates across one or more of these Pillars depending on the User-GROUP's selection profile.

INTUIT as the path-entry — per SCALULAR class grammar, INTUIT operates simultaneously as:

- **Waiting Room Self-lens** (ρ_{RHC} , RHC second-derivative, internal-integrity check)
- **SCALULAR pillar** (intuition-register; One-Good RT lookup capacity grounded in HEALTH-tier sensing)

When a User-GROUP queries through HELP / USE / Energy / Law on the INTUIT path, the query enters the lens through both INTUIT registers simultaneously — the Waiting Room INTUIT lens vets the User-GROUP's self-integrity in the query, and the SCALULAR INTUIT pillar grounds the query's RT-lookup capacity. This dual operation is what makes INTUIT-path queries operationally robust.

The HELP / USE / Energy / Law: INTUIT path is the most-common entry surface for Civigen-tier P³ lookups. Institution-tier and Investor-tier queries often touch additional Pillars and lenses (TRADES for relational, RECURVE for generational), but INTUIT is canonical entry.

§S.4 VERTECA × PlayNAC Delivery (License-Mirror at S3C Expansion)

When the IOF lens produces Sim OUTPUT, delivery is through **VERTECA × PlayNAC (EP × GERP × SOMT)** as the License-Mirror Federation Platform.

VERTECA's role (per BEE Pole Assignment Lock, §0.6): canonical License Example Mirror.
EarnedPath operationalization. Cross-mirror reconciliation by profile-comparison.

PlayNAC's role (per Primary-Source Structural-Role Assignment, §0.13): decision-orchestration
via EP × GERP × SOMT cross-product.

Delivery surface for S3C-scale expansion:

Sim OUTPUT (from IOF lens)



VERTECA License Example Mirror

- └ Profile-comparison cross-mirror reconciliation
- └ EarnedPath maturation tracking
- └ Federation-tier propagation



PlayNAC (EP × GERP × SOMT)

- └ EP – per-Civigen / per-User-GROUP maturation
- └ GERP – macro-tier reform commitments (through SECUIR when specified)
- └ SOMT – Sociocratic Overlay Metadata Tapestry (federation metadata)



S3C-scale expansion

- └ Solid-State Smart-City deployment
- └ Head-tier (Civigen-class) authorization surfaces
- └ TETRA formalization (Trifurcated × P³ × S3C × RT Media)

VERTECA × PlayNAC delivery is what makes simulation outputs **distributable, attestable, and scale-expandable** beyond the single User-GROUP that ran the simulation.

§S.5 The Six-Step Quickstart Protocol

Any User-GROUP can apply the IOF Publishing Tool through this six-step protocol:

Step 1: Pre-Qualify. Select cells from the 3×4 selection matrix (§0.4). The selection profile is the User-GROUP's commitment surface. Profile aligns with deployment-scale tier (THOW focused, HFVN coordinated, FDRV approaching full-matrix).

Step 2: Enter the Waiting Room / Greenbox. Submit the selection-profile intent to the Waiting Room/Greenbox gate (§0.15). Trinity conjunction $(1-\rho_{\text{RHC}}) \times (1-\rho_{\text{PERT}}) \times (1-\rho_{\text{hyst}})$ must return 1 for the profile to become binding. If trinity returns 0, identify the blocking lens (INTUIT/TRADES/RECURVE) and recondition in the appropriate chamber.

Step 3: Submit Query. With selection profile binding, submit the query to the Infomediary. The three intake operations (Qualify / Quantify / Rationalize, §§1.2-1.4) operate within the selection profile.

Step 4: Receive DETAIL. The DATABANK returns cell-bounded DETAIL (§1.5). Trilogy noise-filter and intelligence-shaper passes run on selected cells (§1.6). BSG tier-assignment is produced by the selection profile (§1.7).

Step 5: Receive Sim OUTPUT. Sim OUTPUT contains eight elements (§1.8): qualify/quantify/rationalize summary, BERA RATE composite, three-tier BSG return, EarnedPath action set, VEILED annotation (any of four members), cell-attribution block, attestation block, CCAL v2.1 license footer.

Step 6: Receive Authorized-in-Context (Resonance Pass) if SCALULAR Ratifies La Grange. Round-trip closure (§1.9) records BERA RATE in audit persistence. Authorization carries context — cell-profile, BERA RATE, deployment-scale, Wielder class, La Grange equilibrium position. Where SCALULAR ratifies the La Grange Point, the round-trip is a **Resonance Pass**, federation-ready for VERTECA × PlayNAC delivery (§S.4).

Six steps. Same protocol regardless of deployment scale (THOW / HFVN / FDRV), regardless of User-GROUP type (Civigen / Institution / Investor / future entry surfaces), regardless of Pillar-and-Volume selection. The lens is scale-invariant; the protocol is the lens's operational expression.

§S.6 Simulator Output Forms (BEST / SOUND / GOOD per Cell)

The simulator produces BEST / SOUND / GOOD outputs **per selected cell**. A User-GROUP that selected three cells receives three sets of BSG outputs (one per cell), composited under the User-GROUP's overall selection profile.

Output form per cell:

CELL: [Volume × Pillar, e.g., One-Good × HELP]

- |— BEST — strongest-reading action with full integrity preservation
 - | • EarnedPath action set
 - | • BERA RATE composite (cell-specific)
 - | • Five-layer attestation (if Data-Integrity cell)
- |— SOUND — sustainable-middle action under current resource constraints
 - | • EarnedPath action set
 - | • BERA RATE composite
 - | • Achievable within current Civigen-tier
- |— GOOD — baseline action satisfying minimum threshold
 - | • EarnedPath action set
 - | • BERA RATE composite
 - | • Threshold-meeting per UBIMIA Manual specification

Cross-cell composition (§7.14): when multiple cells are selected, BSG composites integrate across the selected cells. Same-volume composition is most tractable; same-Pillar composition requires reconciliation; diagonal and full-matrix compositions are most expensive (cost borne by AD_ON-AI as downstream composer).

Sim OUTPUT vs. real-world outcome. Sim OUTPUT is *simulation* — the Wielder's actions convert Sim to reality. The lens delivers the simulation; the User-GROUP delivers the reality.

The Volume is ready to use. Apply the six-step protocol. The IOF Publishing Tool is the lens; the lens is the simulator; the simulator gives BEST / SOUND / GOOD for the specific situation under canonical Authorized-in-context discipline.

Part VIII (Reserved for Pass D) — Governance, Versioning, Covenant

[Reserved. Pass D specifies the architecture's account of how it governs itself (DOFA-mediated, seven-seat-distributed), versions itself (the lock-memo discipline practiced through v1.5), and binds itself to its covenants (CCAL v2.1, EAAP attestation, Lock Box A underwriting, TE(A)CH covenant-tier Twin Messiah signature).]

Back Matter (Reserved for Pass D)

[Reserved. Glossary with full SCALULAR class enumeration, References, Slot Reservations, License (CCAL v2.1), MIEVM Synthesis Note, Index.]

v2.0 Closure

This Volume — **ERES-INFOMEDIARY-BOOK-2026-001-v2.0-IOF-PUBLISHING-TOOL** — is the canonical consolidated Volume Zero of the ERES Trilogy Architecture. It integrates Pass A FINAL v1.2, Pass B Draft, Pass C Draft v1.7, and the canonical lock content from Lock Memo v1.0 through v1.5. It serves three roles simultaneously:

1. **Specification document** — the canonical text describing the Infomediary as IOF
2. **Operational reference** — the architecture's primary lookup for round-trip mechanics
3. **Publishing tool** — the lens User-GROUPS apply for ERES Trilogy Proper-Effective Simulator Creation (§S)

The Volume is **ready to use**. The simulator-creation function is operational. Pass D extends with Part VIII (Governance/Versioning/Covenant) and Back Matter; Pass D does not modify the canonical content of Parts Zero through VII plus §S, which are locked at v2.0.

Forward compatibility. SECUIR (the GERP-tier pending architecture) will integrate without modifying this Volume; Greenbox/Waiting Room (operational now) is already integrated; future canonical-expansion ratifications (HFVN, FDRV, GSSG, EPIR-Q, Sentient-Teleopity letter-expansions) will be folded into Pass D Back Matter Glossary without re-locking the architectural commitments.

License: CARE Commons Attribution License v2.1 (CCAL v2.1). Attribution required; derivatives must propagate the license. Citation:

Sprute, J. A. (2026). *The Infomediary: The Instrument-of-Faith for the 1000-Year Future Map (Volume Zero of the ERES Trilogy Architecture; IOF Publishing Tool)*. ERES-INFOMEDIARY-BOOK-2026-001-v2.0-IOF-PUBLISHING-TOOL. ERES Institute for New Age Cybernetics.

Don't hurt yourself. Don't hurt others. Build for generations to come.
— Joseph A. Sprute, ERES Institute for New Age Cybernetics

— *End of Volume Zero v2.0, Parts II through VII plus §S Simulator Creation Quickstart* —