ERGA Assembly Report

v24.10.15

Tags: ERGA-BGE

TxID	446453	
ToLID	inOsmFulv5	
Species	Osmylus fulvicephalus	
Class	Insecta	
Order	Neuroptera	

Genome Traits	Expected	Observed
Haploid size (bp)	625,527,197	674,762,019
Haploid Number	8 (source: ancestor)	11
Ploidy	2 (source: ancestor)	2
Sample Sex	unknown	unknown

EBP metrics summary and curation notes

Obtained EBP quality metric for pri: 7.7.Q68

The following metrics were automatically flagged as below EBP recommended standards or different from expected:

. Observed Haploid Number is different from Expected

Curator notes


- . Interventions/Gb: 5
- . Contamination notes: "No contaminations were detected with FCS-GX."
- . Other observations: "PacBio reads were subsampled to 60%. Reads were assembled with hifiasm (yield: 488M, N50: 49.1Mb, 176 contigs). FCS-GX detected no contaminations. Purge_dups was run on the contigs but only the the dups.bed file was used in the manual curation step, as it removed to much sequence and telomere motifs. Due to the low HiC quality (2.8M cis-read pairs >40Kb) the scaffolding was manually done in the first manual curation round. In this step the information from tiara, mitohifi, blobtools and purge_dups was used and 110 contigs (15M) were removed. SUPER_9 and SUPER_11 have a very low coverage profile roughly half coverage. A synteny analysis with GCA_958496175 and GCA_958496155 suggests that SUPER_9 could be the X chromosome."

Quality metrics table

Metrics	Pre-curation pri	Curated pri
Total bp	666,151,682	674,762,019
GC %	36.31	36.29
Gaps/Gbp	90.07	48.91
Total gap bp	12,000	6,600
Scaffolds	123	27
Scaffold N50	104,575,600	79,514,024
Scaffold L50	3	4
Scaffold L90	16	8
Contigs	183	60
Contig N50	22,977,000	51,542,635
Contig L50	8	5
Contig L90	43	16
QV	70.6914	68.5933
Kmer compl.	90.8782	90.828
BUSCO sing.	93.3%	94.4%
BUSCO dupl.	1.6%	0.4%
BUSCO frag.	1.4%	1.4%
BUSCO miss.	3.7%	3.8%


BUSCO: 5.8.3 (euk_genome_min, miniprot) / Lineage: endopterygota_odb12 (genomes:76, BUSCOs:3754)

HiC contact map of curated assembly




pri [LINK]

K-mer spectra of curated assembly




Distribution of k-mer counts coloured by their presence in reads/assemblies



Distribution of k-mer counts per copy numbers found in asm

Post-curation contamination screening



pri. Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.

Data profile

Data	HiFi	HiC
Coverage	164x	49x

Assembly pipeline

- Hifiasm

|_ ver: 0.25.0-r726 |_ key param: 13

- purge_dups

|_ ver: 1.2.6 |_ key param: NA

Curation pipeline

- GRIT_Rapid

|_ ver: 1a3d79a8 |_ key param: NA

- HiGlass

|_ ver: 0.10.4 |_ key param: NA

Submitter: Martin Pippel Affiliation: SciLifeLab

Date and time: 2025-10-27 09:32:28 CET