ERGA Assembly Report

v24.09.10

Tags: ERGA-BGE

TxID	55448	
ToLID	laCymNodo2	
Species	Cymodocea nodosa	
Class	Magnoliopsida	
Order	Alismatales	

Genome Traits	Expected	Observed
Haploid size (bp)	187,263,864	359,870,213
Haploid Number	7 (source: direct)	18
Ploidy	4 (source: direct)	2
Sample Sex	Unknown	Unknown

EBP metrics summary and curation notes

Obtained EBP quality metric for collapsed: 6.7.Q52

The following metrics were automatically flagged as below EBP recommended standards or different from expected:

- . Observed Haploid size (bp) has >20% difference with Expected
- . Observed Haploid Number is different from Expected
- . Observed Ploidy is different from Expected

Curator notes


- . Interventions/Gb: 71
- . Contamination notes: "A low number of bacterial contigs were removed post-assembly
- . Other observations: "Several low-contacts regions were detected and identified as heterozygous insertions so we decided to leave them in the assembly " $\,$

Quality metrics table

Metrics	Pre-curation collapsed	Curated collapsed
Total bp	360,243,928	359,870,213
GC %	33.22	33.22
Gaps/Gbp	113.81	125.05
Total gap bp	4,100	6,300
Scaffolds	31	31
Scaffold N50	20,283,553	24,187,662
Scaffold L50	7	7
Scaffold L90	15	15
Contigs	72	76
Contig N50	9,103,177	9,133,353
Contig L50	14	13
Contig L90	34	34
QV	52.5339	52.5328
Kmer compl.	92.1191	92.0914
BUSCO sing.	95.3%	95.7%
BUSCO dupl.	3.9%	3.5%
BUSCO frag.	0.0%	0.0%
BUSCO miss.	0.8%	0.8%


BUSCO 5.4.3 Lineage: eukaryota_odb10 (genomes:70, BUSCOs:255)

HiC contact map of curated assembly




collapsed [LINK]

K-mer spectra of curated assembly




Distribution of k-mer counts per copy numbers found in asm




Distribution of k-mer counts coloured by their presence in reads/assemblies

Post-curation contamination screening



TAPAs summary Graph



collapsed. Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.

Data profile

Data	PACBIO Hifi	Arima (4-enz)
Coverage	40	100

Assembly pipeline

|_ ver: 1.2 |_ key param: NA

Curation pipeline

- PretextMap

|_ ver: 0.1.9 |_ key param: NA

- PretextView

|_ ver: 0.2.5 |_ key param: NA

Submitter: Benjamin Istace Affiliation: Genoscope

Date and time: 2024-09-17 08:41:01 CEST