

ERGA Assembly Report

v24.10.15

Tags: ERGA-Community

TxID	7815
ToLID	sPriGla3
Species	Prionace glauca
Class	Chondrichthyes
Order	Carcharhiniformes

Genome Traits	Expected	Observed
Haploid size (bp)	2,919,125,716	3,353,127,091
Haploid Number	43 (source: direct)	39
Ploidy	2 (source: ancestor)	2
Sample Sex	NA	NA

EBP metrics summary and curation notes

Obtained EBP quality metric for Hap1: 6.8.Q64

Obtained EBP quality metric for Hap2: 6.8.Q64

The following metrics were automatically flagged as below EBP recommended standards or different from expected:

- . Observed Haploid Number is different from Expected
- . Kmer completeness value is less than 90 for Hap1
- . Kmer completeness value is less than 90 for Hap2
- . Not 90% of assembly in chromosomes for Hap1

Curator notes


- . Interventions/Gb: None
- . Contamination notes: "FCS-GX reported two prok:b-proteobacteria in hap1, removed."
- . Other observations: "We used the dual haplotype curation method. The mitogenome is currently being assembled. All the metrics are from the pre-curated assemblies, since we would like to get feedback before generating the new fastas. Provisional curator notes available here: https://hackmd.io/@rh6i_ZNfTT6VuZZJCPxKBQ/rkeqMrIlMl"

Quality metrics table

Metrics	Pre-curation Hap1	Pre-curation Hap2	Curated Hap1	Curated Hap2
Total bp	3,353,127,091	3,175,994,182	3,353,127,091	3,175,994,182
GC %	44.73	44.39	44.73	44.39
Gaps/Gbp	600.63	588.48	600.63	588.48
Total gap bp	402,800	373,800	402,800	373,800
Scaffolds	3,345	2,183	3,345	2,183
Scaffold N50	100,735,960	105,986,868	100,735,960	105,986,868
Scaffold L50	12	11	12	11
Scaffold L90	94	36	94	36
Contigs	5,359	4,052	5,359	4,052
Contig N50	3,985,967	4,501,206	3,985,967	4,501,206
Contig L50	213	176	213	176
Contig L90	1,242	996	1,242	996
QV	64.0763	64.6525	64.0763	64.6525
Kmer compl.	87.0668	86.1907	87.0668	86.1907
BUSCO sing.	91.0%	90.9%	91.0%	90.9%
BUSCO dupl.	2.3%	2.2%	2.3%	2.2%
BUSCO frag.	3.3%	2.7%	3.3%	2.7%
BUSCO miss.	3.4%	4.2%	3.4%	4.2%

BUSCO: 6.0.0 (euk_genome_met, metaeuk) / Lineage: vertebrata_odb10 (genomes:67, BUSCOs:3354)

HiC contact map of curated assembly




Hap1 [\[LINK\]](#)


Hap2 HiC PNG is missing!

Hap2 File link is missing!


K-mer spectra of curated assembly




Distribution of k-mer counts per copy numbers found in **asm2** (hapl.)



Distribution of k-mer counts per copy numbers found in **asm1** (hapl.)




Distribution of k-mer counts coloured by their presence in reads/assemblies




Distribution of k-mer counts per copy numbers found in **asm** (dipl.)

Post-curation contamination screening



Hap1. Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.



Hap2. Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.

Data profile

Data	HiFi	Hi-C
Coverage	45x	106x

Assembly pipeline

- **hifiasm**
 - |_ *ver*: galaxy-0.25.0
 - |_ *key param*: l1
 - |_ *key param*: hic
- **yahs**
 - |_ *ver*: galaxy-1.2a.2
 - |_ *key param*: NA

Curation pipeline

- **PretextView**
 - |_ *ver*: 1.0.3
 - |_ *key param*: NA

Submitter: Diego De Panis

Affiliation: IZW

Date and time: 2026-06-15 17:05:29 CEST