ERGA Assembly Report

v24.10.15

Tags: ERGA-BGE

TxID	48695
ToLID	**qqOdiTrog1**
Species	Odiellus troguloides
Class	Arachnida
Order	Opiliones

Genome Traits	Expected	Observed
Haploid size (bp)	955,856,693	1,753,345,540
Haploid Number	8 (source: ancestor)	141
Ploidy	2 (source: ancestor)	2
Sample Sex	unknown	unknown

EBP metrics summary and curation notes

Obtained EBP quality metric for pri: 7.7.Q63

The following metrics were automatically flagged as below EBP recommended standards or different from expected:

. Observed Haploid size (bp) has >20% difference with Expected
. Observed Haploid Number is different from Expected

. Kmer completeness value is less than 90 for pri

Curator notes

. Interventions/Gb: None
. Contamination notes: "FCS-GX identified 6 contigs as bacterial contaminants and these were removed from the assembly."
. Other observations: "The assembly was generated by the CNAG. We first assembled the ONT reads with Hifiasm and then ran purge_dups on it to collapse duplicated haplotigs and repeats. The Hi-C mapped very poorly to the purged assembly and no meaningful scaffolding was detected in the pretextmap. In fact only 0.3% of the HiC reads generated valid read pairs in Cis (> 1kb) or Trans. More than 60% of HiC reads were tagged as PCR dups. Given the very poor quality of the scaffolding we therefore decided to submit a contig level assembly for this species. For the purpose of this EAR report the pre-curated assembly consisted of the purged contig assembly before decontamination. The curated assembly is simply the contig assembly (3417 contigs) minus the 2766 contigs that we removed as bacterial contaminants. The -haploid number- above just contains the total number of contigs in this assembly"

Quality metrics table

Metrics	Pre-curation pri	Curated pri
Total bp	1,753,802,154	1,753,345,540
GC %	34.43	34.43
Gaps/Gbp	0	0
Total gap bp	0	0
Scaffolds	147	141
Scaffold N50	24,462,099	24,462,099
Scaffold L50	25	25
Scaffold L90	70	70
Contigs	147	141
Contig N50	24,462,099	24,462,099
Contig L50	25	25
Contig L90	70	70
QV	62.8486	63.2432
Kmer compl.	73.1984	73.1947
BUSCO sing.	95.1%	95.1%
BUSCO dupl.	2.7%	2.7%
BUSCO frag.	0.4%	0.4%
BUSCO miss.	1.9%	1.9%

BUSCO: 6.0.0 (euk_genome_min, miniprot) / Lineage: arthropoda_odb10 (genomes:90, BUSCOs:1013)

HiC contact map of curated assembly

pri HiC PNG is missing!

pri File link is missing!

K-mer spectra of curated assembly



Distribution of k-mer counts per copy numbers found in asm



Distribution of k-mer counts coloured by their presence in reads/assemblies



Distribution of k-mer counts per copy numbers found in asm

Post-curation contamination screening

Data profile

Data	ONT	Hi-C
Coverage	46x	70x

Assembly pipeline

- **CLAWS pipeline**
    |_ *ver:* 3.2
    |_ *key param:* NA
- **Hifiasm**
    |_ *ver:* 0.24.0
    |_ *key param:* --telo-m TTAGG
- **purge_dups**
    |_ *ver:* 1.2.6
    |_ *key param:* NA
- **Merqury**
    |_ *ver:* 1.3
    |_ *key param:* NA
- **BUSCO**
    |_ *ver:* 6.0.0
    |_ *key param:* NA
- **tidk**
    |_ *ver:* 0.2.65
    |_ *key param:* NA
- **chromap**
    |_ *ver:* 0.3.2
    |_ *key param:* NA

Curation pipeline

- **FCS-GX**
    |_ *ver:* 0.5.5
    |_ *key param:* NA

Submitter: Francisco Camara
Affiliation: CNAG

Date and time: 2026-03-10 16:39:06 CET