

ERGA Assembly Report

v24.10.15

Tags: ERGA-Community

TxID	8166
ToLID	fPerYfa1
Species	Perca
Class	Actinopteri
Order	Perciformes

Genome Traits	Expected	Observed
Haploid size (bp)	892,079,709	1,005,784,667
Haploid Number	24 (source: descendant)	24
Ploidy	2 (source: ancestor)	2
Sample Sex	unknown	unknown

EBP metrics summary and curation notes

Obtained EBP quality metric for hap1: 7.7.Q54

The following metrics were automatically flagged as below EBP recommended standards or different from expected:

- . Assembly length loss > 3% for hap1

Curator notes


- . Interventions/Gb: None
- . Contamination notes: "Blobtools detected presence of bacteria contaminants. Mitochondrial genome was removed from the assembly"
- . Other observations: ""

Quality metrics table

Metrics	Pre-curation hap1	After scaffolding hap1	Curated hap1
Total bp	1,040,358,378	1,012,652,072	1,005,784,667
GC %	41.31	41.18	41.11
Gaps/Gbp	0	344.64	346.99
Total gap bp	0	69,800	69,800
Scaffolds	875	257	152
Scaffold N50	13,837,320	41,708,117	41,747,083
Scaffold L50	24	12	11
Scaffold L90	131	22	22
Contigs	875	606	501
Contig N50	13,837,320	13,498,500	13,498,500
Contig L50	24	24	24
Contig L90	131	127	121
QV	54.8429	54.8796	54.9416
Kmer compl.	96.7629		96.6526
BUSCO sing.	98.6%	99.1%	99.1%
BUSCO dupl.	0.7%	0.4%	0.4%
BUSCO frag.	0.3%	0.2%	0.2%
BUSCO miss.	0.3%	0.3%	0.3%


BUSCO: 6.0.0 (euk_genome_min, miniprot) / Lineage: actinopterygii_odb12 (genomes:75, BUSCOs:7207)

HiC contact map of curated assembly




hap1 File link is missing!

K-mer spectra of curated assembly



Distribution of k-mer counts coloured by their presence in reads/assemblies



Distribution of k-mer counts per copy numbers found in asm



Post-curation contamination screening

Record statistics

- Log10 record count (total 152)
- Record length (total 1.01G)
- Longest record (50.8M)
- N50 length (41.7M)
- N90 length (33.3M)

BUSCO actinopterygii_odb12 (7207)

- Comp. (99.4%)
- Frag. (0.2%)
- Dupl. (0.3%)
- Missing (0.3%)



Scale

- 1.01G
- 50.8M

Composition

- GC (41.1%)
- AT (58.9%)
- N (0.0%)

Dataset: Perch_BlobDir

hap1. Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.

Data profile

Data	HiFi	Bionano	OmniC
Coverage	35x	NA	60x

Assembly pipeline

- **Hifiasm**
 - |_ *ver*: 0.25.40
 - |_ *key param*: primary
- **purge_dups**
 - |_ *ver*: 1.2.5
 - |_ *key param*: NA
- **YaHS**
 - |_ *ver*: 1.2.2
 - |_ *key param*: NA

Curation pipeline

- **BlobtoolKit**
 - |_ *ver*: 2.1.1
 - |_ *key param*: NA
- **Pretext**
 - |_ *ver*: 1.7
 - |_ *key param*: NA

Submitter: Laura Triginer-Llabrés

Affiliation: University of Bern, Naturhistorische Museum Bern

Date and time: 2026-06-26 09:47:01 CEST