

ERGA Assembly Report

v24.10.15

Tags: ERGA-BGE

TxID	1380992
ToLID	xbPinRudi
Species	Pinna rudis
Class	Bivalvia
Order	Pterioda

Genome Traits	Expected	Observed
Haploid size (bp)	1,264,691,974	804,820,570
Haploid Number	14 (source: ancestor)	17
Ploidy	2 (source: ancestor)	2
Sample Sex	unknown	unknown

EBP metrics summary and curation notes

Obtained EBP quality metric for collapsed: 6.7.Q62

The following metrics were automatically flagged as below EBP recommended standards or different from expected:

- . Observed Haploid size (bp) has >20% difference with Expected
- . Observed Haploid Number is different from Expected
- . Kmer completeness value is less than 90 for collapsed

Curator notes

- . Interventions/Gb: None
- . Contamination notes: "There are no signs of contamination in the data, mitochondria removed from assembly"
- . Other observations: "Assembly comes out smaller than the expected size of around 1Gb. The haploid number of 14 given in GoaT is likely to be incorrect. Correct number seems to be 17."

Quality metrics table


Metrics	Pre-curation collapsed	Curated collapsed
Total bp	825,238,288	804,820,570
GC %	35.96	35.96
Gaps/Gbp	350.2	418.73
Total gap bp	57,800	67,400
Scaffolds	92	41
Scaffold N50	43,106,870	46,528,323
Scaffold L50	8	7
Scaffold L90	16	15
Contigs	381	378
Contig N50	3,852,967	3,852,967
Contig L50	66	65
Contig L90	208	204
QV		62.9414
Kmer compl.	% Covered	76.977
BUSCO sing.	95.7%	97.0%
BUSCO dupl.	2.1%	0.7%
BUSCO frag.	0.4%	0.7%
BUSCO miss.	1.8%	1.5%

Warning! BUSCO versions or lineage datasets are not the same across results:

BUSCO: 6.0.0 (euk_genome_min, miniprot) / Lineage: metazoa_odb10 (genomes:65, BUSCOs:954)


BUSCO: 6.0.0 (euk_genome_min, miniprot) / Lineage: metazoa_odb12 (genomes:206, BUSCOs:672)

HiC contact map of curated assembly




collapsed [\[LINK\]](#)

K-mer spectra of curated assembly




Distribution of k-mer counts coloured by their presence in reads/assemblies



Distribution of k-mer counts per copy numbers found in asm

Post-curation contamination screening



collapsed. Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.

Data profile

Data	HiFi	OmniC
Coverage	76x	286x

Assembly pipeline

- **Hifiasm**
 - |_ *ver*: 0.25.0-r726
 - |_ *key param*: NA
- **purge_dups**
 - |_ *ver*: 1.2.6
 - |_ *key param*: NA
- **NBIS/Earth-Biogenome-Project-pilot**
 - |_ *ver*: e6e9c1621b
 - |_ *key param*: NA
- **sanger-tol/blobtoolkit**
 - |_ *ver*: 0.9.0
 - |_ *key param*: NA
- **YaHS**
 - |_ *ver*: 1.2.2
 - |_ *key param*: NA

Curation pipeline

- **agp-tpf-utils**
 - |_ *ver*: 1.2.3
 - |_ *key param*: NA
- **sanger-tol/curationpretext**
 - |_ *ver*: 1.5.1
 - |_ *key param*: NA

Submitter: Tomas Larsson

Affiliation: SciLifeLab

Date and time: 2026-06-09 10:48:30 CEST