


Paleta de Cores

Fundo 1	Fundo 2
Complement.	Texto 1
Texto 2	Texto 3
Texto 4	Destaque

Productiv

Checagem de Contraste:

Lorem ipsum dolor sit amet consectetur. Eu lectus vitae praesent morbi. Adipiscing ac in augue fermentum.

Category	AA	AAA
Large text	Pass	Pass
Small text	Pass	Pass
Graphics and UI	Pass	N/A

Contrast ratio 16.18 : 1

Lorem ipsum dolor sit amet consectetur. Eu lectus vitae praesent morbi. Adipiscing ac in augue fermentum.

Category	AA	AAA
Large text	Pass	Pass
Small text	Pass	Fail
Graphics and UI	Pass	N/A

Contrast ratio 4.6 : 1

Lorem ipsum dolor sit amet consectetur. Eu lectus vitae praesent morbi. Adipiscing ac in augue fermentum.

Category	AA	AAA
Large text	Fail	Fail
Small text	Fail	Fail
Graphics and UI	Fail	N/A

Contrast ratio 2.36 : 1

Lorem ipsum dolor sit amet consectetur. Eu lectus vitae praesent morbi. Adipiscing ac in augue fermentum.

Category	AA	AAA
Large text	Fail	Fail
Small text	Fail	Fail
Graphics and UI	Fail	N/A

Contrast ratio 2.24 : 1

Lorem ipsum dolor sit amet consectetur. Eu lectus vitae praesent morbi. Adipiscing ac in augue fermentum.

Category	AA	AAA
Large text	Pass	Pass
Small text	Pass	Fail
Graphics and UI	Pass	N/A

Contrast ratio 6.2 : 1

Lorem ipsum dolor sit amet consectetur. Eu lectus vitae praesent morbi. Adipiscing ac in augue fermentum.

Category	AA	AAA
Large text	Pass	Pass
Small text	Pass	Fail
Graphics and UI	Pass	N/A

Contrast ratio 6.85 : 1

Lorem ipsum dolor sit amet consectetur. Eu lectus vitae praesent morbi. Adipiscing ac in augue fermentum.

Category	AA	AAA
Large text	Pass	Pass
Small text	Pass	Pass
Graphics and UI	Pass	N/A

Contrast ratio 14.69 : 1

Lorem ipsum dolor sit amet consectetur. Eu lectus vitae praesent morbi. Adipiscing ac in augue fermentum.

Category	AA	AAA
Large text	Pass	Pass
Small text	Pass	Pass
Graphics and UI	Pass	N/A

Contrast ratio 7.4 : 1

Lorem ipsum dolor sit amet consectetur. Eu lectus vitae praesent morbi. Adipiscing ac in augue fermentum.

Category	AA	AAA
Large text	Pass	Fail
Small text	Fail	Fail
Graphics and UI	Pass	N/A

Contrast ratio 3.78 : 1