

1. The default connection type used by HTTP is _____
- a) Persistent
 - b) Non-persistent
 - c) Can be either persistent or non-persistent depending on connection request
 - d) None of the mentioned

Answer: a

2. The time taken by a packet to travel from client to server and then back to the client is called _____
- a) STT
 - b) RTT
 - c) PTT
 - d) JTT

Answer: b

3. In the process of fetching a web page from a server the HTTP request/response takes _____ RTTs.
- a) 2
 - b) 1
 - c) 4
 - d) 3

Answer: b

4. The first line of HTTP request message is called _____
- a) Request line
 - b) Header line
 - c) Status line
 - d) Entity line

Answer: a

5. The values GET, POST, HEAD etc. are specified in _____ of HTTP message

- a) Request line
- b) Header line
- c) Status line
- d) Entity body

Answer: a

6. The _____ method when used in the method field, leaves entity body empty.

- a) POST
- b) SEND
- c) GET
- d) PUT

Answer: c

7. The HTTP response message leaves out the requested object when _____ method is used

- a) GET
- b) POST
- c) HEAD
- d) PUT

Answer: c

8. Find the oddly matched HTTP status codes

- a) 200 OK
- b) 400 Bad Request
- c) 301 Moved permanently
- d) 304 Not Found

Answer: d

9. Which of the following is not correct?

- a) Web cache doesn't has its own disk space
- b) Web cache can act both like server and client
- c) Web cache might reduce the response time
- d) Web cache contains copies of recently requested objects

Answer: a

10. The conditional GET mechanism

- a) Imposes conditions on the objects to be requested
- b) Limits the number of response from a server
- c) Helps to keep a cache up to date
- d) None of the mentioned

Answer: c

11. Which of the following is present in both an HTTP request line and a status line?

- a) HTTP version number
- b) URL
- c) Method
- d) None of the mentioned

Answer: a

12. Multiple objects can be sent over a TCP connection between client and server in a persistent HTTP connection.

- a) True
- b) False

Answer: a

13. HTTP is _____ protocol.

- a) application layer
- b) transport layer
- c) network layer
- d) data link layer

Answer: a

14. In the network HTTP resources are located by

- a) uniform resource identifier
- b) unique resource locator
- c) unique resource identifier
- d) union resource locator

Answer: a

15. HTTP client requests by establishing a _____ connection to a particular port on the server.

- a) user datagram protocol
- b) transmission control protocol
- c) border gateway protocol
- d) domain host control protocol

Answer: b

16. In HTTP pipelining _____

- a) multiple HTTP requests are sent on a single TCP connection without waiting for the corresponding responses
- b) multiple HTTP requests cannot be sent on a single TCP connection
- c) multiple HTTP requests are sent in a queue on a single TCP connection
- d) multiple HTTP requests are sent at random on a single TCP connection

Answer: a

17. Which of the following protocol is used by Restful web services as a medium of communication between client and server?

- a) HTTP
- b) FTP
- c) Gopher
- d) TELNET

Answer: a

18. Which of the following is not a good practice to create a standard URI for a web service?

- a) Maintain Backward Compatibility
- b) Use HTTP Verb
- c) Using spaces for long resource names
- d) Use lowercase letters

Answer: c

19. The term that is used to place packet in its route to its destination is called _____

- a) Delayed
- b) Urgent
- c) Forwarding
- d) Delivering

Answer: c

20. A local telephone network is an example of a _____ network.

- a) Packet switched
- b) Circuit switched

- c) Bit switched
- d) Line switched

Answer: b

21. Most packet switches use this principle _____

- a) Stop and wait
- b) Store and forward
- c) Store and wait
- d) Stop and forward

Answer: b

22. What are the Methods to move data through a network of links and switches?

- a) Packet switching and Line switching
- b) Circuit switching and Line switching
- c) Line switching and bit switching
- d) Packet switching and Circuit switching

Answer: d

23. The required resources for communication between end systems are reserved for the duration of the session between end systems in _____ method.

- a) Packet switching
- b) Circuit switching
- c) Line switching
- d) Frequency switching

Answer: b

24. In _____ systems, resources are allocated on demand.

- a) packet switching
- b) circuit switching
- c) line switching
- d) frequency switching

Answer: a

25. Which of the following is false with respect to TCP?

- a) Connection-oriented
- b) Process-to-process
- c) Transport layer protocol
- d) Unreliable

Answer: d

26. The receiver of the data controls the amount of data that are to be sent by the sender is referred to as _____

- a) Flow control
- b) Error control
- c) Congestion control
- d) Error detection

Answer: a

27. Which of the following is false with respect to UDP?

- a) Connection-oriented
- b) Unreliable
- c) Transport layer protocol
- d) Low overhead

Answer: a