



COMPUTER SECURITY

2025

FINAL 2021

(Solved)



SENIOR
25

BY AB & AE & AM & MR

Join our Telegram!
@qahwa_is



Choose the correct answer:

1.	It attracts the intruder , record his actions, and even attempt to trace who the attacker is from actions, packet data, or connection			
	a) Heuristic IDS	b) Normal based	c) Honey pot	d) Signature-based IDS
2.	Intercepting and carrying on a session begun by another entity is known as _____ attack			
	a) Eavesdrop	b) Session Hijacking	c) Spoofing	d) Wiretap
3.	_____ is when <u>one host pretends to be another</u>			
	a) Eavesdrop	b) Spoofing	c) Wiretap	d) Session Hijacking
4.	With this form of protection, the owner of an object declares it to be public or private			
	a) Share via access limitation	b) Share all or share nothing	c) Don't protect mode	d) Isolation mode
5.	_____ in which processes conceal their data and computations is such a way that they are unintelligible to outside process			
	a) Temporal separation	b) Logical separation	c) Physical separation	d) Cryptographic separation
6.	DES encrypt data in blocks of size _____, using a key of length _____			
	a) 64-bit, 32-bit	b) 32-bit, 32-bit	c) 32-bit, 56-bit	d) 64-bit, 56-bit
7.	When OS runs the applications of different security requirements under illusion that no other processes exist			
	a) Logical separation	b) Physical separation	c) Temporal separation	d) Space separation
8.	<u>Steganography</u> uses _____ in graphic image to hide important data			
	a) LSB	b) HSB	c) MSB	d) NSB
9.	_____ <u>replicates a copy of itself to other systems</u> to execute a malicious code.			
	a) Virus	b) Worm	c) Logic bomb	d) Trapdoor
10.	_____ builds a model of <u>acceptable behaviour and flag exceptions</u> to that model.			
	a) Normal based	b) Signature-based IDS	c) Heuristic IDS	d) Honey pot
11.	_____ allow <u>key exchange without real-time access</u> to public-key authority .			
	a) Certificate authority	b) Public key authority	c) Public announcement	d) Public directory
12.	_____ perform simple pattern-matching based on logon and session activity to detect attack			
	a) Heuristic-based IDS	b) Personal firewall	c) Proxy	d) Signature-based IDS
13.	_____ is an executable code runs on a dedicated device to protect inside from outside networks			
	a) Firewall	b) IDS	c) Antivirus	d) Virus scanner
14.	<u>Correcting system configuration errors</u> is function of _____			
	a) Heuristic-based IDS	b) Personal firewall	c) Proxy	d) Signature-based IDS
15.	Denning's IDS model builds heuristic decision model based on tracking _____			
	a) Action and its initiator	b) Timestamp of each action	c) Exception condition of each action	d) All



16.	Cyber security rules for daily practicing are classified as:							
	a)	Hardware controls	b)	Software control	c)	Administration control	d)	Physical control
17.	_____ means that some unauthorized party (person, program) <u>has gained access to data</u>							
	a)	Interception	b)	Modification	c)	Interruption	d)	Fabrication
18.	Legal and ethical controls are classified as:							
	a)	Hardware controls	b)	Software control	c)	Policy control	d)	Physical control
19.	Triple-DES with two keys is defined by $C = EK_3(DK_2(EK_1(P)))$, if K_1 equal K_3 , the triple-DES can be considered							
	a)	Double DES	b)	Triple-DES	c)	Single-DES	d)	Useless encryption
20.	Physical OS separation approach _____ the resources sharing and _____ the security level							
	a)	Minimizes , Maximizes	b)	Maximizes , Maximizes	c)	Maximizes , Minimizes	d)	Minimizes , Minimizes
21.	Kerberos system is considered _____ party _____ way authentication technique							
	a)	Two, one	b)	Two , two	c)	Three , two	d)	Three , one
22.	Digital signature provides the following characteristics <u>except</u> _____							
	a)	Message authentication	b)	Receiver authentication	c)	Sender authentication	d)	Message encryption
23.	_____ is used for managing audit trails and highlighting user violation of policy or normal activity							
	a)	Firewall	b)	IDS	c)	Antivirus	d)	Virus scanner
24.	_____ record an intruder's actions and even attempt to trace who the attacker is from actions, packet data , or connection							
	a)	ISS scanner	b)	Nessus	c)	Honey pot	d)	Tripewire
25.	Which of the following is/are considered a candidate IDS profile?							
	a)	Logon and session activity	b)	Command or program usage	c)	File access activity	d)	All
26.	Virus is active as long as the computer running							
	a)	Memory resident	b)	Brain virus	c)	Polymorphic virus	d)	Trojan horse
27.	Program controls include: _____							
	a)	Peer review	b)	Proof of program correctness	c)	Independent testing	d)	All
28.	In which different physical objects, such as separate printers for output requiring different levels of security							
	a)	Temporal separation	b)	Logical separation	c)	Physical separation	d)	Cryptographic separation
29.	Cryptography is used as a defense technique against the following attacks except _____							
	a)	Modification	b)	Interception	c)	Interruption	d)	Fabrication
30.	Flooding is an attack of _____							
	a)	Integrity	b)	Availability	c)	Confidentiality	d)	All are true



True/False:

1.	Spoofing attack consist of <u>replacing the valid</u> source and/or destination IP address <u>with false one</u>	T
2.	Bug is a mistake in interpreting a requirement or syntax error in a piece of code	T
3.	For exchanging symmetric key among 10 users, we need 100 exchange operation (45)	F
4.	Heuristic IDS performs <u>simple pattern-matching</u> to report situation that corresponding to a known attack type (signature-based)	F
5.	Eavesdrop Implies overhearing without expending any extra effort	T
6.	Interception communications through some effort is known as Eavesdrop attack (Wiretap)	F
7.	Erasure of program or data or malfunction of an OS file manager is considered fabrication (interruption)	F
8.	Validation error, domain error, and boundary condition violation are types of flaws	T
9.	Erasure of program or data or malfunction of an OS file manager is considered Modification (interruption)	F
10.	Timely response is an expectation of availability security goal.	T

