

اسئلة الميد والشفوي نتورك

1- is specialized “middle boxes” filtering or blocking traffic ,inspecting packet contents inspections

- Access control
- Firewall
- Authentication
- Digital signatures

2-is a NAT type used to translate a single inside address to a single outside address?

- Dynamic NAT
- Static NAT
- Easy IP NAT
- PAT

3- UDP service provides

- Flow control
- Acknowledged transfer
- Congestion control
- Unreliable transfer

4- The collection of all link states forms

- Routing table
- SPF
- LSA
- LSDB

5- DHCP isprotocol

- Data link layer
- Transport layer
- Application layer
- Network layer

6-What do we mean when we say “HTTP is stateless” ?

- An HTTP client does not remember anything about what happened during earlier steps in interacting with any HTTP server.
- An HTTP server does not remember anything about what happened during earlier steps in interacting with this HTTP client.
- We say this when an HTTP server is not operational.
- An HTTP client does not remember the identities of the servers with which it has interacted.

7- Which command can be used to translate the private ip address 192.168.1.3 to NAT IP 200.10.10.5 using static NAT?

- Nat static global 192.168.1.3 inside 200.10.10.5
- Nat static global 192.168.1.3 outside 200.10.10.5
- Nat static global 200.10.10.5 inside 192.168.1.3
- Nat static global 200.10.10.5 outside 192.168.1.3

8-WILD CARD MASK of 192.168.1.0 IS 255.255.255.0

- False
- True

9- TCP socket identified by

- Source\ destination port numbers
- All
- None
- Source \ destination IP address

10- used to map between ip address and name , and vice versa ?

- DNS
- FTP
- TELNET
- HTTP

11- When computing the internet checksum for two numbers, a single flipped bit will always result in a changed checksum

- ☐ False
- ☐ True

12- Subnet mask of 160.10.50.30 is 255.255.1.1

- ☐ False
- ☐ True

13- The measure of how much information can flow from one place to another in a given amount of time

- ☐ Throughput
- ☐ Arrival rate
- ☐ Bandwidth
- ☐ Access time

14- RIP uses the hop count as the metric to measure the distance to the destination

- ☐ True
- ☐ False

15- Is the communication procedure within each layer .

- ☐ Steps
- ☐ Layering
- ☐ Headers
- ☐ Protocol

16- dhcp enable is used to enable DHCP ?

- ☐ True
- ☐ False

17- To access ftp server from ftp client you must be in

- ☐ None
- ☐ ftp mode
- ☐ system mode
- ☐ user mode

18- What is the value of caching in the local DNS name server ?

- DNS caching provides prioritized access to the root servers, since the DNS request is from a local DNS cache
- DNS caching provides for faster replies, if the reply to the query is found in the cache
- DNS caching provides the ability to serve as authoritative name server for multiple organizations
- None of them

19-ip route – static 10.0.0.0.20.0.0.1 is a correct command to enable static routing

- False
- True

20- Transport layer deals with the data in the form of

- Frames
- Bits
- Segments
- Datagram

21- The transport protocol supports interactive games is

- UDP or TCP
- TCP
- UDP
- UDP and TCP

22- Is the communication procedure within each layer

- Steps
- Layering
- protocols
- Headers

23- Is the network that physically connects an end system to the first router .

- Access network
- Wired network
- Network core
- Internet

24- Which of the characteristics below are associated with the technique of packet switching ?

- Reserves resources needed for a call from source to destination.
- Resources are used on demand, not reserved in advance.
- Frequency Division Multiplexing (FDM) and Time Division Multiplexing (TDM) are two approaches for implementing this technique.
- This technique was the basis for the telephone call switching during the 20th century and into the beginning of this current century.

25- Which of the following descriptions below correspond to a "services" view of the Internet?

- **A platform for building network applications**
- A "network of networks".
- **A place I go for information, entertainment, and to communicate with people.**
- A collection of hardware and software components executing protocols that define the format and the order of messages exchanged between two or more communicating entities, as well as the actions taken on the transmission and/or receipt of a message or other event.
- A collection of billions of computing devices, and packet switches interconnected by links.

26- Which of the following descriptions below correspond to a "nuts-and-bolts" view of the Internet? Select one or more of the answers below that are correct ?

- ☐ A platform for building network applications
- ☒ A "network of networks".
- ☐ A place I go for information, entertainment, and to communicate with people.
- ☒ A collection of hardware and software components executing protocols that define the format and the order of messages exchanged between two or more communicating entities, as well as the actions taken on the transmission and/or receipt of a message or other event.
- ☒ A collection of billions of computing devices, and packet switches interconnected by links.

27- The measure of how much information can flow from one place to another in a given amount of time

- ☐ Access time
- ☐ Throughput
- ☐ Bandwidth
- ☐ Arrival rate

28- Packet switching allows users to transmit at any time and recover from collisions

- ☐ False
- ☐ True

29- Which of the characteristics below are associated with a client-server approach to structuring network applications (as opposed to a P2P approach)?

- ☒ There is a server that is always on.
- ☐ There is not a server that is always on.
- ☒ There is a server with a well known server IP address.
- ☐ A process requests service from those it contacts and will provide service to processes that contact it.
- ☒ HTTP uses this application structure.

30- Which of the characteristics below are associated with a P2P approach to structuring network applications (as opposed to a client-server approach)?

- ☐ There is a server that is always on.
- ☐ **There is not a server that is always on.**
- ☐ There is a server with a well known server IP address.
- ☐ **A process requests service from those it contacts and will provide service to processes that contact it.**
- ☐ HTTP uses this application structure.

31- Which of the following is not network edge device ?

- ☐ Switch
- ☐ smart phone
- ☐ pc
- ☐ server

32- Circuit switching uses a multiple access techniques

- ☐ True
- ☐ False

33- the following add header except

- ☐ Link layer
- ☐ Physical layer
- ☐ Network layer
- ☐ Transport layer

34- What is true about creating a network?

- ☐ Must differ according to network topology
- ☐ Should be run on different OS
- ☐ Should be run over core devices
- ☐ Affected by communication types(wire-wireless)

35- The distributed applications involve multiple hosts that exchange data with each other

- ☐ True
- ☐ False

36 -..... media the signals propagate in solid media

- ☐ None
- ☐ Unguided
- ☐ Guided
- ☐ Wireless

37- Which of the following cable supports the highest bandwidth ?

- ☐ Coaxial
- ☐ Fiber optics
- ☐ Shielded twisted pair
- ☐ Unshielded

38- Which of the following HTTP request is used to send data to server ?

- ☐ HEAD
- ☐ PUT
- ☐ GET
- ☐ POST

39- Transfer data between one process and another process is in

- ☐ Application
- ☐ Link
- ☐ Physical
- ☐ Transport

40- What is the purpose of conditional HTTP GET request message ?

- To allow a server to only send the requested object to the client if this object has changed since the sever last sent this object to the client
- to allow a server to only send requested object to Client if the client has never requested the object before
- to allow server to only send the requested object to The client if the server is not overloaded
- to allow a server to only send the requested object to the client if the client is authorized to received that object

41- what is the purpose of IF-Modified-Since field in the http GET request message ?

- to allow the server to indicate to the client who should Cache this object
- to indicate the server that the client has cached this Object from previous GET , and the time it was cached
- to indicate to the server that the server should replace This named object with the new version of the object Attached to the GET , if the object has not been modified Since the specified time
- to indicate to the server that the client wishes to Receive this object and the time until which it will cache The returned object in the browser's cache

42- What is the purpose of the HTTP GET message?

- The HTTP GET request message is used by a web client to post an object on a web server.
- The HTTP GET request message is sent by a web server to a web client to get the next request from the web client.
- The HTTP GET request message is sent by a web server to a web client to get the identity of the web client.
- The HTTP GET request message is used by a web client to request a web server to send the requested object from the server to the client.

43- What is an HTTP cookie used for?

- A cookie is used to spoof client identity to an HTTP server.
- A cookie is a code used by a client to authenticate a person's identity to an HTTP server.
- A cookie is a code used by a server, carried on a client's HTTP request, to access information the server had earlier stored about an earlier interaction with this Web browser. [Think about the distinction between a browser and a person.]
- A cookies is a code used by a server, carried on a client's HTTP request, to access information the server had earlier stored about an earlier interaction with this person. [Think about the distinction between a browser and a person.]
- Like dessert, cookies are used at the end of a transaction, to indicate the end of the transaction.

44- Which of the following are advantages of using a web cache? Sselect one or more answers ?

- Caching uses less bandwidth coming into an institutional network where the client is located, if the cache is also located in that institutional network.
- Caching generally provides for a faster page load time at the client, if the web cache is in the client's institutional network, because the page is loaded from the nearby cache rather than from the distant server.
- Overall, caching requires fewer devices/hosts to satisfy a web request, thus saving on server/cache costs.
- Caching allows an origin server to more carefully track which clients are requesting and receiving which web objects.

45- Which of the following are changes between HTTP 1.1 and HTTP/2? Note: select one or more answers?

- HTTP/2 provides enhanced security by using transport layer security (TLS).
- HTTP/2 allows objects in a persistent connection to be sent in a client-specified priority order.
- HTTP/2 has many new HTTP methods and status codes.

- HTTP/2 allows a large object to be broken down into smaller pieces, and the transmission of those pieces to be interleaved with transmission other smaller objects, thus preventing a large object from forcing many smaller objects to wait their turn for transmission.

ملحوظة :- اللى محلول بالاصفر ده من علي موقع
وفي اكثر من حل صح عشان لو جه في الاختياري