



Why is exhaustive testing usually impossible?

☐ It breaks compilers

☒ Tools don't support it

☐ Managers don't allow it

☒ The input space is too large

التالي

تخطي والتالي

تفريغ الخانات

سابق





What is the main goal of validation in software?

☒ To uncover problems and raise confidence in correctness

☐ To ship features faster

☐ To replace testing with reviews

☐ To avoid writing specs

التالي

تخطي والتالي

تفريغ الخانات





Which guideline belongs to style standards?

☒ Use good names

☐ Prefer global variables

☐ Hide magic numbers in comments only

☐ Print results inside helpers

التالي

تخطي والتالي

تفريغ الخانات

تخطي والسابق





Hard-coding 59 for "Jan+Feb days" should be replaced with...

☐ System.out.println(59)

☐ Keep 59 but add comment

☒ MONTH\_LENGTH[JAN] + MONTH\_LENGTH[FEB]

☐ Do Nothing

التالى

تخطي والتالى

ات

st/home/examView/1/009e1ac82752f00480f7da3



What is code review?

☐ Running unit tests

☐ Automatic bug fixing

☒ Careful study of source code by someone other than the author

☐ Deploying code to production

التالي

تخطي والتالي





Which is immutable in Java?

☐ ArrayList

☒ String

☐ int[]

☐ StringBuilder

التالى

ي



Dynamic checking is best at catching...

- ☐ Wrong number of parameters
- ☒ Errors that depend on specific values
- ☐ Missing semicolons
- ☐ Misspelled method names

التالي

التالي





When testing BigInteger.multiply(a,b), which special cases should be covered?

☐ Only large positives

☒ 0, 1, -1 and very large values

☐ Prime numbers only

☐ Floating-point fractions

التالي

تخطي والتالي

الخانات





"Fail fast" means...

☐ Retry silently

☒ Detect problems as close to their cause as possible

☐ Only log, never throw

☐ Defer checks to production

التالي

نخطي والتالي





The DRY principle warns against...

☐ Using global variables

☐ Using magic numbers

☐ deploy without testing

☐ Duplicating code

التالي

تخطي والتالي

تفريغ الخانات





Humans have limited working memory; simpler code is easier to understand, test, and maintain. This is called ....

☐ anticipating change

☒ minimizing complexity

☐ construction for reuse

☐ removing the need for testing





In test-first programming, what is the correct order?

☒ Spec → Tests → Code

☐ Spec → Code → Test

☐ Code → Test → Spec

☐ Tests → Code → Spec

التالي

التالي





What is static analysis?

☐ Running tests while the app is live

☒ Checking code without running it

☐ Measuring user clicks

☐ Deploying code to servers

التالي

تخطي والتالي





What does "software construction" mainly refer to?

- ☐ Planning and detailed design
- ☐ Only writing requirements
- ☐ Only testing and debugging
- ☒ Coding and debugging

التالي

خطي والتالي





Iterative models like agile typically...

- ☐ Do analysis only once
- ☐ Do coding only at the end
- ☒ Mix design, coding, and testing during construction
- ☐ Avoid integration testing

التالي

تخطي والتالي





Declaring a variable final means...

- ☐ The method becomes static
- ☐ The object can never be garbage-collected
- ☐ The code runs faster automatically
- ☒ The reference can be assigned only once

التالي

تخطي والتالي

الان





The main risk with mutable objects shared by multiple references is...

☐ Extra semicolons

☐ Too many imports

☐ Slower compilation

☒ Aliasing can let data be changed

التالي

تخطي والتالي





"Constructing for verification" encourages which action?

☐ Using more complicated language features

☐ Testing only at the very end

☐ Skipping unit tests to save time

☒ Following coding standards

التالي

خطي والتالي