

Lecture 11 – Testing

30 MCQs (Dr.'s Exam Style)

1. Testing is the process of exercising a WebApp to:

- A) Improve performance
- B) Find and ultimately correct errors
- C) Reduce cost
- D) Enhance design

Answer: B

2. WebApp testing must consider different:

- A) Programming languages only
- B) Operating systems, browsers, and hardware platforms
- C) Development tools
- D) Design patterns

Answer: B

3. Testing examines errors in WebApps implemented in all EXCEPT:

- A) Browsers
- B) Hardware platforms
- C) Communication protocols
- D) Project schedules

Answer: D

4. At the syntactic level, content testing checks:

- A) Correctness of information
- B) Consistency
- C) Spelling and grammar
- D) Ambiguity

Answer: C

5. At the semantic level, content testing checks:

- A) Fonts and colors
- B) Correctness and consistency of information
- C) HTML tags
- D) Browser compatibility

Answer: B

6. Function testing focuses on:

- A) Content organization
- B) Navigation flow
- C) Conformance to stakeholder requirements
- D) Server configuration

Answer: C

7. Structure testing ensures that the WebApp:

- A) Looks attractive
- B) Is extensible and supports new content
- C) Is secure
- D) Uses correct syntax

Answer: B

8. Usability testing ensures that users:

- A) Can access the database
- B) Can learn and use navigation syntax and semantics

- C) Can modify content
- D) Can deploy the WebApp

Answer: B

9. Navigability testing is intended to uncover:

- A) Database errors
- B) Dead or improper links
- C) Performance bottlenecks
- D) Security holes

Answer: B

10. Performance testing is conducted to ensure the system:

- A) Is easy to use
- B) Is secure
- C) Is responsive under load
- D) Uses correct content

Answer: C

11. Compatibility testing executes the WebApp on:

- A) One browser only
- B) Multiple host configurations
- C) Development server only
- D) One operating system

Answer: B

12. Interoperability testing ensures proper interaction with:

- A) Users
- B) Browsers
- C) Other applications or databases
- D) Operating systems

Answer: C

13. Any successful penetration attempt during security testing is considered:

- A) Acceptable
- B) A warning
- C) A security failure
- D) Normal behavior

Answer: C

14. In the testing strategy, which model is reviewed first?

- A) Interface model
- B) Design model
- C) Content model
- D) Deployment model

Answer: C

15. Navigation throughout the architecture is tested to uncover:

- A) Coding errors
- B) Navigation errors
- C) Security vulnerabilities
- D) Performance issues

Answer: B

16. The WebApp is tested by a controlled population of end users to evaluate:

- A) Cost and profit
- B) Reliability, usability, and performance
- C) Code quality
- D) Architecture design

Answer: B

17. In the testing process, user-visible elements are tested:

- A) Last
- B) Only after deployment
- C) First
- D) In parallel with coding

Answer: C

18. Content testing combines reviews with:

- A) Unit testing
- B) Executable test cases
- C) Security testing
- D) Stress testing

Answer: B

19. One objective of content testing is to uncover:

- A) Performance errors
- B) Syntactic errors
- C) Security breaches
- D) Configuration issues

Answer: B

20. Dynamic content testing is concerned with content that is:

- A) Static HTML
- B) Stored in files only
- C) Generated from databases
- D) Hard-coded

Answer: C

21. User interface testing occurs at how many points in the WebE process?

- A) One
- B) Two
- C) Three
- D) Four

Answer: C

22. Individual interface mechanisms are tested in a way analogous to:

- A) System testing
- B) Acceptance testing
- C) Unit testing
- D) Stress testing

Answer: C

23. A structured document containing blank fields filled by the user is a:

- A) Link
- B) Cookie
- C) Form
- D) Script

Answer: C

24. Cookies are:

- A) Server programs
- B) Blocks of data stored by the browser
- C) Navigation paths
- D) Database records

Answer: B

25. Usability testing determines:

- A) Security strength
- B) Server response time
- C) How easy the interface is for users
- D) Data accuracy

Answer: C

26. Navigation semantics are defined by:

- A) Coding standards
- B) Navigation semantic units (NSUs)
- C) Server scripts
- D) Database queries

Answer: B

27. Component-level testing is also known as:

- A) Configuration testing
- B) Function testing
- C) Usability testing
- D) Security testing

Answer: B

28. Boundary value analysis tests data:

- A) Randomly
- B) Only valid values
- C) At and beyond input boundaries
- D) Using user scenarios

Answer: C

29. Configuration testing aims to ensure:

- A) Maximum security
- B) Same user experience across configurations
- C) Minimal cost
- D) Faster coding

Answer: B

30. Load testing determines:

- A) Maximum security risk
- B) Code quality
- C) System behavior under various loads
- D) UI aesthetics

Answer: C

Dr-Style Final Prediction (Lecture 11)

High-probability exam areas:

- Quality dimensions (content, function, usability, navigability, performance)
- Testing strategy steps
- Content vs UI vs Navigation testing
- Component-level testing techniques
- Load vs stress testing