

▼

Descriptive mining tasks perform induction on the current data in order to assist future decision making process.

الإجابة

False

The descriptive data mining tasks characterize the general properties of data whereas predictive data mining tasks perform inference on the available data set to predict how a new data set will behave.

Descriptive Mining is frequently used to provide Correlation, Cross-Tabulation, Frequency, and other types of information. It analyses stored data to determine what happened in the past.

Predictive Data Mining is the Analysis done to predict a future event or multiple data or trends.

FLATRON W1942SE

If the lift measure of the items bread and rice is equal to 0.5 this means bread and rice are ...
الرجية

- ☒ negative correlated
- ☐ positive correlated
- ☐ uncorrelated
- ☐ independent

التالي

02:46

A and B are independent if $P(A \cup B) = P(A)P(B)$ □

Otherwise, dependent and correlated occurrence

If lift < 1, A is Negatively correlated with B □ If lift > 1, A is Positively correlated with B A's occurrence "lifts" the occurrence of B

Activate Windows
Go to Settings to activate Windows.

LG

4.3 in Widescreen MENU FIRMWARE (A1) AUTOSET

Microsoft

The correlation coefficient for two real-valued attributes is -0.85 . What does this value tell you?

الإجابة


The attributes show a curvilinear relationship.

- As the value of one attribute decreases the value of the second attribute increases.

As the value of one attribute increases the value of the second attribute also increases.

The attributes are not linearly related.

التالي



05:46

In the decision tree induction, the leaf is
الإجابة


a question

an attribute value

• a class label

an attribute type

- Learning of **decision trees** from training dataset
- Decision tree → A flowchart-like tree structure
 - Internal node → a test on an attribute
 - Branch → a test outcome
 - Leaf node → a class label
- Constructed tree can be binary or otherwise



After completing the mining task, you should represent your results using appropriate methods. That's conclude the task of the Phase of the knowledge discovery process

الإجابة

- data visualization
- pattern evaluation
- data integration

التالي


٨ ٧ ٦ ٥ ٤ ٣ ٢ ١
١ ٩

05:59

If all the proper subsets of an itemset are frequent, then the itemset itself.....

الإجابة

- ☒ may be frequent
- ☐ must also be frequent
- ☐ must be unfrequent
- ☐ is strong



Attributes are sometimes called variables ?
الإجابة

☒ True

☐ False

التالي



06:01

..... is the correlation analysis measure for nominal attribute
الإجابة

- ☐ lift
- ☐ Covariance
- ☐ Correlation Coefficient
- ☒ chi-square

التالي

٨ ٧ ٦ ٥ ٤ ٣ ٢ ١
١٠ ٩
05:48

correlation analysis → measure how strongly one attribute implies the other, based on the available data


- Chi-square (χ^2) test for nominal data
- Correlation coefficient and covariance for numeric attributes

In the decision tree induction, the leaf is

الإجابة

- ☐ a class lable
- ☒ an attribute value
- ☐ an attribute type
- ☐ a question

التالي



05:52

After completing the mining task, you should represent your results using appropriate methods. That's conclude the task of the Phase of the knowledge discovery process


الإجابة

☐ pattern evaluation

☐ data visualization

☒ data integration

التالي



Regression is a method of all the following except
الإجابة

- ☒ Integration
- ☐ Transformation
- ☐ Reduction
- ☐ Cleaning

التالي



If the mean is less than median the data is

الإجابة

- ☐ symmetric
- ☒ negatively skewed
- ☐ correlated
- ☐ positively skewed

التالي

٨

٧

٦


٥

٤

٣

٢

١



If the information gain of age, income, department and job attributes are 0.24, 0.204, 0.32 and 0.023 respectively which one you will chose as the splitting attribute

الإجابة

☒ department

☐ job

☐ age

☐ income

٨	٧	٦	٥	٤	٣	٢	١
			١٠	٩			

05:44

إنهاء الإمتحان



□ Data integration → include data from multiple sources in your analysis, map semantic concepts, infer attributes ...

The data selection phase of the knowledge discovery process concerns with unifying data that comes from different sources
الإجابة

False