

```

Terminal  Shell  Edit  View  Window  Help
Last login: Fri May 15 08:32:07 on console
esakkikannan@Esakkis-MacBook-Air ~ % uname
Darwin
esakkikannan@Esakkis-MacBook-Air ~ % uptime
 8:36 up 5 mins, 2 users, load averages: 2.72 4.80 2.80
esakkikannan@Esakkis-MacBook-Air ~ % hostname
Esakkis-MacBook-Air.local
esakkikannan@Esakkis-MacBook-Air ~ % vm_stat
Mach Virtual Memory Statistics: (page size of 16384 bytes)
Pages free:                39959.
Pages active:              437544.
Pages inactive:            428275.
Pages speculative:         8041.
Pages throttled:           0.
Pages wired down:          92154.
Pages purgeable:           16524.
"Translation faults":      3416673.
Pages copy-on-write:        149672.
Pages zero filled:          2435724.
Pages reactivated:          1419.
Pages purged:               33559.
File-backed pages:         311505.
Anonymous pages:           562355.
Pages stored in compressor: 3901.
Pages occupied by compressor: 877.
Decompressions:            688.
Compressions:              4689.
Pageins:                   369751.
Pageouts:                   507.
Swapsins:                   0.
Swapouts:                   0.
esakkikannan@Esakkis-MacBook-Air ~ % top
esakkikannan@Esakkis-MacBook-Air ~ % lsb+release
zsh: command not found: lsb+release
esakkikannan@Esakkis-MacBook-Air ~ % lsb_release
zsh: command not found: lsb_release
esakkikannan@Esakkis-MacBook-Air ~ % arch
arm64
esakkikannan@Esakkis-MacBook-Air ~ % uname
Darwin
esakkikannan@Esakkis-MacBook-Air ~ %
```

```
Processes: 578 total, 2 running, 576 sleeping, 2470 threads
Load Avg: 1.47, 3.88, 2.64 CPU usage: 1.96% user, 1.49% sys, 96.54% idle SharedLibs: 892M resident, 196M data, 150M linkedit. MemRegions: 0 total, 0B resident, 822M private, 1755M shared.
PhysMem: 15G used (1604M wired, 13M compressor), 588M unused. VM: 243T vsiz, 6144M framework vsiz, 0(0) swpins, 0(0) swapouts. Networks: packets: 42226/38M in, 19954/11M out.
Disks: 160964/4361M read, 69983/942M written.
```

COMMAND	MEM	TIME	PTH	#NO	PORT	MEM	PURG	CNPRS	PGRP	PPID	STATE	BOOSTS	%CPU_ME	%CPU_OTHERS	UID	FAULTS	COW	MSGSENT	MSGRCVCD	SYSSBD	SYSMACH	CSW	PAGEI	IDLEW	POW
668 WindowServer	12.6	00:57.07	21	5	27857	531M+	97M+	0B	168	1	sleeping	@[1]	0.94197	0.51336	0	159563+	5722	632184+	595496+	1172047+	2344919+	512850+	3576	25286+	20.0
951 top	5.1	00:00.18	1/1	0	27+	7312K+	0B	0B	951	908	running	@[1]	0.15903	0.00000	0	1939+	84	288090+	144059+	6033+	152617+	682+	1	0	5.1
441 ControlCenter	4.6	00:03.31	8	3	667-	45M+	304K+	0B	441	1	sleeping	@-[148]	0.15369	0.12189	501	13473+	684	52500+	16897+	41856+	81488+	20224+	2217	496+	5.7
kernel_task	2.0	00:22.12	623/10	0	0	8128K	0B	0B	0	0	running	@[0]	0.00000	0.00000	0	7439+	0	1448177+	1229769+	0	3462581+	0	181157+	0.0	
525 Notification	2.6	00:14.48	5	3	310	41M	4576K	0B	525	1	sleeping	@[152]	0.14022	0.00000	501	9245	467	96131+	7945+	63752+	196252+	41787+	901	30449+	3.2
900 Terminal	1.4	00:01.44	11	6	316	167M+	84M+	0B	900	1	sleeping	@[29]	0.77685	0.30902	501	13761+	389	19360+	4153+	24218+	46586+	11696+	237	456+	2.3
950 screenshot	0.7	00:00.10	6	4	193	32M	0B	0B	950	1	sleeping	@[8+]	0.01520	0.38427	501	3758+	186+	1293+	356+	2782+	3238+	901+	56	53+	1.5
552 spotlightkno	0.6	00:14.15	4	2	71	5649K	0B	0B	552	1	sleeping	@[241+]	0.00000	0.60468	501	67749+	164	1657+	997+	757932+	2662+	13174+	420	3	0.6
618 cfprefsd	0.3	00:01.89	3	2	574	2080K+	2096K+	0B	618	1	sleeping	@[26/937]	0.00000	0.00000	501	4597+	91	18507	18252	173367+	26490+	21391+	3	19+	0.4
432 WindowManager	0.2	00:01.57	6	3	296	14M	0B	0B	432	1	sleeping	@[463+]	0.00488	0.08148	501	4863+	281	11756+	4569+	2651+	37942+	10302+	378	176	0.2
937 opendirecto	0.2	00:04.63	8	7	17734	7408K	128K	0B	137	1	sleeping	@[1]	0.00000	0.13090	0	52815	132	21431+	17673+	494512+	45652+	11588+	494	13	0.2
314 AppleCentaur	0.2	00:04.63	18	7	1772	39M	0B	0B	314	1	sleeping	@[1]	0.00000	0.00000	270	20009	62	5686+	41637	192147+	113629+	130886+	435	13358+	0.6
66 logd	0.1	00:02.98	4	3	1854+	13M	0B	0B	96	1	sleeping	@[1]	0.00000	0.00000	0	5629+	97	33429+	37564+	12637+	540172+	182	3	0.1	
454 coreapoligh	0.1	00:02.17	8	6	287	22M	0B	0B	453	1	sleeping	@[701]	0.00000	0.11019	501	46895+	209	6814+	400+	149077+	13704+	40881+	1902	25	0.1
664 corebrightn	0.1	00:00.98	4	3	146	3968K	0B	0B	164	1	sleeping	@[1]	0.07709	0.00000	0	4708+	139	4450+	3431+	46821+	9797+	11800+	861	289	0.1
900 WhatsApp	0.1	00:12.46	27	4	749	193M	8256K	0B	808	1	sleeping	@[20/3]	0.00000	0.00000	501	51320	3141	84831+	18267+	372753+	9005780+	101255+	11312	8749+	0.4
000 fasednet	0.1	00:06.94	10	1	156+	3520K+	0B	0B	100	1	sleeping	@[1]	0.00000	0.00000	0	7545+	0	9743+	4860+	173037+	32468+	38334+	11	634+	0.2
77																									

```

root login: Fri May 15 09:15:13 on tty000
Esakikkannan@Esakkis-MacBook-Air ~ % du -sh
Filesystem      Size    Used    Avail Capacity  iused ifree %iused    Mounted on
/dev/disk3s1s1  460Gi   126i   330Gi      4%    458k   3.5k    0%    /
devfs           199Ki   199Ki    0Bi   100%    690   0   100%    /dev
/dev/disk3s6    460Gi   28Ki   330Gi      1%      0   3.5k    0%    /System/Volumes/VN
/dev/disk3s2    460Gi   8.4Gi   330Gi      3%    1.4k   3.5k    0%    /System/Volumes/Preboot
/dev/disk3s4    460Gi   2.4Mi   330Gi      1%      63   3.5k    0%    /System/Volumes/Update
/dev/disk1s2    550Mi   6.8Mi   529Mi      2%    1.5k    0%    /System/Volumes/xarts
/dev/disk1s1    550Mi   5.8Mi   529Mi      2%    36   5.4k    0%    /System/Volumes/iSCPreboot
/dev/disk1s3    550Mi   3.9Mi   529Mi      1%    777   5.4k    0%    /System/Volumes/Hardware
/dev/disk3s5    460Gi  189Gi   330Gi     25%    1.1M   3.5k    0%    /System/Volumes/Data
map auto_home   0Bi      0Bi      0Bi   100%      0      0      -    /System/Volumes/Data/home

Esakikkannan@Esakkis-MacBook-Air ~ % du -sh
./Library/Application Support/CallHistoryTransactions: Operation not permitted
./Library/Application Support/CloudDocs: Operation not permitted
./Library/Application Support/com.apple.sharedfilelist: Operation not permitted
./Library/Application Support/Knowledge: Operation not permitted
./Library/Application Support/com.apple.TCC: Operation not permitted
./Library/Application Support/FileProvider: Operation not permitted
./Library/Application Support/AddressBook: Operation not permitted
./Library/Application Support/FaceTime: Operation not permitted
./Library/Application Support/DifferentialPrivacy: Operation not permitted
./Library/Application Support/com.apple.avfoundation/Frecents: Operation not permitted
./Library/Application Support/CallHistoryDB: Operation not permitted
./Library/Assistant/SiriVocabulary: Operation not permitted
./Library/Daemon Containers: Operation not permitted
./Library/Autosave Information: Operation not permitted
./Library/IdentityServices: Operation not permitted
./Library/Messages: Operation not permitted
./Library/HomeKit: Operation not permitted
./Library/Sharing: Operation not permitted
./Library/com.apple.a1ml.instrumentation: Operation not permitted
./Library/Mail: Operation not permitted
./Library/Trial: Operation not permitted
./Library/AppleMediaServices: Operation not permitted
./Library/DuetExpertCenter: Operation not permitted
./Library/Accounts: Operation not permitted
./Library/Safari: Operation not permitted
./Library/Biome: Operation not permitted
./Library/IntelligencePlatform: Operation not permitted
./Library/Shortcuts: Operation not permitted
./Library/Suggestions: Operation not permitted
./Library/Weather: Operation not permitted
./Library/Group Containers/group.com.apple.stocks-news: Operation not permitted
./Library/Group Containers/group.com.apple.photolibraryd.private: Operation not permitted
./Library/Group Containers/group.com.apple.feedback: Operation not permitted
./Library/Group Containers/group.com.apple.siri.inference: Operation not permitted
./Library/Group Containers/group.com.apple.telephonyutilities.callservicesd: Operation not permitted
./Library/Group Containers/group.com.apple.swtransparency: Operation not permitted
./Library/Group Containers/group.com.apple.coreservices.useractivityd: Operation not permitted
./Library/Group Containers/group.com.apple.ArchiveUtility.PKSignedContainer: Operation not permitted
./Library/Group Containers/group.com.apple.accessibility.voicebanking: Operation not permitted
./Library/Group Containers/group.com.apple.icloud.searchpartyuseragent: Operation not permitted
./Library/Group Containers/group.com.apple.siri.referenceResolution: Operation not permitted
./Library/Group Containers/group.com.apple.stocks: Operation not permitted
./Library/Group Containers/group.com.apple.usertnoted: Operation not permitted
./Library/Group Containers/group.com.apple.VoiceMemos.shared: Operation not permitted
./Library/Group Containers/group.com.apple.contacts: Operation not permitted
./Library/Group Containers/group.com.apple.secure-contact-center-preferences: Operation not permitted

```



```

Terminal  Shell  Edit  View  Window  Help
devfs on /dev (devfs, local, nobrowse)
/dev/disk3s6 on /System/Volumes/VM (apfs, local, noexec, journaled, noatime, nobrowse)
/dev/disk3s2 on /System/Volumes/Preboot (apfs, local, journaled, nobrowse)
/dev/disk3s4 on /System/Volumes/Update (apfs, local, journaled, nobrowse)
/dev/disk3s2 on /System/Volumes/xarts (apfs, local, noexec, journaled, noatime, nobrowse)
/dev/disk3s1 on /System/Volumes/iSCPreboot (apfs, local, journaled, nobrowse)
/dev/disk3s3 on /System/Volumes/Hardware (apfs, local, journaled, nobrowse)
/dev/disk3s5 on /System/Volumes/Data (apfs, local, journaled, nobrowse, protect, root data)
map auto_home on /System/Volumes/Data/home (autofs, automounted, nobrowse)
esakkikannan@Esakkis-MacBook-Air ~ % diskutil unmount /Volumes/USBNAME
Unmount failed for /Volumes/USBNAME
esakkikannan@Esakkis-MacBook-Air ~ % diskutil info disk1
Device Identifier:      disk1
Device Node:           /dev/disk1
Whole:                 Yes
Part of Whole:         disk1
Device / Media Name:   APPLE SSD AP0512Z

Volume Name:           Not applicable (no file system)
Mounted:               Not applicable (no file system)
File System:           None

Content (IOContent):   EF57347C-0000-11AA-AA11-00306543ECAC
OS Can Be Installed:   No
Media Type:            Generic
Protocol:              Apple Fabric
SMART Status:          Verified
Disk / Partition UUID: 0682E441-968C-402A-97B6-E6DF674AC618

Disk Size:             576.7 MB (576716800 Bytes) (exactly 1126400 512-Byte-Units)
Device Block Size:     4096 Bytes

Media OS Use Only:     Yes
Media Read-Only:       No
Volume Read-Only:      Not applicable (no file system)

Device Location:       Internal
Removable Media:       Fixed

Solid State:           Yes
Virtual:               Yes
Hardware AES Support:   Yes

This disk is an APFS Container.  APFS Information:
APFS Physical Store:   disk0s1

esakkikannan@Esakkis-MacBook-Air ~ % diskutil list
/dev/disk0 (internal, physical):
#:

| #: | TYPE                  | NAME            | SIZE      | IDENTIFIER |
|----|-----------------------|-----------------|-----------|------------|
| 0: | GUID_partition_scheme |                 | *500.3 GB | disk0      |
| 1: | Apple_APFS_ISC        | Container disk1 | 576.7 MB  | disk0s1    |
| 2: | Apple_APFS            | Container disk3 | 494.3 GB  | disk0s2    |
| 3: | Apple_APFS_Recovery   | Container disk2 | 5.4 GB    | disk0s3    |


/dev/disk3 (synthesized):
#:

| #: | TYPE                    | NAME                    | SIZE      | IDENTIFIER |
|----|-------------------------|-------------------------|-----------|------------|
| 0: | APFS Container Scheme - |                         | +494.3 GB | disk3      |
|    |                         | Physical Store disk0s2  |           |            |
| 1: | APFS Volume             | Macintosh HD            | 12.6 GB   | disk3s1    |
| 2: | APFS Snapshot           | com.apple.os.update-... | 12.6 GB   | disk3s1s1  |


```

```
Terminal Shell Edit View Window Help
2: APFS Snapshot com.apple.os.update-... 12.6 GB disk3s1s1
3: APFS Volume Preboot 9.0 GB disk3s2
4: APFS Volume Recovery 1.6 GB disk3s3
5: APFS Volume Data 116.8 GB disk3s5
6: APFS Volume VM 20.5 KB disk3s6

(esakkikannan@Esakkis-MacBook-Air ~ % diskutil
Disk Utility Tool
Utility to manage local disks and volumes
Most commands require an administrator or root user

WARNING: Most destructive operations are not prompted

Usage: diskutil [quiet] <verb> <options>, where <verb> is as follows:

list (List the partitions of a disk)
info[rmation] (Get information on a specific disk or partition)
listFilesystems (List file systems available for formatting)
listClients (List all current disk management clients)
activity (Continuous log of system-wide disk arbitration)

u[n]mount (Unmount a single volume)
unmountDisk (Unmount an entire disk (all volumes))
eject (Eject a disk)
mount (Mount a single volume)
mountDisk (Mount an entire disk (all mountable volumes))

enableJournal (Enable HFS+ journaling on a mounted HFS+ volume)
disableJournal (Disable HFS+ journaling on a mounted HFS+ volume)
moveJournal (Move the HFS+ journal onto another volume)
enableOwnership (Exact on-disk User/Group IDs on a mounted volume)
disableOwnership (Ignore on-disk User/Group IDs on a mounted volume)

rename[Volume] (Rename a volume)

verifyVolume (Verify the file system data structures of a volume)
repairVolume (Repair the file system data structures of a volume)
verifyDisk (Verify the components of a partition map of a disk)
repairDisk (Repair the components of a partition map of a disk)

eraseDisk (Erase an existing disk, removing all volumes)
eraseVolume (Erase an existing volume)
reformat (Erase an existing volume with same name and type)
eraseOptical (Erase optical media (CD/RW, DVD/RW, etc.))
zeroDisk (Erase a disk, writing zeros to the media)
randomDisk (Erase a disk, writing random data to the media)
secureErase (Securely erase a disk or freespace on a volume)

partitionDisk ((re)Partition a disk, removing all volumes)
addPartition (Create a new partition to occupy free space)
splitPartition (Split an existing partition into two or more)
mergePartitions (Combine two or more existing partitions into one)
resizeVolume (Resize a volume, increasing or decreasing its size)

appleRAID <verb> (Perform additional verbs related to AppleRAID)
coreStorage <verb> (Perform additional verbs related to CoreStorage)
apfs <verb> (Perform additional verbs related to APFS)
image <verb> (Perform additional verbs related to DiskImage)

diskutil <verb> with no options will provide help on that verb
```

diskutil <verb> with no options will provide help on that verb

```
esakkikannan@Esakkis-MacBook-Air ~ % du -sh Downloads
13G    Downloads
```

```
dev/disk3 (synthesized):
```

#:	TYPE	NAME	SIZE	IDENTIFIER
0:	APFS Container Scheme	-	+494.3 GB	disk3
		Physical Store disk0s2		
1:	APFS Volume	Macintosh HD	12.6 GB	disk3s1
2:	APFS Snapshot	com.apple.os.update...	12.6 GB	disk3s1s1
3:	APFS Volume	Preboot	9.0 GB	disk3s2
4:	APFS Volume	Recovery	1.6 GB	disk3s3
5:	APFS Volume	Data	116.8 GB	disk3s5
6:	APFS Volume	VM	20.5 KB	disk3s6

[illegible]

```
du: ./Library/Metadata/com.apple.IntelligentSuggestions: Operation not permitted
du: ./Library/Cookies: Operation not permitted
du: ./Library/CoreFollowUp: Operation not permitted
du: ./Library/StatusKit: Operation not permitted
du: ./Library/DoNotDisturb: Operation not permitted
du: ./Library/Caches/com.apple.HomeKit: Operation not permitted
du: ./Library/Caches/CloudKit: Operation not permitted
du: ./Library/Caches/com.apple.Safari: Operation not permitted
du: ./Library/Caches/com.apple.containermanagerd: Operation not permitted
du: ./Library/Caches/com.apple.Safari.SafeBrowsing: Operation not permitted
du: ./Library/Caches/FamilyCircle: Operation not permitted
du: ./Library/Caches/com.apple.homed: Operation not permitted
du: ./Library/Caches/com.apple.ap.adprivacyd: Operation not permitted
du: ./Trash: Operation not permitted
91G
[esakkikannan@Esakkis-MacBook-Air ~ % diskutil list
/dev/disk0 (internal, physical):
#:          TYPE NAME              SIZE      IDENTIFIER
0:      GUID_partition_scheme      *500.3 GB  disk0
1:          Apple_APFS Container disk1  576.7 MB  disk0s1
2:          Apple_APFS Container disk3  494.3 GB  disk0s2
3:          Apple_APFS Recovery Container disk2  5.4 GB    disk0s3

/dev/disk3 (synthesized):
#:          TYPE NAME              SIZE      IDENTIFIER
0:      APFS Container Scheme -     +494.3 GB  disk3
   Physical Store disk0s2
1:          APFS Volume Macintosh HD  12.6 GB   disk3s1
2:          APFS Snapshot com.apple.os.update-... 12.6 GB   disk3s1s1
3:          APFS Volume Preboot       9.8 GB    disk3s2
4:          APFS Volume Recovery      1.6 GB    disk3s3
5:          APFS Volume Data          116.8 GB  disk3s5
6:          APFS Volume VM            20.5 KB   disk3s6

[esakkikannan@Esakkis-MacBook-Air ~ % mount
/dev/disk3s1s1 on / (apfs, sealed, local, read-only, journaled)
devfs on /dev (devfs, local, nobrowse)
/dev/disk3s6 on /System/Volumes/VM (apfs, local, noexec, journaled, noatime, nobrowse)
/dev/disk3s2 on /System/Volumes/Preboot (apfs, local, journaled, nobrowse)
/dev/disk3s4 on /System/Volumes/Update (apfs, local, journaled, nobrowse)
/dev/disk1s2 on /System/Volumes/xarts (apfs, local, noexec, journaled, noatime, nobrowse)
/dev/disk1s1 on /System/Volumes/iSCPreboot (apfs, local, journaled, nobrowse)
/dev/disk1s3 on /System/Volumes/Hardware (apfs, local, journaled, nobrowse)
/dev/disk3s5 on /System/Volumes/Data (apfs, local, journaled, nobrowse, protect, root data)
map auto_home on /System/Volumes/Data/home (autofs, automounted, nobrowse)
[esakkikannan@Esakkis-MacBook-Air ~ % sudo mount
Password:
Sorry, try again.
Password:
/dev/disk3s1s1 on / (apfs, sealed, local, read-only, journaled)
devfs on /dev (devfs, local, nobrowse)
/dev/disk3s6 on /System/Volumes/VM (apfs, local, noexec, journaled, noatime, nobrowse)
/dev/disk3s2 on /System/Volumes/Preboot (apfs, local, journaled, nobrowse)
/dev/disk3s4 on /System/Volumes/Update (apfs, local, journaled, nobrowse)
/dev/disk1s2 on /System/Volumes/xarts (apfs, local, noexec, journaled, noatime, nobrowse)
/dev/disk1s1 on /System/Volumes/iSCPreboot (apfs, local, journaled, nobrowse)
/dev/disk1s3 on /System/Volumes/Hardware (apfs, local, journaled, nobrowse)
/dev/disk3s5 on /System/Volumes/Data (apfs, local, journaled, nobrowse, protect, root data)
map auto_home on /System/Volumes/Data/home (autofs, automounted, nobrowse)
[esakkikannan@Esakkis-MacBook-Air ~ % diskutil unmount /Volumes/USBNAME
```

```
Pages decompressed: 8982
Pages compressed: 65223

File I/O:
Pageins: 536417
Pageouts: 2741

System-wide memory free percentage: 84%
esakkikannan@Esakkis-MacBook-Air ~ % top -l 1 | grep CPU
CPU usage: 4.28% user, 8.57% sys, 87.14% idle
PID  COMMAND             %CPU TIME    #TH  #WO  #PORTS MEM  PURG  CMPRS  PORP  PPID STATE   BOOSTS  %CPU_ME %CPU_OTHRS UID  FAULTS  COW  MSGSENT MSGRECV SYSBSD  SYSMACH  CSW  PAGEINS IDLEW  POWER IN
STRS CYCLES JETPRI USER                #MREGS RPRVT VPRVT VSIZE KPRVT KSHRD
esakkikannan@Esakkis-MacBook-Air ~ % uptime
 9:33 up 1:03, 2 users, load averages: 1.58 1.93 1.93
esakkikannan@Esakkis-MacBook-Air ~ % uptime
 9:37 up 1:06, 2 users, load averages: 1.61 1.76 1.85
esakkikannan@Esakkis-MacBook-Air ~ % uptime
 9:37 up 1:06, 2 users, load averages: 1.52 1.73 1.83
esakkikannan@Esakkis-MacBook-Air ~ % brew install glances
✓ JSON API cask.json.json Downloaded 15.4MB/ 15.4MB
✓ JSON API formula.json Downloaded 32.0MB/ 32.0MB
==> Fetching downloads for: glances
✓ Bottle Manifest glances (4.5.4.1) Downloaded 26.8KB/ 26.8KB
✓ Bottle Manifest certifi (2026.4.22) Downloaded 2.2KB/ 2.2KB
✓ Bottle Manifest pycparser (3.0) Downloaded 2.0KB/ 2.0KB
✓ Bottle Manifest cryptography (48.0.0) Downloaded 11.7KB/ 11.7KB
✓ Bottle Manifest cffi (2.0.0.1) Downloaded 10.5KB/ 10.5KB
✓ Bottle Manifest ca-certificates (2026-05-14) Downloaded 1.7KB/ 1.7KB
✓ Bottle Manifest pydantic (2.13.4) Downloaded 7.1KB/ 7.1KB
✓ Bottle Manifest sqlite (3.53.1) Downloaded 11.8KB/ 11.8KB
✓ Bottle Manifest python@3.14 (3.14.5) Downloaded 31.1KB/ 31.1KB
✓ Bottle pycparser (3.0) Downloaded 103.8KB/103.8KB
✓ Bottle ca-certificates (2026-05-14) Downloaded 112.1KB/112.1KB
✓ Bottle certifi (2026.4.22) Downloaded 5.7KB/ 5.7KB
✓ Bottle cffi (2.0.0.1) Downloaded 522.8KB/522.8KB
✓ Bottle sqlite (3.53.1) Downloaded 2.4MB/ 2.4MB
✓ Bottle cryptography (48.0.0) Downloaded 3.9MB/ 3.9MB
✓ Bottle pydantic (2.13.4) Downloaded 4.7MB/ 4.7MB
✓ Bottle glances (4.5.4.1) Downloaded 3.0MB/ 3.0MB
✓ Bottle python@3.14 (3.14.5) Downloaded 19.2MB/ 19.2MB
==> Installing dependencies for glances: certifi, pycparser, cffi, cryptography, pydantic, sqlite and python@3.14
==> Installing glances dependency: certifi
==> Pouring certifi--2026.4.22.all.bottle.tar.gz
Error: The 'brew link' step did not complete successfully
The formula built, but is not symlinked into /opt/homebrew
Could not symlink lib/python3.14/site-packages/certifi/__init__.py
Target /opt/homebrew/lib/python3.14/site-packages/certifi/__init__.py
already exists. You may want to remove it:
  rm '/opt/homebrew/lib/python3.14/site-packages/certifi/__init__.py'

To force the link and overwrite all conflicting files:
  brew link --overwrite certifi

To list all files that would be deleted:
  brew link --overwrite certifi --dry-run

Possible conflicting files are:
/opt/homebrew/lib/python3.14/site-packages/certifi/__init__.py
/opt/homebrew/lib/python3.14/site-packages/certifi/__main__.py
/opt/homebrew/lib/python3.14/site-packages/certifi/cacert.pem
```



Possible conflicting files are:
 /opt/homebrew/lib/python3.14/site-packages/certifi/__init__.py
 /opt/homebrew/lib/python3.14/site-packages/certifi/__main__.py
 /opt/homebrew/lib/python3.14/site-packages/certifi/cacert.pem
 /opt/homebrew/lib/python3.14/site-packages/certifi/cors.py
 /opt/homebrew/lib/python3.14/site-packages/certifi/py.typed
 /opt/homebrew/lib/python3.14/site-packages/certifi-2026.4.22.dist-info/INSTALLER
 /opt/homebrew/lib/python3.14/site-packages/certifi-2026.4.22.dist-info/METADATA
 /opt/homebrew/lib/python3.14/site-packages/certifi-2026.4.22.dist-info/WHEEL
 /opt/homebrew/lib/python3.14/site-packages/certifi-2026.4.22.dist-info/licenses/LICENSE
 /opt/homebrew/lib/python3.14/site-packages/certifi-2026.4.22.dist-info/top_level.txt

==> Summary
 /opt/homebrew/Cellar/certifi/2026.4.22: 38 files, 20.5KB
 ==> Installing glances dependency: pycparser
 ==> Pouring pycparser--3.0.all.bottle.tar.gz
 Error: The 'brew link' step did not complete successfully
 The formula built, but is not symlinked into /opt/homebrew
 Could not symlink lib/python3.14/site-packages/pycparser/__init__.py
 Target /opt/homebrew/lib/python3.14/site-packages/pycparser/__init__.py
 already exists. You may want to remove it:
 rm '/opt/homebrew/lib/python3.14/site-packages/pycparser/__init__.py'

To force the link and overwrite all conflicting files:
 brew link --overwrite pycparser

To list all files that would be deleted:
 brew link --overwrite pycparser --dry-run

Possible conflicting files are:
 /opt/homebrew/lib/python3.14/site-packages/pycparser/__init__.py
 /opt/homebrew/lib/python3.14/site-packages/pycparser/_ast_gen.py
 /opt/homebrew/lib/python3.14/site-packages/pycparser/_c_ast.cfg
 /opt/homebrew/lib/python3.14/site-packages/pycparser/ast_transforms.py
 /opt/homebrew/lib/python3.14/site-packages/pycparser/c_ast.py
 /opt/homebrew/lib/python3.14/site-packages/pycparser/c_generator.py
 /opt/homebrew/lib/python3.14/site-packages/pycparser/c_lexer.py
 /opt/homebrew/lib/python3.14/site-packages/pycparser/c_parser.py
 /opt/homebrew/lib/python3.14/site-packages/pycparser-3.0.dist-info/INSTALLER
 /opt/homebrew/lib/python3.14/site-packages/pycparser-3.0.dist-info/METADATA
 /opt/homebrew/lib/python3.14/site-packages/pycparser-3.0.dist-info/WHEEL
 /opt/homebrew/lib/python3.14/site-packages/pycparser-3.0.dist-info/licenses/LICENSE
 /opt/homebrew/lib/python3.14/site-packages/pycparser-3.0.dist-info/top_level.txt
 ==> Summary
 /opt/homebrew/Cellar/pycparser/3.0: 53 files, 466.1KB
 ==> Installing glances dependency: cffi
 ==> Pouring cffi--2.0.0.1.arm64.tahoe.bottle.tar.gz
 Error: The 'brew link' step did not complete successfully
 The formula built, but is not symlinked into /opt/homebrew
 Could not symlink lib/python3.14/site-packages/_cffi_backend.cpython-314-darwin.so
 Target /opt/homebrew/lib/python3.14/site-packages/_cffi_backend.cpython-314-darwin.so
 already exists. You may want to remove it:
 rm '/opt/homebrew/lib/python3.14/site-packages/_cffi_backend.cpython-314-darwin.so'

To force the link and overwrite all conflicting files:
 brew link --overwrite cffi

To list all files that would be deleted:
 brew link --overwrite cffi --dry-run



```
brew link --overwrite cffi
```

To list all files that would be deleted:

```
brew link --overwrite cffi --dry-run
```

Possible conflicting files are:

```
/opt/homebrew/lib/python3.14/site-packages/_cffi_backend.cpython-314-darwin.so
/opt/homebrew/lib/python3.14/site-packages/cffi/_init_.py
/opt/homebrew/lib/python3.14/site-packages/cffi/_cffi_errors.h
/opt/homebrew/lib/python3.14/site-packages/cffi/_cffi_include.h
/opt/homebrew/lib/python3.14/site-packages/cffi/_embedding.h
/opt/homebrew/lib/python3.14/site-packages/cffi/_imp_emulation.py
/opt/homebrew/lib/python3.14/site-packages/cffi/_shimmed_dist_utils.py
/opt/homebrew/lib/python3.14/site-packages/cffi/api.py
/opt/homebrew/lib/python3.14/site-packages/cffi/backend_ctypes.py
/opt/homebrew/lib/python3.14/site-packages/cffi/cffi_opcode.py
/opt/homebrew/lib/python3.14/site-packages/cffi/commontypes.py
/opt/homebrew/lib/python3.14/site-packages/cffi/cparser.py
/opt/homebrew/lib/python3.14/site-packages/cffi/error.py
/opt/homebrew/lib/python3.14/site-packages/cffi/ffiplatform.py
/opt/homebrew/lib/python3.14/site-packages/cffi/lock.py
/opt/homebrew/lib/python3.14/site-packages/cffi/model.py
/opt/homebrew/lib/python3.14/site-packages/cffi/parse_c_type.h
/opt/homebrew/lib/python3.14/site-packages/cffi/pkgconfig.py
/opt/homebrew/lib/python3.14/site-packages/cffi/recompiler.py
/opt/homebrew/lib/python3.14/site-packages/cffi/setuptools_ext.py
/opt/homebrew/lib/python3.14/site-packages/cffi/vengine_cpy.py
/opt/homebrew/lib/python3.14/site-packages/cffi/vengine_gen.py
/opt/homebrew/lib/python3.14/site-packages/cffi/verifier.py
/opt/homebrew/lib/python3.14/site-packages/cffi-2.0.0.dist-info/INSTALLER
/opt/homebrew/lib/python3.14/site-packages/cffi-2.0.0.dist-info/METADATA
/opt/homebrew/lib/python3.14/site-packages/cffi-2.0.0.dist-info/WHEEL
/opt/homebrew/lib/python3.14/site-packages/cffi-2.0.0.dist-info/entry_points.txt
/opt/homebrew/lib/python3.14/site-packages/cffi-2.0.0.dist-info/licenses/AUTHORS
/opt/homebrew/lib/python3.14/site-packages/cffi-2.0.0.dist-info/licenses/LICENSE
/opt/homebrew/lib/python3.14/site-packages/cffi-2.0.0.dist-info/top_level.txt
```

Summary

```
/opt/homebrew/Cellar/cffi/2.0.0_1: 99 files, 1.8MB
```

Installing glances dependency: cryptography

Pouring cryptography-48.0.0.arm64.tahoe.bottle.tar.gz

Error: The 'brew link' step did not complete successfully

The formula built, but is not symlinked into /opt/homebrew

Could not symlink lib/python3.14/site-packages/cryptography/__about__.py

Target /opt/homebrew/lib/python3.14/site-packages/cryptography/__about__.py

already exists. You may want to remove it:

```
rm '/opt/homebrew/lib/python3.14/site-packages/cryptography/__about__.py'
```

To force the link and overwrite all conflicting files:

```
brew link --overwrite cryptography
```

To list all files that would be deleted:

```
brew link --overwrite cryptography --dry-run
```

Possible conflicting files are:

```
/opt/homebrew/lib/python3.14/site-packages/cryptography/__about__.py
/opt/homebrew/lib/python3.14/site-packages/cryptography/__init__.py
/opt/homebrew/lib/python3.14/site-packages/cryptography/exceptions.py
/opt/homebrew/lib/python3.14/site-packages/cryptography/fernet.py
/opt/homebrew/lib/python3.14/site-packages/cryptography/hazmat/__init__.py
/opt/homebrew/lib/python3.14/site-packages/cryptography/hazmat/_oid.py
```



'idle3.14' requires tkinter, which is available separately:
brew install python-tk@3.14

See: <https://docs.brew.sh/Homebrew-and-Python>

The following python@3.14 executables are shadowed by other commands earlier in your PATH:
idle3 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/idle3)
idle3.14 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/idle3.14)
pip3 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/pip3)
pip3.14 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/pip3.14)
pydoc3 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/pydoc3)
pydoc3.14 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/pydoc3.14)
python3 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/python3)
python3-config (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/python3-config)
python3.14 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/python3.14)
python3.14-config (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/python3.14-config)
Running these by name will not invoke the version provided by Homebrew.
Disable this behaviour by setting 'HOMEBREW_NO_PATH_SHADOW_CHECK=1'.
Hide these hints with 'HOMEBREW_NO_ENV_HINTS=1' (see 'man brew').

==> Summary
📦 /opt/homebrew/Cellar/python@3.14/3.14.5: 3,745 files, 75.6MB
==> Installing glances
==> Pouring glances--4.5.4.1.arm64.tahoe.bottle.tar.gz
📦 /opt/homebrew/Cellar/glances/4.5.4.1: 1,158 files, 11.9MB
==> Running 'brew cleanup glances'...
Disable this behaviour by setting 'HOMEBREW_NO_INSTALL_CLEANUP=1'.
Hide these hints with 'HOMEBREW_NO_ENV_HINTS=1' (see 'man brew').

==> Caveats
zsh completions have been installed to:
/opt/homebrew/share/zsh/site-functions
==> python@3.14
Python is installed as
/opt/homebrew/bin/python3

Unversioned symlinks 'python', 'python-config', 'pip' etc. pointing to
'python3', 'python3-config', 'pip3' etc., respectively, are installed into
/opt/homebrew/opt/python@3.14/libexec/bin

'idle3.14' requires tkinter, which is available separately:
brew install python-tk@3.14

See: <https://docs.brew.sh/Homebrew-and-Python>

The following python@3.14 executables are shadowed by other commands earlier in your PATH:
idle3 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/idle3)
idle3.14 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/idle3.14)
pip3 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/pip3)
pip3.14 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/pip3.14)
pydoc3 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/pydoc3)
pydoc3.14 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/pydoc3.14)
python3 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/python3)
python3-config (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/python3-config)
python3.14 (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/python3.14)
python3.14-config (shadowed by /Library/Frameworks/Python.framework/Versions/3.14/bin/python3.14-config)
Running these by name will not invoke the version provided by Homebrew.
Disable this behaviour by setting 'HOMEBREW_NO_PATH_SHADOW_CHECK=1'.
Hide these hints with 'HOMEBREW_NO_ENV_HINTS=1' (see 'man brew').
esakkikannan@Esakkis-MacBook-Air ~ % glances
esakkikannan@Esakkis-MacBook-Air ~ %



```

Terminal  Shell  Edit  View  Window  Help
Last login: Fri May 15 09:25:10 on ttys001
(esakkikannan@Esakkis-MacBook-Air ~ % top
(esakkikannan@Esakkis-MacBook-Air ~ % iostat
      disk0      cpu      load average
KB/t  tps  MB/s  us sy id  1m   5m  15m
20.97 142  2.83   5  2 93  1.73 2.82 1.96
(esakkikannan@Esakkis-MacBook-Air ~ % vm_stat
Mach Virtual Memory Statistics: (page size of 16384 bytes)
Pages free:          64900.
Pages active:        395173.
Pages inactive:      372868.
Pages speculative:   21382.
Pages throttled:     0.
Pages wired down:    134508.
Pages purgeable:     16678.
"Translation faults": 18690458.
Pages copy-on-write: 463282.
Pages zero filled:   13208225.
Pages reactivated:   126046.
Pages purged:        187946.
File-backed pages:   297401.
Anonymous pages:     492022.
Pages stored in compressor: 54537.
Pages occupied by compressor: 18224.
Decompressions:      8975.
Compressions:        65223.
Pageins:             536297.
Pageouts:            2741.
Swapins:             0.
Swapouts:            0.
(esakkikannan@Esakkis-MacBook-Air ~ % Activity Monitor
zsh: command not found: Activity
(esakkikannan@Esakkis-MacBook-Air ~ % memory_pressure
The system has 17179869184 (1048576 pages with a page size of 16384).

Stats:
Pages free: 59614
Pages purgeable: 14578
Pages purged: 188057

Swap I/O:
Swapins: 0
Swapouts: 0

Page Q counts:
Pages active: 394881
Pages inactive: 376632
Pages speculative: 21494
Pages throttled: 0
Pages wired down: 136425

Compressor Stats:
Pages used by compressor: 18224
Pages decompressed: 8982
Pages compressed: 65223

File I/O:
Pageins: 536417
Pageouts: 2741
```



```

Last login: Fri May 15 09:39:30 on ttys000
esakkikannan@Esakkis-MacBook-Air ~ % sudo useradd kannan
Password:
sudo: useradd: command not found
esakkikannan@Esakkis-MacBook-Air ~ % sudo sysadminctl -deleteUser username
2026-05-15 09:40:45.565 sysadminctl[4321:64343] -----
2026-05-15 09:40:45.565 sysadminctl[4321:64343] No clear text password or interactive option was specified (adduser, change/reset password will not allow user to use FDE) !
2026-05-15 09:40:45.565 sysadminctl[4321:64343] -----
2026-05-15 09:40:45.566 sysadminctl[4321:64343] User username not found.
esakkikannan@Esakkis-MacBook-Air ~ % sudo dscl
Entering interactive mode... (type "help" for commands)
>
>
esakkikannan@Esakkis-MacBook-Air ~ % passwd
Changing password for esakkikannan.
Old Password:
New Password:
Retype New Password:
##### WARNING #####
# This tool does not update the login keychain password. #
# To update it, run 'security set-keychain-password' as the user in question, #
# or as root providing a path to such user's login keychain. #
#####

esakkikannan@Esakkis-MacBook-Air ~ % pwdpolicy -getglobalpolicy
esakkikannan@Esakkis-MacBook-Air ~ % groups
staff everyone localaccounts _appserverusr admin _appserveradm com.apple.sharepoint.group.1 _appstore _lpadmin _lpoperator _developer _analyticsusers com.apple.access_ftp com.apple.access_screensharing com.a
esakkikannan@Esakkis-MacBook-Air ~ % staff admin everyone
ssh: command not found: staff
esakkikannan@Esakkis-MacBook-Air ~ % sudo dseditgroup -o delete developers
Group not found.
esakkikannan@Esakkis-MacBook-Air ~ % su
Password:
[su: Sorry]
esakkikannan@Esakkis-MacBook-Air ~ % whoami
esakkikannan
esakkikannan@Esakkis-MacBook-Air ~ % whoami
esakkikannan
esakkikannan@Esakkis-MacBook-Air ~ % groups
staff everyone localaccounts _appserverusr admin _appserveradm com.apple.sharepoint.group.1 _appstore _lpadmin _lpoperator _developer _analyticsusers com.apple.access_ftp com.apple.access_screensharing com.a
esakkikannan@Esakkis-MacBook-Air ~ % sudo su
sh-3.2#
```


```


Terminal  Shell  Edit  View  Window  Help
Last login: Fri May 15 09:44:30 on ttys000
esakkikannan@Esakkis-MacBook-Air ~ % cd demo
esakkikannan@Esakkis-MacBook-Air demo % bzip2 demo1.txt
esakkikannan@Esakkis-MacBook-Air demo % ls
demo1.txt.bz2  demo3.txt      script.sh      users.txt
esakkikannan@Esakkis-MacBook-Air demo % bunzip2 demo1.txt.bz2
esakkikannan@Esakkis-MacBook-Air demo % ls
demo1.txt      demo3.txt      script.sh      users.txt
esakkikannan@Esakkis-MacBook-Air demo % xz demo1.txt
esakkikannan@Esakkis-MacBook-Air demo % s
zsh: command not found: s
esakkikannan@Esakkis-MacBook-Air demo % ls
demo1.txt.xz  demo3.txt      script.sh      users.txt
esakkikannan@Esakkis-MacBook-Air demo % xz -k demo.txt
xz: demo.txt: No such file or directory
esakkikannan@Esakkis-MacBook-Air demo % xz -k demo1.txt
xz: demo1.txt: No such file or directory
esakkikannan@Esakkis-MacBook-Air demo % unxz demo1.txt.xz
esakkikannan@Esakkis-MacBook-Air demo % ls
demo1.txt      demo3.txt      script.sh      users.txt
esakkikannan@Esakkis-MacBook-Air demo % tar -cvf project.tar project/
tar: project: Cannot stat: No such file or directory
tar: Error exit delayed from previous errors.
esakkikannan@Esakkis-MacBook-Air demo % zip demo.zip demo1.txt
adding: demo1.txt (deflated 15%)
esakkikannan@Esakkis-MacBook-Air demo % zip -r project.zip project/
zip warning: name not matched: project/

zip error: Nothing to do! (try: zip -r project.zip . -i project/)
esakkikannan@Esakkis-MacBook-Air demo % ls
demo.zip      demo1.txt      demo3.txt      project.tar      script.sh      users.txt
esakkikannan@Esakkis-MacBook-Air demo % unzip demo.zip
Archive:  demo.zip
replace demo1.txt? [y]es, [n]o, [A]ll, [N]one, [r]ename: y
  inflating: demo1.txt
esakkikannan@Esakkis-MacBook-Air demo % lzma demo1.txt
esakkikannan@Esakkis-MacBook-Air demo % s
zsh: command not found: s
esakkikannan@Esakkis-MacBook-Air demo % ls
demo.zip      demo1.txt.lzma  demo3.txt      project.tar      script.sh      users.txt
esakkikannan@Esakkis-MacBook-Air demo % brew install lzop
✓ JSON API formula.jws.json      Downloaded 32.0MB/ 32.0MB
✓ JSON API cask.jws.json          Downloaded 15.4MB/ 15.4MB
==> Fetching downloads for: lzop
✓ Bottle Manifest lzop (1.04)      Downloaded 17.6KB/ 17.6KB
✓ Bottle Manifest lzo (2.10)       Downloaded 16.7KB/ 16.7KB
✓ Bottle lzo (2.10)                Downloaded 149.6KB/149.6KB
✓ Bottle lzop (1.04)              Downloaded 81.5KB/ 81.5KB
==> Installing lzop dependency: lzo
==> Pouring lzo--2.10.arm64.tahoe.bottle.tar.gz
📦 /opt/homebrew/Cellar/lzo/2.10: 32 files, 579.8KB
==> Pouring lzop--1.04.arm64.tahoe.bottle.tar.gz
📦 /opt/homebrew/Cellar/lzop/1.04: 21 files, 305.5KB
==> Running `brew cleanup lzop`...
Disable this behaviour by setting `HOMEBREW_NO_INSTALL_CLEANUP=1`.
Hide these hints with `HOMEBREW_NO_ENV_HINTS=1` (see `man brew`).
esakkikannan@Esakkis-MacBook-Air demo % lzop demo1.txt
lzop: demo1.txt: can't open input file: No such file or directory
esakkikannan@Esakkis-MacBook-Air demo % ls
demo.zip      demo1.txt.lzma  demo3.txt      project.tar      script.sh      users.txt
```

```

Terminal  Shell  Edit  View  Window  Help
Last login: Fri May 15 08:38:24 on ttys000
esakkikannan@Esakkis-MacBook-Air ~ % ls
Applications  Documents      laptop      Movies      Pictures      Public
demo          Downloads     Library     Music       project       resume
Desktop       EE project    medical     myenv       project1
esakkikannan@Esakkis-MacBook-Air ~ % cd demo
esakkikannan@Esakkis-MacBook-Air demo % cd
esakkikannan@Esakkis-MacBook-Air ~ % pwd
/Users/esakkikannan
esakkikannan@Esakkis-MacBook-Air ~ % mkdir demo2
esakkikannan@Esakkis-MacBook-Air ~ % cd demo2
esakkikannan@Esakkis-MacBook-Air demo2 % rmdir demo2
rmdir: demo2: No such file or directory
esakkikannan@Esakkis-MacBook-Air demo2 % cd demo2
cd: no such file or directory: demo2
esakkikannan@Esakkis-MacBook-Air demo2 % touch rr.txt
esakkikannan@Esakkis-MacBook-Air demo2 % ls
rr.txt
esakkikannan@Esakkis-MacBook-Air demo2 % rm demo2
rm: demo2: No such file or directory
esakkikannan@Esakkis-MacBook-Air demo2 % cd
esakkikannan@Esakkis-MacBook-Air ~ % rm demo2
rm: demo2: is a directory
esakkikannan@Esakkis-MacBook-Air ~ % mv project project4
esakkikannan@Esakkis-MacBook-Air ~ % cd project4
esakkikannan@Esakkis-MacBook-Air project4 % ln -s demo.txt link_demo.txt
esakkikannan@Esakkis-MacBook-Air project4 %
```





```
Terminal Shell Edit View Window Help
esakkikannan@Esakkis-MacBook-Air demo % tail -5 demo1.txt
hi how are you ,fine
esakkikannan@Esakkis-MacBook-Air demo % head filename
head: filename: No such file or directory
esakkikannan@Esakkis-MacBook-Air demo % head demo1.txt
hi how are you ,fine
esakkikannan@Esakkis-MacBook-Air demo % head -3 demo1.txt
hi how are you ,fine
esakkikannan@Esakkis-MacBook-Air demo % nano demo1.txt

esakkikannan@Esakkis-MacBook-Air demo % vim demo1.txt
esakkikannan@Esakkis-MacBook-Air demo % cat users.txt
cat: users.txt: No such file or directory
esakkikannan@Esakkis-MacBook-Air demo % touch users.txt
esakkikannan@Esakkis-MacBook-Air demo % cat users.txt
esakkikannan@Esakkis-MacBook-Air demo % awk '{print $1}' demo1.txt
hi
good
sri
of
esakkikannan@Esakkis-MacBook-Air demo % sed 's/Hello/Hi/' demo1.txt
hi how are you ,fine
good morning
sri shakthi istiute
of engineering and technology
esakkikannan@Esakkis-MacBook-Air demo %
```

```

Terminal  Shell  Edit  View  Window  Help
Last login: Fri May 15 08:55:40 on ttys000
esakkikannan@Esakkis-MacBook-Air ~ % cd demo
esakkikannan@Esakkis-MacBook-Air demo % ls
demo1.txt      users.txt
esakkikannan@Esakkis-MacBook-Air demo % ls -l
total 8
-rw-r--r--  1 esakkikannan  staff   85 15 May 08:52 demo1.txt
-rw-r--r--  1 esakkikannan  staff    0 15 May 08:53 users.txt
esakkikannan@Esakkis-MacBook-Air demo % touch script.sh
esakkikannan@Esakkis-MacBook-Air demo % nano script.sh
esakkikannan@Esakkis-MacBook-Air demo % nano script.sh
esakkikannan@Esakkis-MacBook-Air demo % chmod +x script.sh
esakkikannan@Esakkis-MacBook-Air demo % ./script.sh
Hello Esakki
esakkikannan@Esakkis-MacBook-Air demo % chmod 600 demo1.txt
esakkikannan@Esakkis-MacBook-Air demo % sudo chown esakkikannan demo1.txt
>Password:
Sorry, try again.
>Password:
Sorry, try again.
>Password:
sudo: 2 incorrect password attempts
esakkikannan@Esakkis-MacBook-Air demo % chgrp staff demo1.txt
esakkikannan@Esakkis-MacBook-Air demo % umask
022
esakkikannan@Esakkis-MacBook-Air demo % stat demo1.txt
16777233 447461 -rw-----  1 esakkikannan  staff  0 85 "May 15 08:52:42 2026" "May 15 08:52:41 2026" "May 15 09:00:22 2026" "May 15 08:52:41 2026" 4096 8 0 demo1.txt
esakkikannan@Esakkis-MacBook-Air demo % ls -le
total 16
-rw-----  1 esakkikannan  staff   85 15 May 08:52 demo1.txt
-rwxr-xr-x  1 esakkikannan  staff   20 15 May 08:57 script.sh
-rw-r--r--  1 esakkikannan  staff    0 15 May 08:53 users.txt
esakkikannan@Esakkis-MacBook-Air demo % ls -l0
total 16
-rw-----  1 esakkikannan  staff  - 85 15 May 08:52 demo1.txt
-rwxr-xr-x  1 esakkikannan  staff  - 20 15 May 08:57 script.sh
-rw-r--r--  1 esakkikannan  staff  -  0 15 May 08:53 users.txt
esakkikannan@Esakkis-MacBook-Air demo % chflags uchg demo1.txt
esakkikannan@Esakkis-MacBook-Air demo % chflags nouchg demo1.txt
esakkikannan@Esakkis-MacBook-Air demo % whoami
esakkikannan
esakkikannan@Esakkis-MacBook-Air demo % touch demo3.txt
esakkikannan@Esakkis-MacBook-Air demo % ls -l
total 16
-rw-----  1 esakkikannan  staff   85 15 May 08:52 demo1.txt
-rw-r--r--  1 esakkikannan  staff    0 15 May 09:02 demo3.txt
-rwxr-xr-x  1 esakkikannan  staff   20 15 May 08:57 script.sh
-rw-r--r--  1 esakkikannan  staff    0 15 May 08:53 users.txt
esakkikannan@Esakkis-MacBook-Air demo % chmod +x demo.txt
(chmod: demo.txt: No such file or directory
esakkikannan@Esakkis-MacBook-Air demo % chmod +x demo3.txt
esakkikannan@Esakkis-MacBook-Air demo % ls -l
total 16
-rw-----  1 esakkikannan  staff   85 15 May 08:52 demo1.txt
-rwxr-xr-x  1 esakkikannan  staff    0 15 May 09:02 demo3.txt
-rwxr-xr-x  1 esakkikannan  staff   20 15 May 08:57 script.sh
-rw-r--r--  1 esakkikannan  staff    0 15 May 08:53 users.txt
esakkikannan@Esakkis-MacBook-Air demo % stat demo3.txt
16777233 4476133 -rwxr-xr-x  1 esakkikannan  staff  0 0 "May 15 09:02:15 2026" "May 15 09:02:15 2026" "May 15 09:02:32 2026" "May 15 09:02:15 2026" 4096 0 0 demo3.txt
esakkikannan@Esakkis-MacBook-Air demo % whoami
```

```

Terminal  Shell  Edit  View  Window  Help
Last login: Fri May 15 08:56:24 on ttys000
esakkikannan@Esakkis-MacBook-Air ~ % ifconfig
lo0: flags=8049<UP,LOOPBACK,RUNNING,MULTICAST> mtu 16384
    options=1203<RXCSUM, TXCSUM, TXSTATUS, SW_TIMESTAMP>
    inet 127.0.0.1 netmask 0xff000000
    inet6 ::1 prefixlen 128
    inet6 fe80::1%lo0 prefixlen 64 scopeid 0x1
    nd6 options=201<PERFORMNUD,DAD>
gif0: flags=8010<POINTOPOINT,MULTICAST> mtu 1280
stf0: flags=0<> mtu 1280
anp10: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST> mtu 1500
    options=400<CHANNEL_IO>
    ether 86:c3:0c:2a:33:86
    media: none
    status: inactive
anp11: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST> mtu 1500
    options=400<CHANNEL_IO>
    ether 86:c3:0c:2a:33:87
    media: none
    status: inactive
en2: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST> mtu 1500
    options=400<CHANNEL_IO>
    ether 86:c3:0c:2a:33:66
    nd6 options=201<PERFORMNUD,DAD>
    media: none
    status: inactive
en3: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST> mtu 1500
    options=400<CHANNEL_IO>
    ether 86:c3:0c:2a:33:67
    nd6 options=201<PERFORMNUD,DAD>
    media: none
    status: inactive
en1: flags=8963<UP,BROADCAST,SMART,RUNNING,PROMISC,SIMPLEX,MULTICAST> mtu 1500
    options=460<TS04,TS06,CHANNEL_IO>
    ether 36:a0:eb:26:4a:00
    media: autoselect <full-duplex>
    status: inactive
en4: flags=8963<UP,BROADCAST,SMART,RUNNING,PROMISC,SIMPLEX,MULTICAST> mtu 1500
    options=460<TS04,TS06,CHANNEL_IO>
    ether 36:a0:eb:26:4a:04
    media: autoselect <full-duplex>
    status: inactive
bridge0: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST> mtu 1500
    options=63<RXCSUM, TXCSUM, TS04, TS06>
    ether 36:a0:eb:26:4a:00
    Configuration:
        id 0:0:0:0:0:0 priority 0 hellotime 0 fwddelay 0
        maxage 0 holdcnt 0 proto stp maxaddr 100 timeout 1200
        root id 0:0:0:0:0:0 priority 0 ifcost 0 port 0
        ipfilter disabled flags 0x0
    member: en1 flags=3<LEARNING,DISCOVER>
        ifmaxaddr 0 port 8 priority 0 path cost 0
    member: en4 flags=3<LEARNING,DISCOVER>
        ifmaxaddr 0 port 9 priority 0 path cost 0
    nd6 options=201<PERFORMNUD,DAD>
    media: <unknown type>
    status: inactive
ap1: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST> mtu 1500
    options=6460<TS04,TS06,CHANNEL_IO,PARTIAL_CSUM,ZEROINVERT_CSUM>
    ether 3e:44:28:66:d6:2b
```

```
nd6 options=201<PERFORMNUD,DAD>
media: <unknown type>
status: inactive
ap1: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST> mtu 1500
options=6460<TS04,TS06,CHANNEL_IO,PARTIAL_CSUM,ZEROINVERT_CSUM>
ether 3e:44:28:66:d6:2b
nd6 options=201<PERFORMNUD,DAD>
media: autoselect (none)
status: inactive
en0: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST> mtu 1500
options=6460<TS04,TS06,CHANNEL_IO,PARTIAL_CSUM,ZEROINVERT_CSUM>
ether 3e:75:da:4f:7c:eb
inet6 fe80::1839:2cda:29a5:acf7%en0 prefixlen 64 secured scopeid 0xc
inet6 2401:4900:9150:82e8:1881:3bf0:3195:3105 prefixlen 64 autoconf secured
inet6 2401:4900:9150:82e8:fd8a:97f3:7b8c:c562 prefixlen 64 autoconf temporary
inet 10.138.221.67 netmask 0xfffff00 broadcast 10.138.221.255
nd6 options=201<PERFORMNUD,DAD>
media: autoselect
status: active
awdl0: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST> mtu 1500
options=6460<TS04,TS06,CHANNEL_IO,PARTIAL_CSUM,ZEROINVERT_CSUM>
ether f2:09:fb:65:28:6f
inet6 fe80::f009:fbff:fe65:286f%awdl0 prefixlen 64 scopeid 0xd
nd6 options=201<PERFORMNUD,DAD>
media: autoselect
status: active
llw0: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST> mtu 1500
options=400<CHANNEL_IO>
ether f2:09:fb:65:28:6f
inet6 fe80::f009:fbff:fe65:286f%llw0 prefixlen 64 scopeid 0xe
nd6 options=201<PERFORMNUD,DAD>
media: autoselect (none)
utun0: flags=8051<UP,POINTOPOINT,RUNNING,MULTICAST> mtu 1380
inet6 fe80::fa52:4c09:48c7:d982%utun0 prefixlen 64 scopeid 0xf
nd6 options=201<PERFORMNUD,DAD>
utun1: flags=8051<UP,POINTOPOINT,RUNNING,MULTICAST> mtu 1500
inet6 fe80::f96b:f416:fd6:826e%utun1 prefixlen 64 scopeid 0x10
nd6 options=201<PERFORMNUD,DAD>
utun2: flags=8051<UP,POINTOPOINT,RUNNING,MULTICAST> mtu 2000
inet6 fe80::d2e9:f73b:bbc9:ec6a%utun2 prefixlen 64 scopeid 0x11
nd6 options=201<PERFORMNUD,DAD>
utun3: flags=8051<UP,POINTOPOINT,RUNNING,MULTICAST> mtu 1000
inet6 fe80::ce81:b1c:bd2c:69e%utun3 prefixlen 64 scopeid 0x12
nd6 options=201<PERFORMNUD,DAD>
[esakkikannan@Esakkis-MacBook-Air ~ % ifconfig en0
en0: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST> mtu 1500
options=6460<TS04,TS06,CHANNEL_IO,PARTIAL_CSUM,ZEROINVERT_CSUM>
ether 3e:75:da:4f:7c:eb
inet6 fe80::1839:2cda:29a5:acf7%en0 prefixlen 64 secured scopeid 0xc
inet6 2401:4900:9150:82e8:1881:3bf0:3195:3105 prefixlen 64 autoconf secured
inet6 2401:4900:9150:82e8:fd8a:97f3:7b8c:c562 prefixlen 64 autoconf temporary
inet 10.138.221.67 netmask 0xfffff00 broadcast 10.138.221.255
nd6 options=201<PERFORMNUD,DAD>
media: autoselect
status: active
[esakkikannan@Esakkis-MacBook-Air ~ % ifconfig en0
en0: flags=8863<UP,BROADCAST,SMART,RUNNING,SIMPLEX,MULTICAST> mtu 1500
options=6460<TS04,TS06,CHANNEL_IO,PARTIAL_CSUM,ZEROINVERT_CSUM>
ether 3e:75:da:4f:7c:eb
inet6 fe80::1839:2cda:29a5:acf7%en0 prefixlen 64 secured scopeid 0xc
```



```
Terminal Shell Edit View Window Help
status: active
(esakkikannan@Esakkis-MacBook-Air ~ % ifconfig en0
en0: flags=8843<UP, BROADCAST, SMART, RUNNING, SIMPLEX, MULTICAST> mtu 1500
    options=6440<TSO4, TSO6, CHANNEL_IO, PARTIAL_CSUM, ZEROINVERT_CSUM>
    ether 3e:75:da:4f:7c:a8
    inet6 fe80::1839:2cda:29a5:acf7%en0 prefixlen 64 secured scopid 0xc
    inet6 2401:4900:9150:82e8:1881:3bf0:3195:3106 prefixlen 64 autoconf secured
    inet6 2401:4900:9150:82e8:fd8a:97f3:7b6c:c562 prefixlen 64 autoconf temporary
    inet 10.138.221.67 netmask 0xfffff00 broadcast 10.138.221.255
    nd6 options=201<PERFORMNUD, DAD>
    media: autoselect
status: active
(esakkikannan@Esakkis-MacBook-Air ~ % ping google.com
PING google.com (142.251.223.238): 56 data bytes
64 bytes from 142.251.223.238: icmp_seq=0 ttl=114 time=53.177 ms
64 bytes from 142.251.223.238: icmp_seq=1 ttl=114 time=44.675 ms
64 bytes from 142.251.223.238: icmp_seq=2 ttl=114 time=67.538 ms
64 bytes from 142.251.223.238: icmp_seq=3 ttl=114 time=51.307 ms
64 bytes from 142.251.223.238: icmp_seq=4 ttl=114 time=136.106 ms
64 bytes from 142.251.223.238: icmp_seq=5 ttl=114 time=52.423 ms
64 bytes from 142.251.223.238: icmp_seq=6 ttl=114 time=69.871 ms
^C
--- google.com ping statistics ---
7 packets transmitted, 7 packets received, 0.0% packet loss
round-trip min/avg/max/stddev = 44.675/67.871/136.106/29.099 ms
(esakkikannan@Esakkis-MacBook-Air ~ % ping -c 4 google.com
PING google.com (142.251.223.238): 56 data bytes
64 bytes from 142.251.223.238: icmp_seq=0 ttl=114 time=122.383 ms
64 bytes from 142.251.223.238: icmp_seq=1 ttl=114 time=178.164 ms
64 bytes from 142.251.223.238: icmp_seq=2 ttl=114 time=145.463 ms
64 bytes from 142.251.223.238: icmp_seq=3 ttl=114 time=82.336 ms
--- google.com ping statistics ---
4 packets transmitted, 4 packets received, 0.0% packet loss
round-trip min/avg/max/stddev = 82.336/132.087/178.164/34.897 ms
(esakkikannan@Esakkis-MacBook-Air ~ % netstat
Active Internet connections
Proto Recv-Q Send-Q Local Address Foreign Address (state)
tcp6 0 0 2401:4900:9150:8.49215 2606:4700:9761:d.https ESTABLISHED
tcp6 0 0 2401:4900:9150:8.49214 2606:4700:9762:7.https ESTABLISHED
tcp6 0 0 2401:4900:9150:8.49213 2606:4700:9762:7.https ESTABLISHED
tcp6 0 0 2401:4900:9150:8.49159 2606:4700:9761:d.https TIME_WAIT
tcp6 0 0 2401:4900:9150:8.50888 whatsapp-cdn6-sh.443 ESTABLISHED
tcp4 0 0 10.138.221.67.58104 17.242.13.4.5223 ESTABLISHED
tcp4 0 0 10.138.221.67.58053 whatsapp-chatd-e.5222 ESTABLISHED
udp6 0 0 2401:4900:9150:8.62802 2606:9000:2131:e.https
udp6 0 0 2401:4900:9150:8.49969 2606:4700:9762:7.https
udp46 0 0 *.mdns *.*
udp46 0 0 *.mdns *.*
udp46 0 0 *.mdns *.*
udp46 0 0 *.mdns *.*
udp46 0 0 *.mdns *.*
udp46 0 0 *.mdns *.*
udp46 0 0 *.mdns *.*
udp4 0 0 *.63403 *.*
udp4 0 0 *.* *.*
udp4 0 0 *.* *.*
udp4 0 0 *.* *.*
udp46 0 0 *.54625 *.*
```

udp46	0	0	*.mdns	**.*		
udp46	0	0	*.mdns	**.*		
udp46	0	0	*.mdns	**.*		
udp46	0	0	*.mdns	**.*		
udp46	0	0	*.mdns	**.*		
udp4	0	0	*.mdns	**.*		
udp4	0	0	*.63403	**.*		
udp4	0	0	**.*	**.*		
udp4	0	0	**.*	**.*		
udp4	0	0	**.*	**.*		
udp46	0	0	*.54525	**.*		
udp4	0	0	**.*	**.*		
udp4	0	0	**.*	**.*		
udp4	0	0	**.*	**.*		
udp4	0	0	**.*	**.*		
udp4	0	0	**.*	**.*		
udp4	0	0	**.*	**.*		
udp4	0	0	**.*	**.*		
udp4	0	0	**.*	**.*		
udp4	0	0	**.*	**.*		
udp4	0	0	**.*	**.*		
udp4	0	0	**.*	**.*		
udp4	0	0	*.mdns	**.*		
udp4	0	0	*.mdns	**.*		
udp4	0	0	*.netbios-ns	**.*		
udp4	0	0	*.netbios-dgm	**.*		
Active Multipath Internet connections						
Proto/ID	Flags	Local Address	Foreign Address	(state)		
icm6	0	0	**.*	**.*		
Active LOCAL (UNIX) domain sockets						
Address	Type	Recv-Q	Send-Q	Inode Conn Refs Nextref Addr		
86f1518fbbc138ad	stream	0	0	0 e61d8f424250e17b	0	0 /var/run/mdnsResponder
e61d8f424250e17b	stream	0	0	0 86f1518fbbc138ad	0	0
26d402bb30d6d9f9	stream	0	0	0 8de7f972e78a82d3	0	0 /var/run/mdnsResponder
8de7f972e78a82d3	stream	0	0	0 26d402bb30d6d9f9	0	0
b505f562927820cd	stream	0	0	0	0	0
b8cdd8beb45c167	stream	0	0	0 32fc96dd96f5961d	0	0 /var/run/mdnsResponder
32fc96dd96f5961d	stream	0	0	0 b8cdd8beb45c167	0	0
912c3d422bda3665	stream	0	0	0 e2e0402629b2457	0	0 /var/run/mdnsResponder
e2e0402629b2457	stream	0	0	0 912c3d422bda3665	0	0
9f34f0238c92db0a	stream	0	0	0 7cfa123fcffeb9ee	0	0 /var/run/mdnsResponder
7cfa123fcffeb9ee	stream	0	0	0 9f34f0238c92db0a	0	0
1ec645a0dfcda5ac	stream	0	0	64d91a6fe09f7071	0	0 /var/folders/3z/0q7nnlnx5tv82qr8_s8gxx8h0000gn/T/com.brave.Browser.OYmPa7/SingletonSocket
b30aaef0b63bc42ec	stream	0	0	0 6e94027c65a929ae	0	0 /var/run/mdnsResponder
6e94027c65a929ae	stream	0	0	0 b30aaef0b63bc42ec	0	0
d36cb720e404d5f5	stream	0	0	0 f0d64cd946bc0074	0	0 /var/run/mdnsResponder
f0d64cd946bc0074	stream	0	0	0 d36cb720e404d5f5	0	0
796e89252cdd6f3	stream	0	0	0 efdb1c5807b51764	0	0 /var/run/usbmuxd
efdb1c5807b51764	stream	0	0	0 796e89252cdd6f3	0	0
b3d58079f6d0eebb	stream	0	0	0 4ed7c175ff9c20a4	0	0 /var/run/mdnsResponder
4ed7c175ff9c20a4	stream	0	0	0 b3d58079f6d0eebb	0	0
8a67d0b79fe98d877	stream	0	0	0 75228d27bcb5d02c	0	0 /var/run/mdnsResponder
75228d27bcb5d02c	stream	0	0	0 8a67d0b79fe98d877	0	0
348d53ed4e00555	stream	0	0	0 e0094b52c08aa3fa	0	0 /var/run/mdnsResponder
e0094b52c08aa3fa	stream	0	0	0 348d53ed4e00555	0	0


```
75f7381f9e19101f dgram 0 0 0 cd3576407e186ef0 0 3ecc73373a7944c3
3ecc73373a7944c3 dgram 0 0 0 cd3576407e186ef0 0 9d1fb430c7eba825
c3c0e94137f0051f dgram 0 0 0 872bcd4af62c6680 872bcd4af62c6680 0
872bcd4af62c6680 dgram 0 0 0 c3c0e94137f0051f c3c0e94137f0051f 0
4589166aef6a973 dgram 0 0 0 14c144fc9f45db62 14c144fc9f45db62 0
14c144fc9f45db62 dgram 0 0 0 4589166aef6a973 4589166aef6a973 0
9d1fb430c7eba825 dgram 0 0 0 cd3576407e186ef0 0 dfe9ec03136cb775
dfe9ec03136cb775 dgram 0 0 0 cd3576407e186ef0 0 45dd4ba7f51c65d7
be1da6af76535726 dgram 0 0 0 d6f989df2275fd49 d6f989df2275fd49 0
d6f989df2275fd49 dgram 0 0 0 be1da6af76535726 be1da6af76535726 0
45dd4ba7f51c65d7 dgram 0 0 0 cd3576407e186ef0 0 2175d7eb7c6692eb
2175d7eb7c6692eb dgram 0 0 0 cd3576407e186ef0 0 30ddf2c5423f9c56
30ddf2c5423f9c56 dgram 0 0 0 cd3576407e186ef0 0 d00277cf9cadfe8e
d00277cf9cadfe8e dgram 0 0 0 cd3576407e186ef0 0 0
cd3576407e186ef0 dgram 0 0 7bdbb5e77ded2bdc 0 5a2178a9172ab300 0 /private//var/run/syslog
```

```
Registered kernel control modules
id flags pcbcount rcvbuf sndbuf name
1 5 0 8192 32768 com.apple.network.tcp_ccdebug
2 28 1 8192 131072 com.apple.flow-divert
3 1 22 65536 65536 com.apple.net.netagent
4 9 0 524288 524288 com.apple.content-filter
5 29 4 524288 524288 com.apple.net.utun_control
6 21 0 65536 65536 com.apple.net.ipsec_control
7 0 56 8192 2048 com.apple.netsrc
8 18 3 8192 2048 com.apple.network.statistics
9 1 0 8192 2048 com.apple.network.advisory
a 1 0 65536 65536 com.apple.net.rvi_control
b 4 0 65536 2048 com.apple.spmi.nfc
c 4 0 65536 2048 com.apple.uart.debug-console
d 4 0 8192 2048 com.apple.uart.sk.debug-console
```

```
Active kernel event sockets
Proto Recv-Q Send-Q vendor class subcl
kevt 0 0 1 1 2
kevt 0 0 1 6 1
kevt 0 0 1 1 6
kevt 0 0 1 1 1
kevt 0 0 1 1 14
kevt 0 0 1 1 2
kevt 0 0 1 1 2
kevt 0 0 1 1 7
kevt 0 0 1 1 1
kevt 0 0 1 1 2
kevt 0 0 1 1 3
kevt 0 0 1 1 0
kevt 0 0 1 3 3
```

```
Active kernel control sockets
Proto Recv-Q Send-Q unit id name
kctl 0 0 1 2 com.apple.flow-divert
kctl 0 0 1 3 com.apple.net.netagent
kctl 0 0 2 3 com.apple.net.netagent
kctl 0 0 3 3 com.apple.net.netagent
kctl 0 0 4 3 com.apple.net.netagent
kctl 0 0 5 3 com.apple.net.netagent
kctl 0 0 6 3 com.apple.net.netagent
kctl 0 0 7 3 com.apple.net.netagent
kctl 0 0 8 3 com.apple.net.netagent
kctl 0 0 9 3 com.apple.net.netagent
kctl 0 0 10 3 com.apple.net.netagent
kctl 0 0 11 3 com.apple.net.netagent
kctl 0 0 12 3 com.apple.net.netagent
```



[illegible]


```
Active pfkey sockets
Proto Recv-Q Send-Q Local Address      Foreign Address
Active routing sockets
Proto Recv-Q Send-Q Local Address      Foreign Address
unspec    358      0
unspec    7232     0
```

```

Terminal  Shell  Edit  View  Window  Help
kctl  0      0      52      7 com.apple.netsrc
kctl  0      0      53      7 com.apple.netsrc
kctl  0      0      54      7 com.apple.netsrc
kctl  0      0      55      7 com.apple.netsrc
kctl  0      0      56      7 com.apple.netsrc
kctl  0      0      1      8 com.apple.network.statistics
kctl  0      0      2      8 com.apple.network.statistics
kctl  0      0      3      8 com.apple.network.statistics
Active pfkey sockets
Proto Recv-Q Send-Q Local Address      Foreign Address
Active routing sockets
Proto Recv-Q Send-Q Local Address      Foreign Address
unspec 350      0
unspec 7232     0
esakkikannan@Esakkis-MacBook-Air ~ % traceroute google.com
traceroute to google.com (142.251.223.238), 64 hops max, 40 byte packets
 1 10.138.221.110 (10.138.221.110) 10.451 ms 4.095 ms 4.760 ms
 2 192.168.17.10 (192.168.17.10) 190.562 ms 191.067 ms 190.172 ms
 3 *C
esakkikannan@Esakkis-MacBook-Air ~ % brew install wget
✓ JSON API cask_tap_migrations.json Downloaded 2.2KB/ 2.2KB
✓ JSON API cask.json Downloaded 15.4MB/ 15.4MB
✓ JSON API formula.json Downloaded 32.0MB/ 32.0MB
==> Fetching downloads for: wget
✓ Bottle Manifest wget (1.25.0) Downloaded 13.3KB/ 13.3KB
✓ Bottle Manifest libidn2 (2.3.8) Downloaded 12.8KB/ 12.8KB
✓ Bottle libidn2 (2.3.8) Downloaded 309.8KB/ 309.8KB
✓ Bottle wget (1.25.0) Downloaded 1.6MB/ 1.6MB
==> Installing wget dependency: libidn2
==> Pouring libidn2-2.3.8.arm64_tahoe.bottle.tar.gz
  /opt/homebrew/Cellar/libidn2/2.3.8: 80 files, 946.1KB
==> Pouring wget-1.25.0.arm64_tahoe.bottle.1.tar.gz
  /opt/homebrew/Cellar/wget/1.25.0: 92 files, 4.7MB
==> Running `brew cleanup wget`...
Disable this behaviour by setting `HOMEBREW_NO_INSTALL_CLEANUP=1`.
Hide these hints with `HOMEBREW_NO_ENV_HINTS=1` (see `man brew`).
esakkikannan@Esakkis-MacBook-Air ~ % wget https://example.com/file.zip
--2026-05-15 09:07:18-- https://example.com/file.zip
Resolving example.com (example.com)... 2606:4700:9765:72db:f2fe:626:ef6b:ff98, 104.20.23.154, 172.66.147.243
Connecting to example.com (example.com)[2606:4700:9765:72db:f2fe:626:ef6b:ff98]:443... connected.
HTTP request sent, awaiting response... 404 Not Found
2026-05-15 09:07:18 ERROR 404: Not Found.

esakkikannan@Esakkis-MacBook-Air ~ % curl google.com
<HTML><HEAD><meta http-equiv="content-type" content="text/html; charset=utf-8">
<TITLE>301 Moved</TITLE></HEAD><BODY>
<H1>301 Moved</H1>
The document has moved
<A HREF="http://www.google.com/">here</A>.
</BODY></HTML>
esakkikannan@Esakkis-MacBook-Air ~ % curl -O https://example.com/file.zip
% Total % Received % Xferd Average Speed Time Time Time Current
Dload Upload Total Spent Left Speed
100 528 0 528 0 0 2747 0 --:--:-- --:--:-- 2750
esakkikannan@Esakkis-MacBook-Air ~ % nslookup google.com
Server: 2401:4900:9150:82e8::a3
Address: 2401:4900:9150:82e8::a3#53

Non-authoritative answer:
Name: google.com
```

```

Terminal  Shell  Edit  View  Window  Help
Non-authoritative answer:
Name:   google.com
Address: 142.251.222.206

esakkikannan@Esakkis-MacBook-Air ~ % brew install bind
==> Fetching downloads for: bind
✓ Bottle Manifest bind (9.20.22)           Downloaded 22.5KB/ 22.5KB
✓ Bottle Manifest jemalloc (5.3.0)         Downloaded 10.5KB/ 10.5KB
✓ Bottle Manifest json-c (0.18)            Downloaded 9.3KB/ 9.3KB
✓ Bottle Manifest libnghttp2 (1.69.0)      Downloaded 7.3KB/ 7.3KB
✓ Bottle Manifest libuv (1.52.1)          Downloaded 7.5KB/ 7.5KB
✓ Bottle Manifest userspace-rcu (0.15.6)   Downloaded 8.4KB/ 8.4KB
✓ Bottle json-c (0.18)                    Downloaded 101.7KB/101.7KB
✓ Bottle libnghttp2 (1.69.0)              Downloaded 231.4KB/231.4KB
✓ Bottle libuv (1.52.1)                   Downloaded 375.7KB/375.7KB
✓ Bottle userspace-rcu (0.15.6)           Downloaded 292.4KB/292.4KB
✓ Bottle jemalloc (5.3.0)                 Downloaded 843.7KB/843.7KB
✓ Bottle bind (9.20.22)                   Downloaded 2.3MB/ 2.3MB
==> Installing dependencies for bind: jemalloc, json-c, libnghttp2, libuv and userspace-rcu
==> Installing bind dependency: jemalloc
==> Pouring jemalloc--5.3.0.arm64_tahoe.bottle.1.tar.gz
  /opt/homebrew/Cellar/jemalloc/5.3.0: 17 files, 2.8MB
==> Installing bind dependency: json-c
==> Pouring json-c--0.18.arm64_tahoe.bottle.tar.gz
  /opt/homebrew/Cellar/json-c/0.18: 34 files, 365.6KB
==> Installing bind dependency: libnghttp2
==> Pouring libnghttp2--1.69.0.arm64_tahoe.bottle.tar.gz
  /opt/homebrew/Cellar/libnghttp2/1.69.0: 14 files, 848.6KB
==> Installing bind dependency: libuv
==> Pouring libuv--1.52.1.arm64_tahoe.bottle.tar.gz
  /opt/homebrew/Cellar/libuv/1.52.1: 35 files, 1.3MB
==> Installing bind dependency: userspace-rcu
==> Pouring userspace-rcu--0.15.6.arm64_tahoe.bottle.tar.gz
  /opt/homebrew/Cellar/userspace-rcu/0.15.6: 216 files, 1.5MB
==> Installing bind
==> Pouring bind--9.20.22.arm64_tahoe.bottle.tar.gz
==> Caveats
To start bind now and restart at startup:
  sudo brew services start bind
Or, if you don't want/need a background service you can just run:
  /opt/homebrew/opt/bind/sbin/named -f -L /opt/homebrew/var/log/named/named.log
==> Summary
  /opt/homebrew/Cellar/bind/9.20.22: 316 files, 8.8MB
==> Running "brew cleanup bind"...
Disable this behaviour by setting "HOMEBREW_NO_INSTALL_CLEANUP=1".
Hide these hints with "HOMEBREW_NO_ENV_HINTS=1" (see "man brew").
==> Caveats
==> bind
To start bind now and restart at startup:
  sudo brew services start bind
Or, if you don't want/need a background service you can just run:
  /opt/homebrew/opt/bind/sbin/named -f -L /opt/homebrew/var/log/named/named.log
esakkikannan@Esakkis-MacBook-Air ~ % dig google.com
; <<> DiG 9.10.6 <<> google.com
;; global options: +cmd
;; Got answer:
;; ->HEADER<- opcode: QUERY, status: NOERROR, id: 508
;; flags: qr rd ra ad; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 0

```

```
Terminal Shell Edit View Window Help
31% Fri May 15 9:09 AM

✓ Bottle json-c (0.18)
✓ Bottle libnghttp2 (1.69.0)
✓ Bottle libuv (1.52.1)
✓ Bottle userspace-rcu (0.15.6)
✓ Bottle jemalloc (5.3.0)
✓ Bottle bind (9.20.22)
Downloaded 101.7KB/101.7KB
Downloaded 231.4KB/231.4KB
Downloaded 375.7KB/375.7KB
Downloaded 292.4KB/292.4KB
Downloaded 843.7KB/843.7KB
Downloaded 2.3MB/ 2.3MB

=> Installing dependencies for bind: jemalloc, json-c, libnghttp2, libuv and userspace-rcu
=> Installing bind dependency: jemalloc
=> Pouring jemalloc-5.3.0.arm64_tahoe.bottle.1.tar.gz
/opt/homebrew/Cellar/jemalloc/5.3.0: 17 files, 2.8MB
=> Installing bind dependency: json-c
=> Pouring json-c-0.18.arm64_tahoe.bottle.tar.gz
/opt/homebrew/Cellar/json-c/0.18: 34 files, 365.6KB
=> Installing bind dependency: libnghttp2
=> Pouring libnghttp2-1.69.0.arm64_tahoe.bottle.tar.gz
/opt/homebrew/Cellar/libnghttp2/1.69.0: 14 files, 848.6KB
=> Installing bind dependency: libuv
=> Pouring libuv-1.52.1.arm64_tahoe.bottle.tar.gz
/opt/homebrew/Cellar/libuv/1.52.1: 35 files, 1.3MB
=> Installing bind dependency: userspace-rcu
=> Pouring userspace-rcu-0.15.6.arm64_tahoe.bottle.tar.gz
/opt/homebrew/Cellar/userspace-rcu/0.15.6: 216 files, 1.5MB
=> Installing bind
=> Pouring bind-9.20.22.arm64_tahoe.bottle.tar.gz
=> Caveats
To start bind now and restart at startup:
  sudo brew services start bind
Or, if you don't want/need a background service you can just run:
  /opt/homebrew/opt/bind/sbin/named -f -L /opt/homebrew/var/log/named/named.log
=> Summary
/opt/homebrew/Cellar/bind/9.20.22: 316 files, 8.8MB
=> Running 'brew cleanup bind'...
Disable this behaviour by setting 'HOMEBREW_NO_INSTALL_CLEANUP=1'.
Hide these hints with 'HOMEBREW_NO_ENV_HINTS=1' (see 'man brew').
=> Caveats
=> bind
To start bind now and restart at startup:
  sudo brew services start bind
Or, if you don't want/need a background service you can just run:
  /opt/homebrew/opt/bind/sbin/named -f -L /opt/homebrew/var/log/named/named.log
esakkikannan@Esakkis-MacBook-Air ~ % dig google.com

; <<> DiG 9.10.6 <<> google.com
;; global options: +cmd
;; Got answer:
;; ->HEADER<- opcode: QUERY, status: NOERROR, id: 508
;; flags: qr rd ra ad; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 0

;; QUESTION SECTION:
;google.com.                IN      A

;; ANSWER SECTION:
google.com.                 277     IN      A      142.251.222.206

;; Query time: 14 msec
;; SERVER: 2401:4900:9150:82e8::a3#53(2401:4900:9150:82e8::a3)
;; WHEN: Fri May 15 09:08:09 IST 2026
;; MSG SIZE rcvd: 44

esakkikannan@Esakkis-MacBook-Air ~ %
```

```

Terminal  Shell  Edit  View  Window  Help
Last login: Fri May 15 09:14:47 on ttys000
esakkikannan@Esakkis-MacBook-Air ~ % ps
  PID TTY          TIME CMD
 2835 ttys000    0:00.01 zsh
esakkikannan@Esakkis-MacBook-Air ~ % pgrep python
esakkikannan@Esakkis-MacBook-Air ~ % pgrep Chrome
esakkikannan@Esakkis-MacBook-Air ~ % pkill python
esakkikannan@Esakkis-MacBook-Air ~ % kill PID
kill: illegal pid: PID
esakkikannan@Esakkis-MacBook-Air ~ % ps aux | grep python
esakkikannan      2855   0.0  0.0 416630448   160 s000  R+   9:16AM    0:00.00 grep python
esakkikannan@Esakkis-MacBook-Air ~ % killall python3
No matching processes belonging to you were found
esakkikannan@Esakkis-MacBook-Air ~ % killall "Visual Studio Code"
No matching processes belonging to you were found
esakkikannan@Esakkis-MacBook-Air ~ % ping google.com
PING google.com (142.251.43.46): 56 data bytes
64 bytes from 142.251.43.46: icmp_seq=0 ttl=114 time=44.222 ms
64 bytes from 142.251.43.46: icmp_seq=1 ttl=114 time=40.929 ms
64 bytes from 142.251.43.46: icmp_seq=2 ttl=114 time=44.806 ms
64 bytes from 142.251.43.46: icmp_seq=3 ttl=114 time=37.528 ms
64 bytes from 142.251.43.46: icmp_seq=4 ttl=114 time=132.447 ms
^Z
zsh: suspended ping google.com
esakkikannan@Esakkis-MacBook-Air ~ % bg
[1] + continued ping google.com
esakkikannan@Esakkis-MacBook-Air ~ % 64 bytes from 142.251.43.46: icmp_seq=5 ttl=114 time=83.810 ms
64 bytes from 142.251.43.46: icmp_seq=6 ttl=114 time=60.320 ms
64 bytes from 142.251.43.46: icmp_seq=7 ttl=114 time=63.456 ms
64 bytes from 142.251.43.46: icmp_seq=8 ttl=114 time=61.948 ms
64 bytes from 142.251.43.46: icmp_seq=9 ttl=114 time=46.601 ms
64 bytes from 142.251.43.46: icmp_seq=9 ttl=114 time=48.768 ms (DUP!)
64 bytes from 142.251.43.46: icmp_seq=10 ttl=114 time=89.455 ms
64 bytes from 142.251.43.46: icmp_seq=11 ttl=114 time=39.487 ms
64 bytes from 142.251.43.46: icmp_seq=12 ttl=114 time=72.407 ms
64 bytes from 142.251.43.46: icmp_seq=13 ttl=114 time=133.790 ms
64 bytes from 142.251.43.46: icmp_seq=14 ttl=114 time=81.022 ms
64 bytes from 142.251.43.46: icmp_seq=14 ttl=114 time=94.736 ms (DUP!)
64 bytes from 142.251.43.46: icmp_seq=15 ttl=114 time=63.133 ms
64 bytes from 142.251.43.46: icmp_seq=16 ttl=114 time=90.759 ms
64 bytes from 142.251.43.46: icmp_seq=17 ttl=114 time=59.623 ms
64 bytes from 142.251.43.46: icmp_seq=18 ttl=114 time=38.683 ms
64 bytes from 142.251.43.46: icmp_seq=19 ttl=114 time=37.628 ms

esakkikannan@Esakkis-MacBook-Air ~ % 64 bytes from 142.251.43.46: icmp_seq=20 ttl=114 time=59.987 ms
64 bytes from 142.251.43.46: icmp_seq=21 ttl=114 time=92.054 ms
64 bytes from 142.251.43.46: icmp_seq=21 ttl=114 time=96.041 ms (DUP!)
64 bytes from 142.251.43.46: icmp_seq=22 ttl=114 time=73.565 ms
64 bytes from 142.251.43.46: icmp_seq=23 ttl=114 time=76.756 ms

esakkikannan@Esakkis-MacBook-Air ~ % 64 bytes from 142.251.43.46: icmp_seq=24 ttl=114 time=46.761 ms
64 bytes from 142.251.43.46: icmp_seq=25 ttl=114 time=41.695 ms
64 bytes from 142.251.43.46: icmp_seq=26 ttl=114 time=56.172 ms
64 bytes from 142.251.43.46: icmp_seq=27 ttl=114 time=35.184 ms
fg
[1] + running ping google.com
64 bytes from 142.251.43.46: icmp_seq=28 ttl=114 time=59.143 ms
64 bytes from 142.251.43.46: icmp_seq=29 ttl=114 time=109.383 ms
fg
64 bytes from 142.251.43.46: icmp_seq=30 ttl=114 time=89.520 ms
```



```
Terminal Shell Edit View Window Help
64 bytes from 142.251.43.46: icmp_seq=21 ttl=114 time=92.054 ms
64 bytes from 142.251.43.46: icmp_seq=21 ttl=114 time=95.041 ms (DUPLICATE)
64 bytes from 142.251.43.46: icmp_seq=22 ttl=114 time=73.565 ms
64 bytes from 142.251.43.46: icmp_seq=23 ttl=114 time=76.756 ms

esakkikannan@Esakkis-MacBook-Air ~ % 64 bytes from 142.251.43.46: icmp_seq=24 ttl=114 time=46.761 ms
64 bytes from 142.251.43.46: icmp_seq=25 ttl=114 time=41.695 ms
64 bytes from 142.251.43.46: icmp_seq=26 ttl=114 time=56.172 ms
64 bytes from 142.251.43.46: icmp_seq=27 ttl=114 time=35.184 ms
fg
[1] + running ping google.com
64 bytes from 142.251.43.46: icmp_seq=28 ttl=114 time=59.143 ms
64 bytes from 142.251.43.46: icmp_seq=29 ttl=114 time=109.383 ms
fg
64 bytes from 142.251.43.46: icmp_seq=30 ttl=114 time=89.520 ms
64 bytes from 142.251.43.46: icmp_seq=31 ttl=114 time=64.538 ms
^C
--- google.com ping statistics ---
32 packets transmitted, 32 packets received, 0.0% packet loss
round-trip min/avg/max/stddev = 35.184/67.581/133.790/25.698 ms
esakkikannan@Esakkis-MacBook-Air ~ % fg
fg: no current job
esakkikannan@Esakkis-MacBook-Air ~ % jobs
esakkikannan@Esakkis-MacBook-Air ~ % nice -n 10 python3 app.py
/Library/Frameworks/Python.framework/Versions/3.14/Resources/Python.app/Contents/MacOS/Python: can't open file '/Users/esakkikannan/app.py': [Errno 2] No such file or directory
esakkikannan@Esakkis-MacBook-Air ~ % renice 10 1234
renice: 1234: getpriority: No such process
esakkikannan@Esakkis-MacBook-Air ~ % ps aux
USER          PID  %CPU  %MEM    VSZ   RSS  TT  STAT  STARTED  TIME COMMAND
_ WindowServer  168   10.1  1.6 862035840 268624  ??  Ss    8:31AM  5:54.29 /System/Library/PrivateFrameworks/SkyLig
esakkikannan  525   3.3   0.5 442438720 91456  ??  S    8:32AM  1:39.39 /System/Library/CoreServices/Notificatio
root         2862   1.8   0.0 441883712 1744 s000 R+   9:18AM  0:00.01 ps aux
esakkikannan  803   1.1   7.1 1959650544 1188416  ??  S    8:33AM  6:28.69 /Applications/Brave Browser.app/Contents
esakkikannan 1055   1.1   0.9 446588576 158496  ??  S    8:42AM  0:24.97 /System/Applications/Utilities/Terminal.
esakkikannan  779   0.0   1.1 506674576 183200  ??  S    8:33AM  1:09.60 /Applications/Brave Browser.app/Contents
root         136   0.5   0.1 442018368 19760  ??  Ss    8:31AM  0:03.29 /usr/libexec/xprotectd
esakkikannan 2835   0.3   0.0 442218544 3760 s000 S    9:15AM  0:00.04 -zsh
_ driverkit    314   0.3   0.3 442148576 48944  ??  Ss    8:31AM  0:13.88 /System/Library/DriverExtensions/AppleCe
root         194   0.1   0.3 441943200 47248  ??  Ss    8:31AM  0:09.32 /usr/libexec/airportd
esakkikannan  770   0.1   2.7 495827696 454064  ??  S    8:33AM  0:46.09 /Applications/Brave Browser.app/Contents
esakkikannan  558   0.1   0.2 441988160 31088  ??  S    8:32AM  0:39.85 /usr/libexec/spotlightknowledge.updater
root         96    0.1   0.3 442512160 56944  ??  Ss    8:31AM  0:07.98 /usr/libexec/logd
esakkikannan  808   0.1   2.7 444254176 450576  ??  S    8:33AM  0:46.23 /Applications/\040*WhatsApp.app/Content
esakkikannan  441   0.1   0.6 442586928 102144  ??  S    8:32AM  0:19.78 /System/Library/CoreServices/ControlCent
root         164   0.1   0.1 441948816 20544  ??  Ss    8:31AM  0:04.89 /usr/libexec/corebrightnessd --launchd
esakkikannan 2768   0.0   0.1 442020432 18704  ??  Ss    9:10AM  0:00.05 /System/Library/Frameworks/Metal.framewo
esakkikannan 2760   0.0   0.1 442003456 15360  ??  Ss    9:09AM  0:00.03 /System/Library/Frameworks/Metal.framewo
esakkikannan 2761   0.0   0.1 442007696 18288  ??  Ss    9:09AM  0:00.04 /System/Library/Frameworks/Metal.framewo
root         1837   0.0   0.2 441969872 36880  ??  Ss    9:07AM  0:00.35 /System/Library/PrivateFrameworks/Xprote
_ neuralengine 1330   0.0   0.0 441944320 8096  ??  Ss    9:05AM  0:00.05 /usr/libexec/aneuserd
esakkikannan 1329   0.0   0.1 441968304 13552  ??  S    9:05AM  0:00.08 /System/Library/PrivateFrameworks/Safari
root         1277   0.0   0.0 441945584 7520  ??  Ss    9:03AM  0:00.05 /usr/libexec/maintenance
esakkikannan 1270   0.0   0.1 441947376 14864  ??  S    9:02AM  0:00.11 /System/Library/PrivateFrameworks/Intell
esakkikannan 1206   0.0   0.2 441951952 35888  ??  S    8:55AM  0:00.39 /System/iOSSupport/System/Library/Privat
esakkikannan 1144   0.0   0.1 442009232 24688  ??  Ss    8:50AM  0:00.16 /System/Library/Frameworks/AppKit.framew
root         1102   0.0   0.1 442291760 12800  ??  Ss    8:46AM  0:00.04 /System/Library/Frameworks/AudioToolbox.
_ corespeechd  1100   0.0   0.0 441999568 8080  ??  S    8:46AM  0:00.04 /usr/libexec/containermanagerd --runmode
_ corespeechd  1099   0.0   0.0 441910160 5856  ??  S    8:46AM  0:00.08 /usr/sbin/distnoted agent
esakkikannan 1098   0.0   0.1 442292032 12864  ??  Ss    8:46AM  0:00.03 /System/Library/Frameworks/AudioToolbox.
esakkikannan 1073   0.0   0.1 442008672 24928  ??  Ss    8:44AM  0:00.17 /System/Library/Frameworks/AppKit.framew
```

```
Terminal Shell Edit View Window Help
esakkikannan 2772 0.0 0.0 441971296 3696 ?? Ss 9:10AM 0:00.01 /System/Library/Frameworks/NetFS.framework
esakkikannan@Esakkis-MacBook-Air ~ % pgrep python
esakkikannan@Esakkis-MacBook-Air ~ % ping google.com
PING google.com (142.251.43.46): 56 data bytes
64 bytes from 142.251.43.46: icmp_seq=0 ttl=114 time=60.614 ms
64 bytes from 142.251.43.46: icmp_seq=1 ttl=114 time=60.168 ms
64 bytes from 142.251.43.46: icmp_seq=2 ttl=114 time=54.163 ms
^Z
zsh: suspended ping google.com
esakkikannan@Esakkis-MacBook-Air ~ % bg
[1] + continued ping google.com
esakkikannan@Esakkis-MacBook-Air ~ % 64 bytes from 142.251.43.46: icmp_seq=3 ttl=114 time=52.932 ms
64 bytes from 142.251.43.46: icmp_seq=4 ttl=114 time=46.687 ms
64 bytes from 142.251.43.46: icmp_seq=4 ttl=114 time=52.651 ms (DUP!)
64 bytes from 142.251.43.46: icmp_seq=5 ttl=114 time=49.299 ms
64 bytes from 142.251.43.46: icmp_seq=6 ttl=114 time=92.180 ms
64 bytes from 142.251.43.46: icmp_seq=7 ttl=114 time=78.271 ms
64 bytes from 142.251.43.46: icmp_seq=8 ttl=114 time=81.064 ms
job64 bytes from 142.251.43.46: icmp_seq=9 ttl=114 time=50.681 ms
^s
[1] + running ping google.com
esakkikannan@Esakkis-MacBook-Air ~ % 64 bytes from 142.251.43.46: icmp_seq=10 ttl=114 time=89.181 ms
64 bytes from 142.251.43.46: icmp_seq=11 ttl=114 time=60.046 ms
64 bytes from 142.251.43.46: icmp_seq=12 ttl=114 time=52.346 ms

esakkikannan@Esakkis-MacBook-Air ~ % 64 bytes from 142.251.43.46: icmp_seq=13 ttl=114 time=78.053 ms
64 bytes from 142.251.43.46: icmp_seq=14 ttl=114 time=69.109 ms
64 bytes from 142.251.43.46: icmp_seq=15 ttl=114 time=70.664 ms
64 bytes from 142.251.43.46: icmp_seq=16 ttl=114 time=63.118 ms
64 bytes from 142.251.43.46: icmp_seq=17 ttl=114 time=56.697 ms

esakkikannan@Esakkis-MacBook-Air ~ % 64 bytes from 142.251.43.46: icmp_seq=18 ttl=114 time=98.077 ms
64 bytes from 142.251.43.46: icmp_seq=19 ttl=114 time=79.634 ms
64 bytes from 142.251.43.46: icmp_seq=20 ttl=114 time=53.218 ms
64 bytes from 142.251.43.46: icmp_seq=21 ttl=114 time=64.316 ms
64 bytes from 142.251.43.46: icmp_seq=22 ttl=114 time=38.980 ms
64 bytes from 142.251.43.46: icmp_seq=23 ttl=114 time=53.251 ms

esakkikannan@Esakkis-MacBook-Air ~ % 64 bytes from 142.251.43.46: icmp_seq=24 ttl=114 time=52.469 ms
64 bytes from 142.251.43.46: icmp_seq=25 ttl=114 time=58.127 ms
64 bytes from 142.251.43.46: icmp_seq=26 ttl=114 time=72.548 ms
fg
[1] + running ping google.com
64 bytes from 142.251.43.46: icmp_seq=27 ttl=114 time=50.926 ms
64 bytes from 142.251.43.46: icmp_seq=28 ttl=114 time=75.375 ms
64 bytes from 142.251.43.46: icmp_seq=29 ttl=114 time=70.316 ms
f64 bytes from 142.251.43.46: icmp_seq=30 ttl=114 time=47.192 ms
g
64 bytes from 142.251.43.46: icmp_seq=31 ttl=114 time=48.103 ms
fg
64 bytes from 142.251.43.46: icmp_seq=32 ttl=114 time=73.328 ms
64 bytes from 142.251.43.46: icmp_seq=33 ttl=114 time=54.051 ms
^C
--- google.com ping statistics ---
34 packets transmitted, 34 packets received, +1 duplicates, 0.0% packet loss
round-trip min/avg/max/stddev = 38.980/63.081/98.077/14.142 ms
esakkikannan@Esakkis-MacBook-Air ~ % jobs
esakkikannan@Esakkis-MacBook-Air ~ % fg
fg: no current job
esakkikannan@Esakkis-MacBook-Air ~ % █
```