

Arkansas Children's Hospital Selected Organisms 2025

Organism (Gram Positive)	Percent (%) Susceptible									
	Total Strains (n)	Ampicillin	Oxacillin	Penicillin	Ceftriaxone	Clindamycin	Gentamicin - synergy	Linezolid	Trimethoprim-sulfamethoxazole	Vancomycin
<i>Enterococcus faecalis</i>	63	100		100			91			100
<i>Staphylococcus aureus</i> (all)	575		61			81		100	96	100
<i>Staphylococcus aureus</i> (methicillin-susceptible)	361		100			79		100	97	100
<i>Staphylococcus aureus</i> (methicillin-resistant)	228		0			83		100	95	100
<i>Staphylococcus epidermidis</i>	33		27							100
<i>Streptococcus pneumoniae</i> : (INVASIVE NON MENINGITIS)	73			96	100					
<i>Streptococcus pneumoniae</i> : (MENINGITIS)*	73			49	97					

All values represent percent susceptible.

Spaces left blank are due to either insufficient data to report susceptibilities or intrinsic resistance.

* = Percent susceptible based on samples from all sites utilizing meningitis breakpoints in accordance with CLSI M39 standards.

Percent (%) Susceptible

Organism (Gram Negative)	Total Strains (n)	**ESBL Total Strains (n)	Ampicillin	Amoxicillin-clavulanate	Ampicillin-sulbactam	Piperacillin-tazobactam	Cefazolin/cephalexin	Ceftriaxone	Ceftazidime	Cefepime	Ertapenem	Meropenem	Ciprofloxacin	Levofloxacin	Aztreonam	Gentamicin	Tobramycin	Trimethoprim- sulfamethoxazole
<i>Enterobacter cloacae</i> complex	55					85		76	80	89	98	100	91	92	81	94	94	90
<i>Escherichia coli</i>	719	68	47	87	54	97	87	89	93	91	100	100	75	85	91	89	89	71
<i>Haemophilus influenzae</i>	102		76	100	100			100										
<i>Klebsiella pneumoniae</i>	122	18		92	82	93	80	85	82	92	99	99	84	88	83	88	88	91
<i>Proteus mirabilis</i>	51		88	98	94	100	82	100	100	98	100		94	94	100	100	100	94
<i>Pseudomonas aeruginosa</i>	162					92			95	96		94	91	88	91			
<i>Serratia marcescens</i>	68					94		85	92	97	100	100	88	92	94	91	91	100
<i>Stenotrophomonas maltophilia</i>	43													83				95

All values represent percent susceptible.

Spaces left blank are due to either insufficient data to report susceptibilities or intrinsic resistance.

** ESBL (extended spectrum beta lactamase) producing organisms are resistant to many antibiotics, including most beta-lactam antibiotics, and may also carry other resistance mechanisms.

Percent (%) Susceptible

Organism (Cystic Fibrosis) *	Total Strains (n)	Oxacillin	Clindamycin	Linezolid	Trimethoprim-Sulfamethoxazole	Tetracycline	Vancomycin
<i>Staphylococcus aureus</i> - All	75	83	82	100	100	94	100
<i>Staphylococcus aureus</i> - Methicillin Susceptible	64	100	84	100	100	93	100
<i>Staphylococcus aureus</i> - Methicillin Resistant	14	0	78	100	100	100	100

All values represent percent susceptible.

Spaces left blank are due to either insufficient data to report susceptibilities or intrinsic resistance.

* Pseudomonas isolate count insufficient to include on antibiogram.

Percent (%) Susceptible

Organism (Urine)	Total Strains (n)	**ESBL Total Strains (n)	Amoxicillin-clavulanate	Ampicillin	Ampicillin-sulbactam	Piperacillin-tazobactam	Cefazolin/cephalexin	Ceftriaxone	Ceftazidime	Cefepime	Ertapenem	Meropenem	Ciprofloxacin	Levofloxacin	Aztreonam	Gentamicin	Nitrofurantoin (cystitis)	Trimethoprim-sulfamethoxazole	Vancomycin
<i>Enterococcus faecalis</i>	55			100													100		100
<i>Escherichia coli</i>	640	57	87	46	54	97	88	90	93	92	100	100	75	86	91	89	99	70	
<i>Klebsiella pneumoniae</i>	88	12	93		82	95	82	86	84	89	98	98	86	89	85	92	66	89	
<i>Proteus mirabilis</i>	43		97	90	97	100	97	100	100	100	100		100	100	100	100		93	

All values represent percent susceptible.

Spaces left blank are due to either insufficient data to report susceptibilities or intrinsic resistance.

** ESBL (extended spectrum beta lactamase) producing organisms are resistant to many antibiotics, including most beta-lactam antibiotics, and may also carry other resistance mechanisms.