Training on Web Scraping Prices for CPI

Reproducible Analytical Pipelines

Christophe Bontemps & Serge Goussev

Fundamental Principles of Official Statistics

- Clear mention of the **processes** used to produce statistics

Fundamental Principles of Official Statistics*

United Nations

For more information: unstats.un.org

The General Assembly,

Recalling recent resolutions[1] of the General Assembly and the Economic and Social Council highlighting the fundamental importance of official statistics for the national and global development agenda,

Bearing in mind the critical role of high-quality official statistical information in analysis and informed policy decision-making in support of sustainable development, peace and security, as well as for mutual knowledge and trade among the States and peoples of an increasingly connected world, demanding openness and transparency,

Bearing in mind also that the essential trust of the public in the integrity of official statistical systems and confidence in statistics depend to a large extent on respect for the fundamental values and principles that are the basis of any society seeking to understand itself and respect the rights of its members, and in this context that professional independence and accountability of statistical agencies are crucial,

Stressing that, in order to be effective, the fundamental values and principles that govern statistical work have to be guaranteed by legal and institutional frameworks and be respected at all political levels and by all stakeholders in national statistical systems,

Endorses the Fundamental Principles of Official Statistics set out below, as adopted by the Statistical Commission in 1994[2] and reaffirmed in 2013, and endorsed by the Economic and Social Council in its resolution 2013/21 of 24 July 2013:

* General Assembly Resolution 68/261 adopted on 29 January 2014. The "titles" of the Principles are not part of the original text.

[1] These include General Assembly resolution 64/267 on World Statistics Day and Economic and Social Council resolutions 2005/13 on the 2010 World Population and Housing Census Programme, 2006/6 on strengthening statistical capacity and 2013/21 on the Fundamental Principles of Official Statistics.

[2] For the original preamble used on the occasion of the initial adoption of the Fundamental Principles in 1994, see chapter V of the report of the Statistical Commission on its special session (*Official Records of the Economic and Social Council, 1994, Supplement No. 9* (E/1994/29)). More information on the Fundamental Principles and their history is available from the website of the Statistics Division.

Principle 1: ***Relevance, Impartiality, and Equal Access***
Official statistics provide an indispensable element in the information system of a democratic society, serving the Government, the economy and the public with data about the economic, demographic, social and environmental situation. To this end, official statistics that meet the test of practical utility are to be compiled and made available on an impartial basis by official statistical agencies to honour citizens' entitlement to public information.

Principle 2: ***Professional Standards, Scientific Principles, and Professional Ethics***
To retain trust in official statistics, the statistical agencies need to decide according to strictly professional considerations, including scientific principles and professional ethics, on the methods and procedures for the collection, processing, storage and presentation of statistical data.

Principle 3: ***Accountability and Transparency***
To facilitate a correct interpretation of the data, the statistical agencies are to present information according to scientific standards on the sources, methods and procedures of the statistics.

Principle 4: ***Prevention of Misuse***
The statistical agencies are entitled to comment on erroneous interpretation and misuse of statistics.

Principle 5: ***Sources of Official Statistics***
Data for statistical purposes may be drawn from all types of sources, be they statistical surveys or administrative records. Statistical agencies are to choose the source with regard to quality, timeliness, costs and the burden on respondents.

Principle 6: ***Confidentiality***
Individual data collected by statistical agencies for statistical compilation, whether they refer to natural or legal persons, are to be strictly confidential and used exclusively for statistical purposes.

Principle 7: ***Legislation***
The laws, regulations and measures under which the statistical systems operate are to be made public.

Principle 8: ***National Coordination***
Coordination among statistical agencies within countries is essential to achieve consistency and efficiency in the statistical system.

Principle 9: ***Use of International Standards***
The use by statistical agencies in each country of international concepts, classifications and methods promotes the consistency and efficiency of statistical systems at all official levels.

Principle 10: ***International Cooperation***
Bilateral and multilateral cooperation in statistics contributes to the improvement of systems of official statistics in all countries.

Fundamental Principles of Official Statistics

- Clear mention of the **processes** used to produce statistics
- *To retain trust in official statistics, the **statistical agencies need to decide** according to strictly professional considerations, including scientific principles and professional ethics, **on the methods and procedures** for the collection, processing, storage and presentation of statistical data.*

Fundamental Principles of Official Statistics*

United Nations — For more information: unstats.un.org

The General Assembly,

Recalling recent resolutions[1] of the General Assembly and the Economic and Social Council highlighting the fundamental importance of official statistics for the national and global development agenda,

Bearing in mind the critical role of high-quality official statistical information in analysis and informed policy decision-making in support of sustainable development, peace and security, as well as for mutual knowledge and trade among the States and peoples of an increasingly connected world, demanding openness and transparency,

Bearing in mind also that the essential trust of the public in the integrity of official statistical systems and confidence in statistics depend to a large extent on respect for the fundamental values and principles that are the basis of any society seeking to understand itself and respect the rights of its members, and in this context that professional independence and accountability of statistical agencies are crucial,

Stressing that, in order to be effective, the fundamental values and principles that govern statistical work have to be guaranteed by legal and institutional frameworks and be respected at all political levels and by all stakeholders in national statistical systems,

Endorses the Fundamental Principles of Official Statistics set out below, as adopted by the Statistical Commission in 1994[2] and reaffirmed in 2013, and endorsed by the Economic and Social Council in its resolution 2013/21 of 24 July 2013:

* General Assembly Resolution 68/261 adopted on 29 January 2014. The "titles" of the Principles are not part of the original text.

[1] These include General Assembly resolution 64/267 on World Statistics Day and Economic and Social Council resolutions 2005/13 on the 2010 World Population and Housing Census Programme, 2006/6 on strengthening statistical capacity and 2013/21 on the Fundamental Principles of Official Statistics.

[2] For the original preamble used on the occasion of the initial adoption of the Fundamental Principles in 1994, see chapter V of the report of the Statistical Commission on its special session (*Official Records of the Economic and Social Council, 1994, Supplement No. 9* (E/1994/29)). More information on the Fundamental Principles and their history is available from the website of the Statistics Division.

Principle 1: ***Relevance, Impartiality, and Equal Access***
Official statistics provide an indispensable element in the information system of a democratic society, serving the Government, the economy and the public with data about the economic, demographic, social and environmental situation. To this end, official statistics that meet the test of practical utility are to be compiled and made available on an impartial basis by official statistical agencies to honour citizens' entitlement to public information.

Principle 2: ***Professional Standards, Scientific Principles, and Professional Ethics***
To retain trust in official statistics, the statistical agencies need to decide according to strictly professional considerations, including scientific principles and professional ethics, on the methods and procedures for the collection, processing, storage and presentation of statistical data.

Principle 3: ***Accountability and Transparency***
To facilitate a correct interpretation of the data, the statistical agencies are to present information according to scientific standards on the sources, methods and procedures of the statistics.

Principle 4: ***Prevention of Misuse***
The statistical agencies are entitled to comment on erroneous interpretation and misuse of statistics.

Principle 5: ***Sources of Official Statistics***
Data for statistical purposes may be drawn from all types of sources, be they statistical surveys or administrative records. Statistical agencies are to choose the source with regard to quality, timeliness, costs and the burden on respondents.

Principle 6: ***Confidentiality***
Individual data collected by statistical agencies for statistical compilation, whether they refer to natural or legal persons, are to be strictly confidential and used exclusively for statistical purposes.

Principle 7: ***Legislation***
The laws, regulations and measures under which the statistical systems operate are to be made public.

Principle 8: ***National Coordination***
Coordination among statistical agencies within countries is essential to achieve consistency and efficiency in the statistical system.

Principle 9: ***Use of International Standards***
The use by statistical agencies in each country of international concepts, classifications and methods promotes the consistency and efficiency of statistical systems at all official levels.

Principle 10: ***International Cooperation***
Bilateral and multilateral cooperation in statistics contributes to the improvement of systems of official statistics in all countries.

Fundamental Principles of Official Statistics

- Clear mention of the **processes** used to produce statistics
- *To retain trust in official statistics, the **statistical agencies need to decide** according to strictly professional considerations, including scientific principles and professional ethics, **on the methods and procedures** for the collection, processing, storage and presentation of statistical data.*
- In short, **processes** are important!

Fundamental Principles of Official Statistics*

United Nations — For more information: unstats.un.org

The General Assembly,

Recalling recent resolutions[1] of the General Assembly and the Economic and Social Council highlighting the fundamental importance of official statistics for the national and global development agenda,

Bearing in mind the critical role of high-quality official statistical information in analysis and informed policy decision-making in support of sustainable development, peace and security, as well as for mutual knowledge and trade among the States and peoples of an increasingly connected world, demanding openness and transparency,

Bearing in mind also that the essential trust of the public in the integrity of official statistical systems and confidence in statistics depend to a large extent on respect for the fundamental values and principles that are the basis of any society seeking to understand itself and respect the rights of its members, and in this context that professional independence and accountability of statistical agencies are crucial,

Stressing that, in order to be effective, the fundamental values and principles that govern statistical work have to be guaranteed by legal and institutional frameworks and be respected at all political levels and by all stakeholders in national statistical systems,

Endorses the Fundamental Principles of Official Statistics set out below, as adopted by the Statistical Commission in 1994[2] and reaffirmed in 2013, and endorsed by the Economic and Social Council in its resolution 2013/21 of 24 July 2013:

* General Assembly Resolution 68/261 adopted on 29 January 2014. The "titles" of the Principles are not part of the original text.

[1] These include General Assembly resolution 64/267 on World Statistics Day and Economic and Social Council resolutions 2005/13 on the 2010 World Population and Housing Census Programme, 2006/6 on strengthening statistical capacity and 2013/21 on the Fundamental Principles of Official Statistics.

[2] For the original preamble used on the occasion of the initial adoption of the Fundamental Principles in 1994, see chapter V of the report of the Statistical Commission on its special session (*Official Records of the Economic and Social Council, 1994, Supplement No. 9* (E/1994/29)). More information on the Fundamental Principles and their history is available from the website of the Statistics Division.

Principle 1: ***Relevance, Impartiality, and Equal Access***
Official statistics provide an indispensable element in the information system of a democratic society, serving the Government, the economy and the public with data about the economic, demographic, social and environmental situation. To this end, official statistics that meet the test of practical utility are to be compiled and made available on an impartial basis by official statistical agencies to honour citizens' entitlement to public information.

Principle 2: ***Professional Standards, Scientific Principles, and Professional Ethics***
To retain trust in official statistics, the statistical agencies need to decide according to strictly professional considerations, including scientific principles and professional ethics, on the methods and procedures for the collection, processing, storage and presentation of statistical data.

Principle 3: ***Accountability and Transparency***
To facilitate a correct interpretation of the data, the statistical agencies are to present information according to scientific standards on the sources, methods and procedures of the statistics.

Principle 4: ***Prevention of Misuse***
The statistical agencies are entitled to comment on erroneous interpretation and misuse of statistics.

Principle 5: ***Sources of Official Statistics***
Data for statistical purposes may be drawn from all types of sources, be they statistical surveys or administrative records. Statistical agencies are to choose the source with regard to quality, timeliness, costs and the burden on respondents.

Principle 6: ***Confidentiality***
Individual data collected by statistical agencies for statistical compilation, whether they refer to natural or legal persons, are to be strictly confidential and used exclusively for statistical purposes.

Principle 7: ***Legislation***
The laws, regulations and measures under which the statistical systems operate are to be made public.

Principle 8: ***National Coordination***
Coordination among statistical agencies within countries is essential to achieve consistency and efficiency in the statistical system.

Principle 9: ***Use of International Standards***
The use by statistical agencies in each country of international concepts, classifications and methods promotes the consistency and efficiency of statistical systems at all official levels.

Principle 10: ***International Cooperation***
Bilateral and multilateral cooperation in statistics contributes to the improvement of systems of official statistics in all countries.

USUAL PRACTICE: THEORY VS REALITY

You scrapped data from a website. Saving the file as Excel

USUAL PRACTICE: THEORY VS REALITY



Send that file by email to your collaborators.

Usual practice: Theory vs reality



Someone in your team can start writing some insights.

USUAL PRACTICE: THEORY VS REALITY



You, or someone else, start an alaysis ...

USUAL PRACTICE: THEORY VS REALITY



... producing some outputs (graphics, tables, etc..)

USUAL PRACTICE: THEORY VS REALITY



But wait... Oh no! There a bug in the code!

USUAL PRACTICE: THEORY VS REALITY



So here is version 2, and another Excel file

USUAL PRACTICE: THEORY VS REALITY



And new insights ...

USUAL PRACTICE: THEORY VS REALITY



..and a new analysis based on the second Excell file

Usual practice: Theory vs reality



And new outputs, new graphics, etc.

USUAL PRACTICE: THEORY VS REALITY



Also, using other data sets (classifications, scanner data)

USUAL PRACTICE: THEORY VS REALITY



Maybe someone adapts graphics to NSO reports style

USUAL PRACTICE: THEORY VS REALITY



Finally, copy/paste everything into the final report

USUAL PRACTICE: THEORY VS REALITY



In the end, this what you have produced!

Usual practice: In the end

- Lots of files



Usual practice: In the end

- Lots of files
- Cut and paste is not a reliable, reproducible approach!



Usual practice: In the end

- Lots of files
- Cut and paste is not a reliable, reproducible approach!
- Your brain may remember..



Usual practice: In the end

- Lots of files
- Cut and paste is not a reliable, reproducible approach!
- Your brain may remember..

  ...all the steps...



Usual practice: In the end

- Lots of files
- Cut and paste is not a reliable, reproducible approach!
- Your brain may remember..

  ...all the steps...

  .. in the right order..



Usual practice: In the end

- Lots of files
- Cut and paste is not a reliable, reproducible approach!
- Your brain may remember..

  ...all the steps...

  .. in the right order..

  ...all of them !



Usual practice: In the end

- Lots of files
- Cut and paste is not a reliable, reproducible approach!
- Your brain may remember..

  ...all the steps...

  .. in the right order..

  ...all of them !
- Or use (bad) "*tools*"

What are the issues?

- Errors due to cut and paste

Excel: Why using Microsoft's tool caused Covid-19 results to be lost

By Leo Kelion
Technology desk editor

5 October 2020

The badly thought-out use of Microsoft's Excel software was the reason nearly 16,000 coronavirus cases went unreported in England.

And it appears that Public Health England (PHE) was to blame, rather than a third-party contractor.

What are the issues?

- Errors due to cut and paste
- Errors are difficult to track

Excel: Why using Microsoft's tool caused Covid-19 results to be lost

By Leo Kelion
Technology desk editor

5 October 2020

The badly thought-out use of Microsoft's Excel software was the reason nearly 16,000 coronavirus cases went unreported in England.

And it appears that Public Health England (PHE) was to blame, rather than a third-party contractor.

What are the issues?

- Errors due to cut and paste
- Errors are difficult to track
- Each operator has his/her own approach



What are the issues?

- Errors due to cut and paste
- Errors are difficult to track
- Each operator has his/her own approach
- Several versions of code may coexist



What are the issues?

- Errors due to cut and paste
- Errors are difficult to track
- Each operator has his/her own approach
- Several versions of code may coexist
- The steps aren't recorded



What are the issues?

- Errors due to cut and paste
- Errors are difficult to track
- Each operator has his/her own approach
- Several versions of code may coexist
- The steps aren't recorded
- Reproducibility is not granted



What is A Reproducible Analytical Pipeline?

- It is a process



What is A Reproducible Analytical Pipeline?

- It is a process
- It is (*quite*) automated



What is A Reproducible Analytical Pipeline?

- It is a process
- It is (*quite*) automated
- It is (*easily*) reproducible



What is A Reproducible Analytical Pipeline?

- It is a process
- It is (*quite*) automated
- It is (*easily*) reproducible
- It minimises mistakes



What is A Reproducible Analytical Pipeline?

- It is a process
- It is (*quite*) automated
- It is (*easily*) reproducible
- It minimises mistakes
- It leads to fast processes (see Vanuatu Experience)



What is A Reproducible Analytical Pipeline?

- It is a process
- It is (*quite*) automated
- It is (*easily*) reproducible
- It minimises mistakes
- It leads to fast processes (see Vanuatu Experience)
- It builds trust



What does a RAP look like?

Idealy, Input (website) and output (report) are linked

What does a RAP look like?



Many steps are needed to create a report

What does a RAP look like?



All steps should be linked in a structured process

What does a RAP look like?



And only through code (Python, R, *Stata*), no copy/paste

What does a RAP look like?



Direct input-output of data

There may be side-products, but with explicit output-input links

What does a RAP look like?



If needed, code can be updated (new versions)

What does a RAP look like?



And comments added for each change

What does a RAP look like?



Documentation on the process builds up with code changes

What does a RAP look like?



Other contributors are welcome!

3 MAIN PRINCIPLES:

3 MAIN PRINCIPLES:

1. Organize your work

3 MAIN PRINCIPLES:

1. Organize your work
2. Code for others (including your future self)

3 MAIN PRINCIPLES:

1. Organize your work
2. Code for others (including your future self)
3. DRY: **D**o not **R**epeat **Y**ourself

3 MAIN PRINCIPLES:

1. Organize your work
2. Code for others (including your future self)
3. DRY: **D**o not **R**epeat **Y**ourself

3 MAIN PRINCIPLES:

1. Organize your work
2. Code for others (including your future self)
3. DRY: **D**o not **R**epeat **Y**ourself

Apply this in context (colleagues, code, software,...)

Organize your work

Have a clear directory structure

Organize your work

Have a clear directory structure

- Separate files into data, code, docs, etc.



Example of a well-organized directory structure.

ORGANIZE YOUR WORK

Have a clear directory structure

- Separate files into data, code, docs, etc.
- Make directories portable (relative path)



Example of a well-organized directory structure.

Usual

```
mydata =
pd.read_csv("c://ESCAP/Webscraping/Data/WebData.csv")
```

ORGANIZE YOUR WORK

Have a clear directory structure

- Separate files into data, code, docs, etc.
- Make directories portable (relative path)



Example of a well-organized directory structure.

Usual
mydata = pd.read_csv("c://ESCAP/Webscraping/Data/WebData.csv")

Better
Assuming your code is in c://ESCAP/Webscraping/Code/
mydata = pd.read_csv("../Data/WebData.csv")

ORGANIZE YOUR WORK

Use naming conventions:
For **files/code**

- Avoid lazy names

Usual

```
prog1.ipynb
prog2.ipynb
Stat.ipynb
progC.ipynb
progP.ipynb
```

Organize your work

Use naming conventions:
For **files/code**

- Avoid lazy names
- Meaningful files names

Usual	Better
`prog1.ipynb`	`Scraping_Data.ipynb`
`prog2.ipynb`	`Cleaning_Data.ipynb`
`Stat.ipynb`	`Stats_Tables.ipynb`
`progC.ipynb`	`Classification.ipynb`
`progP.ipynb`	`Price_CPI.ipynb`

Organize your work

Use naming conventions:
For **files/code**

- Avoid lazy names
- Meaningful files names
- Order of execution

Usual	Even better
`prog1.ipynb`	`01_Scraping_data.ipynb`
`prog2.ipynb`	`02_Cleaning_data.ipynb`
`Stat.ipynb`	`03_Classification.ipynb`
`progC.ipynb`	`04_Stats_Tables.ipynb`
`progP.ipynb`	`04_Price_CPI.ipynb`

Organize your work

Use naming conventions:
For **outputs**

- Avoid numbering

Usual

```
Table1.pdf
Table2.pdf
Graph.jpg
Model.csv
```

Organize your work

Use naming conventions:
For **outputs**

- Avoid numbering
- Explicit type of output

Usual	Better
`Table1.pdf`	`Stat_Desc_Table.pdf`
`Table2.pdf`	`Price_Stat_Table.pdf`
`Graph.jpg`	`Dress_Prices_Graphic.jpg`
`Model.csv`	`All_prices_Results.csv`

ORGANIZE YOUR WORK

Keep track of the workflow:

- Cut and paste should be avoided



Example of a simple workflow.

ORGANIZE YOUR WORK

Keep track of the workflow:

- Cut and paste should be avoided
- Every step of the process is coded



Example of a simple workflow.

ORGANIZE YOUR WORK

Keep track of the workflow:

- Cut and paste should be avoided
- Every step of the process is coded
- Manage (and draw) the workflow



Example of a simple workflow.

Organize your work

Keep track of the workflow:

Here is our workflow:



Created by Serge Goussev.

ORGANIZE YOUR WORK

Use a version control system (Git/GitHub)



More on Version Control later

CODE FOR OTHERS (INCLUDING YOUR "*future self*")

Program with style:

Use *literate programming*

"Let us concentrate rather on explaining to humans what we want the computer to do"

D. Knuth (1984)

CODE FOR OTHERS (INCLUDING YOUR "*future self*")

Program with style:

"(. . .) code is read much more often than it is written"

Guido van Rossum (2013 -PEP8)

PEP stands for *Python Enhancement Proposals*

CODE FOR OTHERS (INCLUDING YOUR "*future self*")

Program with style:

Use conventions on layout (Comments, indentation,...)

Contents

PEP 8 – Style Guide for Python Code

Author: Guido van Rossum <guido at python.org>, Barry Warsaw <barry at python.org>, Alyssa Coghlan <ncoghlan at gmail.com>

Status: Active
Type: Process
Created: 05-Jul-2001
Post-History: 05-Jul-2001, 01-Aug-2013

▶ **Table of Contents**

Introduction

This document gives coding conventions for the Python code comprising the standard library in the main Python distribution. Please see the companion informational PEP describing style guidelines for the C code in the C implementation of Python.

This document and PEP 257 (Docstring Conventions) were adapted from Guido's original Python Style Guide essay, with some additions from Barry's style guide [2].

This style guide evolves over time as additional conventions are identified and past conventions are rendered obsolete by changes in the language itself.

Many projects have their own coding style guidelines. In the event of any conflicts, such project-specific guides take precedence for that project.

A Foolish Consistency is the Hobgoblin of Little Minds

One of Guido's key insights is that code is read much more often than it is written. The guidelines provided here are intended to improve the readability of code and make it consistent across the wide spectrum of Python code. As PEP 20 says, "Readability counts".

A style guide is about consistency. Consistency with this style guide is important. Consistency within a project is more important. Consistency within one module or function is the most important.

However, know when to be inconsistent – sometimes style guide recommendations just aren't applicable. When in doubt, use your best judgment. Look at other examples and decide what looks best. And don't hesitate to ask!

Code for others

Program with style

- Avoid ambiguities

Usual

```
df['sex'] = np.where(df['gender'] ==
'1001', 1, 2)
```

Better

```
df['female'] = np.where(df['gender'] ==
'1001', 1, 0)
df['male'] = np.where(df['gender'] !=
'1001', 1, 0)
```

Code for others

Program with style

- Avoid ambiguities
- Avoid changing units

Usual

```
df['gdp'] = df['gdp'] / 118.722
```

Code for others

Program with style

- Avoid ambiguities
- Avoid changing units

Usual

```
df['gdp'] = df['gdp'] / 118.722
```

Better

```
df['gdp_US'] = df['gdp'] / 118.722
```

Code for others

Program with style

- Avoid ambiguities
- Avoid changing units

Usual

```
df['gdp'] = df['gdp'] / 118.722
```

Even better

```
US_Vanu_exch_rate = 118.722
df['gdp_US'] = df['gdp']/
US_Vanu_exch_rate
```

DO NOT REPEAT YOURSELF

Create reusable objects

- Store values

Usual

```
Current_Data = Mydata[Mydata['year'] == 2023]
```

DO NOT REPEAT YOURSELF

Create reusable objects

- Store values
- Avoid repetitions

Usual

```
Current_Data = Mydata[Mydata['year'] == 2023]
```

Better

```
Current_year = 2023
Current_Data= Mydata[Mydata['year'] ==
Current_year]
```

DO NOT REPEAT YOURSELF

Create reusable objects

- Store values
- Avoid repetitions

Usual

```
# - Exports for Beef -
data = Mydata[Mydata['export'] == 'Beef']
plt.plot(data['Year'], data['Value'])
plt.title('Export for Beef')
# - Also for Kava -
data = Mydata[Mydata['export'] == 'Kava']
plt.plot(data['Year'], data['Value'])
plt.title('Export for Kava')
# - Also for ...  -
```

DO NOT REPEAT YOURSELF

Create reusable objects

- Store values
- Avoid repetitions
- Use functions

Better

```
# Defining a generic function
def plot_export(export_type):
 data = Mydata[Mydata['export'] ==
                                        export_type]
 plt.plot(data['Year'], data['Value'])
 plt.title(f'Export for {export_type}')
 plt.show()
# Applying function to several products
plot_export("Beef")
plot_export("Kava")
```

Other principles

- Discuss with colleagues that may use your work

Other principles

- Discuss with colleagues that may use your work
- Automatize as much as you can

Other principles

- Discuss with colleagues that may use your work
- Automatize as much as you can

↪ Reduces your brain's memory burden

Other principles

- Discuss with colleagues that may use your work
- Automatize as much as you can

↪ Reduces your brain's memory burden

- There are easy steps everybody can do

Other principles

- Discuss with colleagues that may use your work
- Automatize as much as you can

↪ Reduces your brain's memory burden

- There are easy steps everybody can do

↪ Write small programs, one for each task

Other principles

- Discuss with colleagues that may use your work
- Automatize as much as you can

↪ Reduces your brain's memory burden

- There are easy steps everybody can do

↪ Write small programs, one for each task

- Use open source program

Other principles

- Discuss with colleagues that may use your work
- Automatize as much as you can

↪ Reduces your brain's memory burden

- There are easy steps everybody can do

↪ Write small programs, one for each task

- Use open source program

↪ Easier to share, easier to automatize

Other principles

- Discuss with colleagues that may use your work
- Automatize as much as you can

↪ Reduces your brain's memory burden

- There are easy steps everybody can do

↪ Write small programs, one for each task

- Use open source program

↪ Easier to share, easier to automatize

↪ Also cost-effective

Other principles

- Discuss with colleagues that may use your work
- Automatize as much as you can

↪ Reduces your brain's memory burden

- There are easy steps everybody can do

↪ Write small programs, one for each task

- Use open source program

↪ Easier to share, easier to automatize

↪ Also cost-effective

- Test your work regularly:

Other principles

- Discuss with colleagues that may use your work
- Automatize as much as you can

↪ Reduces your brain's memory burden

- There are easy steps everybody can do

↪ Write small programs, one for each task

- Use open source program

↪ Easier to share, easier to automatize

↪ Also cost-effective

- Test your work regularly:

Other principles

- Discuss with colleagues that may use your work
- Automatize as much as you can

↪ Reduces your brain's memory burden

- There are easy steps everybody can do

↪ Write small programs, one for each task

- Use open source program

↪ Easier to share, easier to automatize

↪ Also cost-effective

- Test your work regularly:

> *"Do what has been said, say what has been done, and check that what has been said has really been done !"*

Other principles

- Discuss with colleagues that may use your work
- Automatize as much as you can

↪ Reduces your brain's memory burden

- There are easy steps everybody can do

↪ Write small programs, one for each task

- Use open source program

↪ Easier to share, easier to automatize

↪ Also cost-effective

- Test your work regularly:

> *"**Code** what has been said, say what has been **coded**, and check that what has been said has really been **coded** !"*

VERSION CONTROL KEEPS TRACKS OF YOUR WORK

Tracking three **W** questions:

What changes?



Source: The Turing Way project

VERSION CONTROL KEEPS TRACKS OF YOUR WORK

Tracking three **W** questions:

What changes?

Who made the changes?



Source: The Turing Way project

VERSION CONTROL KEEPS TRACKS OF YOUR WORK

Tracking three **W** questions:

- **W**hat changes?
- **W**ho made the changes?
- **W**hen were the changes made?



Source: The Turing Way project

VERSION CONTROL KEEPS TRACKS OF YOUR WORK

Tracking three **W** questions:

- **W**hat changes?
- **W**ho made the changes?
- **W**hen were the changes made?



Source: The Turing Way project

Transparency, Accountability & Reproducibility

- Version control provides a detailed history of changes

Transparency, Accountability & Reproducibility

- Version control provides a detailed history of changes
- Each modification is attributed to a specific user

Transparency, Accountability & Reproducibility

- Version control provides a detailed history of changes
- Each modification is attributed to a specific user
- Promotes accountability, transparency & reproducibility

File evolution without Version Control



File evolution without Version Control



File evolution without Version Control



File evolution without Version Control



File evolution without Version Control



File evolution without Version Control



File evolution without Version Control



File evolution without Version Control

Usual ways to keep track of changes:

File evolution without Version Control

Usual ways to keep track of changes:

- New file after each change



File evolution without Version Control

Usual ways to keep track of changes:

- New file after each change
- ↪ Need to open each file to see the change



File evolution without Version Control

Usual ways to keep track of changes:

- New file after each change

↪ Need to open each file to see the change

↪ Names have to be explicit



File evolution without Version Control

Usual ways to keep track of changes:

- New file after each change
- ↪ Need to open each file to see the change
- ↪ Names have to be explicit
- Only the last file with lots of comments

Report-Test3-Graphics-Functions-Final-Chris.ipynb

File evolution without Version Control

Usual ways to keep track of changes:

- New file after each change
- ↪ Need to open each file to see the change
- ↪ Names have to be explicit
- Only the last file with lots of comments
- Not fulfilling the 3 **W**...

Report-Test3-Graphics-Functions-Final-Chris.ipynb

File evolution without Version Control

Record a message (*commit*) for each change!



File evolution without Version Control

Record a message (*commit*) for each change!



File evolution without Version Control

Record a message (*commit*) for each change!



File evolution without Version Control

Record a message (*commit*) for each change!



File evolution without Version Control

Record a message (*commit*) for each change!



File evolution without Version Control

Record a message (*commit*) for each change!



File evolution without Version Control

Record a message (*commit*) for each change!



THE HISTORY OF THE FILE IS RECORDED!

Each version is documented (with *commits*)

THE HISTORY OF THE FILE IS RECORDED!

Each version is documented (with *commits*)

THE HISTORY OF THE FILE IS RECORDED!

Each version embeds the full history!



THE HISTORY OF THE FILE IS RECORDED!

Each version embeds the full history!



GOING BACK AND "UNDO" IS POSSIBLE

It is possible to review previous version...



GOING BACK AND "UNDO" IS POSSIBLE

It is possible to review previous version...



GOING BACK AND "UNDO" IS POSSIBLE

...to compare the changes...



GOING BACK AND "UNDO" IS POSSIBLE

...to compare the changes...



GOING BACK AND "UNDO" IS POSSIBLE

... and to revert to a previous version...



GOING BACK AND "UNDO" IS POSSIBLE

... and to revert to a previous version...



GOING BACK AND "UNDO" IS POSSIBLE

... or *undo* as if nothing happened



GOING BACK AND "UNDO" IS POSSIBLE

... or *undo* as if nothing happened



Good and Bad News

Real life is more complex:

Good and Bad News

Real life is more complex:

+ Version Control is integrated in Visual Studio (*& RStudio*)





"Visual Studio Documentation"

Good and Bad News

Real life is more complex:

+ Version Control is integrated in Visual Studio (*& RStudio*)

↪ Simple operations are easy





"Visual Studio Documentation"

Good and Bad News

Real life is more complex:

+ Version Control is integrated in Visual Studio (*& RStudio*)

↪ Simple operations are easy

+ Collaborate on a project

Good and Bad News

Real life is more complex:

+ Version Control is integrated in Visual Studio (*& RStudio*)

↪ Simple operations are easy

+ Collaborate on a project

↪ Track changes of others

Good and Bad News

Real life is more complex:

+ Version Control is integrated in Visual Studio (*& RStudio*)
↪ Simple operations are easy
+ Collaborate on a project
↪ Track changes of others
- Git is a bit "*unfriendly*"



Good and Bad News

Real life is more complex:

+ Version Control is integrated in Visual Studio (*& RStudio*)

↪ Simple operations are easy

+ Collaborate on a project

↪ Track changes of others

- Git is a bit "*unfriendly*"

↪ Complex situations appear easily



Good and Bad News

Real life is more complex:

+ Version Control is integrated in Visual Studio (*& RStudio*)
↪ Simple operations are easy
+ Collaborate on a project
↪ Track changes of others
- Git is a bit "*unfriendly*"
↪ Complex situations appear easily
- Git works *mostly* in command mode



Ashish Vishwakarma

Version Control in a Nutshell

Version control system:

- Allows to travel back in time

GitHub logo

Version Control in a Nutshell

Version control system:

- Allows to travel back in time
- Keeps track of all changes

GitHub logo

Version Control in a Nutshell

Version control system:

- Allows to travel back in time
- Keeps track of all changes
- Allows to "undo" at any point

GitHub logo

Version Control in a Nutshell

Version control system:

- Allows to travel back in time
- Keeps track of all changes
- Allows to "undo" at any point
- Allows reviewing stages of development

GitHub logo

Version Control in a Nutshell

Version control system:

- Allows to travel back in time
- Keeps track of all changes
- Allows to "undo" at any point
- Allows reviewing stages of development
- Allow collaborating on projects

GitHub logo

Version Control in a Nutshell

Version control system:

- Allows to travel back in time
- Keeps track of all changes
- Allows to "undo" at any point
- Allows reviewing stages of development
- Allow collaborating on projects
- Backups your work

GitHub logo

TAKEAWAYS

TAKEAWAYS

- There many shades of RAP

TAKEAWAYS

- There many shades of RAP

↪ Start small, be an advocate for others

Takeaways

- There many shades of RAP

↪ Start small, be an advocate for others

↪ Increase complexity when ready

Takeaways

- There many shades of RAP
  - ↪ Start small, be an advocate for others
  - ↪ Increase complexity when ready
- Good practices starts with our own practices

Takeaways

- There many shades of RAP
  - ↪ Start small, be an advocate for others
  - ↪ Increase complexity when ready
- Good practices starts with our own practices
- Reproducible documents simplifies life

Takeaways

- There many shades of RAP
  ↪ Start small, be an advocate for others
  ↪ Increase complexity when ready
- Good practices starts with our own practices
- Reproducible documents simplifies life
  ↪ KISS: Keep it Simple, Stupid

Takeaways

- There many shades of RAP
  ↪ Start small, be an advocate for others
  ↪ Increase complexity when ready
- Good practices starts with our own practices
- Reproducible documents simplifies life
  ↪ KISS: Keep it Simple, Stupid
- Version control is essential

Takeaways

- There many shades of RAP
- ↪ Start small, be an advocate for others
- ↪ Increase complexity when ready
- Good practices starts with our own practices
- Reproducible documents simplifies life
- ↪ KISS: Keep it Simple, Stupid
- Version control is essential
- Automation is a real challenge

Takeaways

- There many shades of RAP
  ↪ Start small, be an advocate for others
  ↪ Increase complexity when ready
- Good practices starts with our own practices
- Reproducible documents simplifies life
  ↪ KISS: Keep it Simple, Stupid
- Version control is essential
- Automation is a real challenge
- Building a RAP is a collective process

Useful resources

- This course website (created by Serge Goussev)
- Vanuatu Bureau of Statistics implementation of RAP
- SIAP's (free) online RAP course
- The UK government RAP website.
- UK best practice documentation.
- A free RAP course to teach you all you need to know.
- How the Data Science Campus sets its coding standards.
- A new open-source book from the Alan Turing institute setting out how to do reproducible data science.