

Data Dictionary Views for group 0

| DBA View Name | Dictionary Comments |
|-------------------------------|--|
| ALL\$OLAP2_AWS | |
| ALL_ALL_TABLES | Description of all object and relational tables accessible to the user |
| ALL_ANALYTIC_VIEWS | Analytic views in the database |
| ALL_ANALYTIC_VIEW_ATTR_CLASS | analytic view attribute classifications in the database |
| ALL_ANALYTIC_VIEW_BASE_MEAS | Analytic view base measures in the database |
| ALL_ANALYTIC_VIEW_CALC_MEAS | Analytic view calculated measures in the database |
| ALL_ANALYTIC_VIEW_CLASS | Analytic view classifications in the database |
| ALL_ANALYTIC_VIEW_COLUMNS | Analytic view columns in the database |
| ALL_ANALYTIC_VIEW_DIMENSIONS | Analytic view Dimensions in the database |
| ALL_ANALYTIC_VIEW_DIM_CLASS | Classifications of the analytic view dimensions in the database |
| ALL_ANALYTIC_VIEW_HIERS | Analytic view hierarchies in the database |
| ALL_ANALYTIC_VIEW_HIER_CLASS | Analytic view hierarchy classifications in the database |
| ALL_ANALYTIC_VIEW_KEYS | Analytic view keys in the database |
| ALL_ANALYTIC_VIEW_LEVELS | Analytic view levels in the database |
| ALL_ANALYTIC_VIEW_LEVEL_CLASS | analytic view level classifications in the database |
| ALL_ANALYTIC_VIEW_LVLGRPS | Level groupings for an analytic view |
| ALL_ANALYTIC_VIEW_MEAS_CLASS | Analytic view measure classifications in the database |
| ALL_APPLY | Details about each apply process that dequeues from the queue visible to the current user |
| ALL_APPLY_CONFLICT_COLUMNS | Details about conflict resolution on tables visible to the current user |
| ALL_APPLY_DML_CONF_COLUMNS | Details about dml conflict handler column groups on objects visible to the current user |
| ALL_APPLY_DML_CONF_HANDLERS | Details about dml conflict handlers on objects visible to the current user |
| ALL_APPLY_DML_HANDLERS | Details about the dml handler on tables visible to the current user |
| ALL_APPLY_ENQUEUE | Details about the apply enqueue action for user accessible rules where the destination queue exists |
| ALL_APPLY_ERROR | Error transactions that were generated after dequeuing from the queue visible to the current user |
| ALL_APPLY_ERROR_MESSAGES | Details about individual messages in an error transaction |
| ALL_APPLY_EXECUTE | Details about the apply execute action for all rules visible to the user |
| ALL_APPLY_HANDLE_COLLISIONS | Details about apply collision handlers on objects visible to the user |
| ALL_APPLY_KEY_COLUMNS | Alternative key columns for a STREAMS table visible to the current user |
| ALL_APPLY_PARAMETERS | Details about parameters of each apply process that dequeues from the queue visible to the current u |
| ALL_APPLY_PROGRESS | Information about the progress made by the apply process that dequeues from the queue visible to the |
| ALL_APPLY_REPERROR_HANDLERS | Details about apply reperror handlers on objects visible to the user |
| ALL_APPLY_TABLE_COLUMNS | Details about the columns of destination table object visible to the user |
| ALL_ARGUMENTS | Arguments in object accessible to the user |
| ALL_ASSEMBLIES | Description of assemblies accessible to the user |
| ALL_ASSOCIATIONS | All associations available to the user |

Data Dictionary Views for group 1

| DBA View Name | Dictionary Comments |
|------------------------------|---|
| ALL_ATTRIBUTE_DIMENSIONS | attribute dimensions in the database |
| ALL_ATTRIBUTE_DIM_ATTRS | Attribute dimension attributes in the database |
| ALL_ATTRIBUTE_DIM_ATTR_CLASS | Attribute dimension attribute classifications in the database |
| ALL_ATTRIBUTE_DIM_CLASS | Attribute dimension classifications in the database |
| ALL_ATTRIBUTE_DIM_JOIN_PATHS | Attribute dimension join paths in the database |