



OLÁ!

Sou o Luís Filipe

Esta é a minha apresentação final das UC`s: Oficina de Artes e Tecnologias II e Projeto II





Candeeiro de Polipropileno

Candeeiro de teto

Placa polipropileno



CANDEEIRO



romusuks

ASSECTION CONTRACTOR OF THE PROPERTY OF THE PR KEINGAGE

PORTUGUÊS

A facts to fac been printed the distinct process.

EMSCON. IMPORTANTI

Assessment of some to the creat before totrig conductor work. In come countries electrical congligation work from order becomes that the or

ENGUSH OUTON.

The light source of this product is nonchargeutes: resolution with the orbital control and for an extended distribution control for product and the product and control c light drudes (LES). Do not discourable the product-

HANCAS: ACTIVITION


PRANÇAS

MISE EN GARGET ACTION TO MAKE restroyed processed.

Instruções de montagem:

- 1. Retire a sua placa e comece por dobrar onde esta demarcado, sempre para a mesma direção formando formando ao todo seis triangulos.
- 2. Deixe dois triangulos para a parte de cima do forma a formar um quadrado:
- 3. Vinque os quatro triangulos restantes (dois para cada lado) para dentro de fenmis a oriar uma forma piramidal,
- 4. Coloque o seu candesiro na divisão desejada e está pronto a ser utilizado.





App de depilação

Rotina

Modelo Silk-épil FLEX




Never Been Easier

With a daily activity


Silk-épil FLEX Create a **New Account** For the best experience with Silk-épil FLEX Sign Up SIGN UP WITH E-MAIL SIGN UP WITH PHONE NUMBER

9:41

all 🗢 🗀









Obrigado!

Luís Filipe Rodrigues 2016267