Physically based rendering Progressive photon mapping

Kévin Bannier Billel Hélali Amaury Louarn

École Supérieure d'ingénieurs de Rennes Université de Rennes 1


March 18, 2016



Definition

- Photon mapping belongs to the family of the particle-tracing algorithms
- Constructing paths from the light onto the objects
- 2 stages:
 - Generating and sending the photons, with arbitrary accuracy and without storing the full photon map
 - 2 Final gathering
- Repeat this principle several times and calculate the average picture

More precisely



Multi-pass algorithm:

- Ray tracing pass
 - ray tracing to find all the visible surfaces
- Photon tracing passes
 - Every photon tracing increases the solution
 - Convergence to an optimal solution in infinite time





Criteria of comparison

Several parameters for the progressive photon mapper:

Photons per iteration: The number of photons to be sent at each iteration

Maximum depth: The maximum depth of the final gathering rays

Russian roulette starting depth: The depth before starting to eliminate photons with the russian roulette algorithm

Initial radius: Initial photon query radius



Photons per iteration




Figure: PSNR according to the number of photons per iteration



Maximum depth




Figure: PSNR according to the maximum depth



Initial radius




Figure: PSNR according to the initial radius



Russian roulette starting depth




Figure: PSNR according to the russian roulette starting depth




Context

- Image rendering for the cinema (e.g special effects)
- Time-constrained rendering (each render must not take more than a specified amount of time)
- Possiblity of a render farm: the method must be scalable
- Signal-perfect images are not necessary:
 - Each image will not be on the screen for more than 1/24th of a second
 - (Often) presence of motion blur




Scalability





Perception by time



Render process (1/4)





Render process (2/4)





Render process (3/4)





Render process (4/4)



