



Layer	Name	Material	Thickness	Constant	Board Layer Stack
1	Top Paste				/
2	Top Overlay				
3	Top Solder	Solder Resist	0.010mm	3.5	
4	Top	Copper	0.035mm		
5	Dielectric 1	PR2116	0.240mm	4.2	
6	GND	Copper	0.035mm		
7	Dielectric 3	FR4	0.360mm	4.2	
8	Signal 1	Copper	0.035mm		
9	Dielectric 6	PR2116	0.240mm	4.2	
10	Signal 2	Copper	0.035mm		
11	Dielectric 5	FR4	0.360mm	4.2	
12	PWR	Copper	0.035mm		
13	Dielectric 4	PR2116	0.240mm	4.2	
14	Bottom	Copper	0.035mm		
15	Bottom Solder	Solder Resist	0.010mm	3.5	
16	Bottom Overlay				
17	Bottom Paste				



Layer	Name	Material	Thickness	Constant	Board Layer Stack
1	Top Paste				
2	Top Overlay				
3	Top Solder	Solder Resist	0.010mm	3.5	
4	Top	Copper	0.035mm		
5	Dielectric 1	PR2116	0.240mm	4.2	
6	GND	Copper	0.035mm		
7	Dielectric 3	FR4	0.360mm	4.2	
8	Signal 1	Copper	0.035mm		
9	Dielectric 6	PR2116	0.240mm	4.2	
10	Signal 2	Copper	0.035mm		
11	Dielectric 5	FR4	0.360mm	4.2	
12	PWR	Copper	0.035mm		
13	Dielectric 4	PR2116	0.240mm	4.2	
14	Bottom	Copper	0.035mm		
15	Bottom Solder	Solder Resist	0.010mm	3.5	
16	Bottom Overlay				
17	Bottom Paste				



Layer	Name	Material	Thickness	Constant	Board Layer Stack
1	Top Paste				
2	Top Overlay				
3	Top Solder	Solder Resist	0.010mm	3.5	
4	Top	Copper	0.035mm		
5	Dielectric 1	PR2116	0.240mm	4.2	
6	GND	Copper	0.035mm		
7	Dielectric 3	FR4	0.360mm	4.2	
8	Signal 1	Copper	0.035mm		
9	Dielectric 6	PR2116	0.240mm	4.2	
10	Signal 2	Copper	0.035mm		
11	Dielectric 5	FR4	0.360mm	4.2	
12	PWR	Copper	0.035mm		
13	Dielectric 4	PR2116	0.240mm	4.2	
14	Bottom	Copper	0.035mm		
15	Bottom Solder	Solder Resist	0.010mm	3.5	
16	Bottom Overlay				
17	Bottom Paste				



Layer	Name	Material	Thickness	Constant	Board Layer Stack
1	Top Paste				Board Layer Stack
2	Top Overlay				
3	Top Solder	Solder Resist	0.010mm	3.5	
4	Top	Copper	0.035mm		
5	Dielectric 1	PR2116	0.240mm	4.2	
6	GND	Copper	0.035mm		
7	Dielectric 3	FR4	0.360mm	4.2	
8	Signal 1	Copper	0.035mm		
9	Dielectric 6	PR2116	0.240mm	4.2	
10	Signal 2	Copper	0.035mm		
11	Dielectric 5	FR4	0.360mm	4.2	
12	PWR	Copper	0.035mm		
13	Dielectric 4	PR2116	0.240mm	4.2	
14	Bottom	Copper	0.035mm		
15	Bottom Solder	Solder Resist	0.010mm	3.5	
16	Bottom Overlay				
17	Bottom Paste				