

Week Report 5

Practice 1


```
1/1  +  [icon] [icon]  Tilix: esantos@cis106desktop: ~
1: esantos@cis106desktop: ~  v
esantos@cis106desktop:~$ mkdir website
esantos@cis106desktop:~$ cd website
esantos@cis106desktop:~/website$ mkdir scripts assets
esantos@cis106desktop:~/website$ touch index.html
esantos@cis106desktop:~/website$ touch assets/image.png
esantos@cis106desktop:~/website$ touch scripts/scripts.js
esantos@cis106desktop:~/website$ tree .
.
├── assets
│   └── image.png
├── index.html
└── scripts
    └── scripts.js

3 directories, 3 files
esantos@cis106desktop:~/website$ rm scripts/scripts.js assets/image.png
esantos@cis106desktop:~/website$ rmdir scripts/ assets/
esantos@cis106desktop:~/website$ cd ..
esantos@cis106desktop:~$ rm -r website/
esantos@cis106desktop:~$ rm -r website/
```

Practice 2

```
1/1  +  [icon] [icon]  Tilix: esantos@cis106desktop: ~  [search] [menu] [minus] [maximize] [close]
1: esantos@cis106desktop: ~  v
esantos@cis106desktop:~$ cd /usr/share
esantos@cis106desktop:/usr/share$ mkdir ~/website
mkdir: cannot create directory '/home/esantos/website': File exists
esantos@cis106desktop:/usr/share$ mkdir -p ~/website/assets/images/small
esantos@cis106desktop:/usr/share$ touch ~/website/assets/images/small/logo.png
esantos@cis106desktop:/usr/share$ rm ~/website/assets/images/small/logo.png
esantos@cis106desktop:/usr/share$ rm -r ~/website/
esantos@cis106desktop:/usr/share$ cd
esantos@cis106desktop:~$
```

Practice 3



Practice 4

The image shows a file manager window at the top and a terminal window below it. The file manager is displaying the 'Downloads' folder, which contains several files: 'Project', 'docs', 'schoolwork', 'sample2.doc', 'sample3.pdf', and 'sample3.xls'. The terminal window is titled 'Tilix: esantos@cis106desktop: ~' and shows a series of commands and their outputs. The commands executed are: `mkdir website/docs`, `cp Downloads/sample` (which fails with an error), `cp Downloads/sample2.doc website/docs/`, `cp Downloads/sample3.pdf website/docs/`, `cp Downloads/sample3.xls website/docs/`, and `tree website/`. The output of the `tree` command shows a directory structure with 'assets' (containing 'image1.png' and 'image2.png') and 'docs' (containing 'sample2.doc', 'sample3.pdf', and 'sample3.xls'), along with an 'index.html' file. The terminal ends with the message '3 directories, 6 files' and a prompt for the next command.

Files in Downloads:

- Project
- docs
- schoolwork
- sample2.doc
- sample3.pdf
- sample3.xls

Terminal Output:

```
1: esantos@cis106desktop: ~  
esantos@cis106desktop:~$ mkdir website/docs  
esantos@cis106desktop:~$ cp Downloads/sample  
cp: missing destination file operand after 'Downloads/sample'  
Try 'cp --help' for more information.  
esantos@cis106desktop:~$ cp Downloads/sample2.doc website/docs/  
esantos@cis106desktop:~$ cp Downloads/sample3.pdf website/docs/  
esantos@cis106desktop:~$ cp Downloads/sample3.xls website/docs/  
esantos@cis106desktop:~$ tree website/  
website/  
├── assets  
│   ├── image1.png  
│   └── image2.png  
├── docs  
│   ├── sample2.doc  
│   ├── sample3.pdf  
│   └── sample3.xls  
└── index.html  
  
3 directories, 6 files  
esantos@cis106desktop:~$
```