```
BEGIN TRANSACTION;
CREATE TABLE IF NOT EXISTS "API_proveedor" (
                  integer NOT NULL PRIMARY KEY
AUTOINCREMENT,
         "nombre" varchar(60) NOT NULL,
                            varchar(60) NOT NULL,
         "descripcion"
         "direccion"
                            varchar(60) NOT NULL,
         "telefono" varchar(60) NOT NULL,
         "status" varchar(10) NOT NULL
);
CREATE TABLE IF NOT EXISTS "API producto" (
         "id"
                  integer NOT NULL PRIMARY KEY
AUTOINCREMENT,
         "nombre" varchar(60) NOT NULL,
         "fec_elaboracion" date NOT NULL,
"precio_compra" decimal NOT NULL,
         "precio_venta" decimal NOT NULL,
                  integer unsigned NOT NULL CHECK("stock">=0),
         "fec_vencimiento"
                           date NOT NULL,
         "status" varchar(10) NOT NULL,
         "id_tipo_producto_id"
                                     integer NOT NULL,
         "descripcion"
                            varchar(60),
         "fec_compra"
                           date NOT NULL,
         FOREIGN KEY("id_tipo_producto_id") REFERENCES
"API_tipoproducto"("id") DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "API_cargo" (
                  integer NOT NULL PRIMARY KEY
         "id"
AUTOINCREMENT,
         "nombre" varchar(60) NOT NULL,
         "status"
                  varchar(10) NOT NULL,
         "id_departamento_id"
                                     integer NOT NULL,
         FOREIGN KEY("id departamento id") REFERENCES
"API_departamento"("id") DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "API cliente" (
```

```
integer NOT NULL PRIMARY KEY
AUTOINCREMENT,
         "id_persona_id" integer NOT NULL,
        FOREIGN KEY("id_persona_id") REFERENCES
"API_persona"("id") DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "API detalle" (
                 integer NOT NULL PRIMARY KEY
AUTOINCREMENT.
         "cantidadVendida"
                          integer unsigned NOT NULL
CHECK("cantidadVendida">=0),
         "precioVenta"
                          decimal NOT NULL,
         "id_cliente_id"
                          integer NOT NULL,
         "id_empleado_id"
                          integer NOT NULL,
         "id_factura_id"
                          integer NOT NULL,
         "id_producto_id"
                          integer NOT NULL,
        FOREIGN KEY("id_producto_id") REFERENCES
"API_producto"("id") DEFERRABLE INITIALLY DEFERRED,
        FOREIGN KEY("id_cliente_id") REFERENCES
"API cliente"("id") DEFERRABLE INITIALLY DEFERRED,
        FOREIGN KEY("id_empleado_id") REFERENCES
"API_empleado"("id") DEFERRABLE INITIALLY DEFERRED,
        FOREIGN KEY("id_factura_id") REFERENCES
"API_factura"("id") DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "API_empleado" (
         "id"
                 integer NOT NULL PRIMARY KEY
AUTOINCREMENT,
         "id cargo id"
                          integer NOT NULL,
         "id_persona_id"
                          integer NOT NULL,
         "id_sucursal_id"
                          integer NOT NULL,
        FOREIGN KEY("id_cargo_id") REFERENCES "API_cargo"("id")
DEFERRABLE INITIALLY DEFERRED.
        FOREIGN KEY("id_persona_id") REFERENCES
"API_persona"("id") DEFERRABLE INITIALLY DEFERRED,
        FOREIGN KEY("id_sucursal_id") REFERENCES
```

```
"API_sucursal"("id") DEFERRABLE INITIALLY DEFERRED
CREATE TABLE IF NOT EXISTS "API_factura" (
                 integer NOT NULL PRIMARY KEY
AUTOINCREMENT,
         "fec_creacion" date NOT NULL,
                      integer NOT NULL,
         "id cliente id"
         "id_departamento_id"
                                   integer NOT NULL,
         "id_empleado_id" integer NOT NULL,
         "id_sucursal_id" integer NOT NULL,
        FOREIGN KEY("id cliente id") REFERENCES
"API_cliente"("id") DEFERRABLE INITIALLY DEFERRED,
        FOREIGN KEY("id_departamento_id") REFERENCES
"API_departamento"("id") DEFERRABLE INITIALLY DEFERRED,
        FOREIGN KEY("id_empleado_id") REFERENCES
"API_empleado"("id") DEFERRABLE INITIALLY DEFERRED,
        FOREIGN KEY("id_sucursal_id") REFERENCES
"API_sucursal"("id") DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "API telefono" (
                 integer NOT NULL PRIMARY KEY
         "id"
AUTOINCREMENT,
         "numero_telefono" varchar(20) NOT NULL,
         "id_persona_id"
                          integer NOT NULL,
         "id_tipo_id"
                          integer NOT NULL,
        FOREIGN KEY("id_tipo_id") REFERENCES
"API_tipotelefono"("id") DEFERRABLE INITIALLY DEFERRED,
        FOREIGN KEY("id_persona_id") REFERENCES
"API persona"("id") DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "API_tipotelefono" (
                 integer NOT NULL PRIMARY KEY
         "id"
AUTOINCREMENT,
         "nombre" varchar(60) NOT NULL
);
CREATE TABLE IF NOT EXISTS "API_tipoproducto" (
```

```
integer NOT NULL PRIMARY KEY
AUTOINCREMENT,
         "nombre" varchar(60) NOT NULL,
         "descripcion"
                           varchar(60) NOT NULL
);
CREATE TABLE IF NOT EXISTS "API_sucursal" (
         "id"
                  integer NOT NULL PRIMARY KEY
AUTOINCREMENT,
         "nombre" varchar(60) NOT NULL,
                           varchar(60) NOT NULL,
         "direccion"
         "telefono" varchar(60) NOT NULL,
         "status" varchar(10) NOT NULL
);
CREATE TABLE IF NOT EXISTS "API_persona" (
         "id"
                  integer NOT NULL PRIMARY KEY
AUTOINCREMENT.
         "nombre" varchar(60) NOT NULL,
         "apellido" varchar(60) NOT NULL,
         "cedula" varchar(25) NOT NULL,
         "direccion"
                           varchar(60) NOT NULL,
                           date NOT NULL,
         "fec_creacion"
         "usuario" varchar(60) NOT NULL,
         "correo" varchar(60) NOT NULL
);
CREATE TABLE IF NOT EXISTS "API_departamento" (
         "id"
                  integer NOT NULL PRIMARY KEY
AUTOINCREMENT,
         "nombre" varchar(60) NOT NULL,
         "status" varchar(10) NOT NULL
);
CREATE TABLE IF NOT EXISTS "socialaccount_socialaccount" (
         "id"
                  integer NOT NULL PRIMARY KEY
AUTOINCREMENT,
         "provider" varchar(30) NOT NULL,
                  varchar(191) NOT NULL,
         "last login"
                           datetime NOT NULL,
```

```
"date joined"
                           datetime NOT NULL,
         "user id" integer NOT NULL,
         "extra data"
                           text NOT NULL.
         FOREIGN KEY("user_id") REFERENCES "API_account"("id")
DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "socialaccount socialapp" (
                  integer NOT NULL PRIMARY KEY
AUTOINCREMENT.
         "provider" varchar(30) NOT NULL,
         "name" varchar(40) NOT NULL,
                           varchar(191) NOT NULL,
         "client id"
         "key" varchar(191) NOT NULL,
                 varchar(191) NOT NULL
         "secret"
);
CREATE TABLE IF NOT EXISTS "socialaccount socialtoken" (
                  integer NOT NULL PRIMARY KEY
         "id"
AUTOINCREMENT,
         "token"
                  text NOT NULL,
         "token secret"
                           text NOT NULL,
                           datetime,
         "expires_at"
         "account id"
                           integer NOT NULL,
         "app_id" integer NOT NULL,
         FOREIGN KEY("account_id") REFERENCES
"socialaccount_socialaccount"("id") DEFERRABLE INITIALLY
DEFERRED,
         FOREIGN KEY("app_id") REFERENCES
"socialaccount_socialapp"("id") DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "socialaccount socialapp sites" (
         "id"
                  integer NOT NULL PRIMARY KEY
AUTOINCREMENT,
         "socialapp_id"
                           integer NOT NULL,
         "site_id" integer NOT NULL,
         FOREIGN KEY("socialapp_id") REFERENCES
"socialaccount_socialapp"("id") DEFERRABLE INITIALLY DEFERRED,
```

```
FOREIGN KEY("site_id") REFERENCES "django_site"("id")
DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "django site" (
         "id"
                  integer NOT NULL PRIMARY KEY
AUTOINCREMENT,
         "name" varchar(50) NOT NULL,
         "domain" varchar(100) NOT NULL UNIQUE
);
CREATE TABLE IF NOT EXISTS "account_emailaddress" (
                  integer NOT NULL PRIMARY KEY
         "id"
AUTOINCREMENT,
         "verified" bool NOT NULL,
         "primary" bool NOT NULL,
         "user_id" integer NOT NULL,
         "email" varchar(254) NOT NULL UNIQUE,
         FOREIGN KEY("user id") REFERENCES "API account"("id")
DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "account_emailconfirmation" (
                  integer NOT NULL PRIMARY KEY
         "id"
AUTOINCREMENT,
         "created" datetime NOT NULL,
         "sent"
                  datetime,
         "key" varchar(64) NOT NULL UNIQUE,
         "email_address_id" integer NOT NULL,
         FOREIGN KEY("email_address_id") REFERENCES
"account_emailaddress"("id") DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "django_session" (
         "session_key"
"session_data"
                          varchar(40) NOT NULL,
                          text NOT NULL,
         "expire_date"
                          datetime NOT NULL,
         PRIMARY KEY("session_key")
);
CREATE TABLE IF NOT EXISTS "authtoken token" (
```

```
"key" varchar(40) NOT NULL,
         "created" datetime NOT NULL,
         "user_id" integer NOT NULL UNIQUE,
         PRIMARY KEY("key"),
         FOREIGN KEY("user_id") REFERENCES "auth_user"("id")
DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "auth_group" (
                  integer NOT NULL PRIMARY KEY
         "id"
AUTOINCREMENT,
                  varchar(150) NOT NULL UNIQUE
         "name"
);
CREATE TABLE IF NOT EXISTS "auth_user" (
                  integer NOT NULL PRIMARY KEY
         "id"
AUTOINCREMENT,
         "password"
                           varchar(128) NOT NULL,
         "last login"
                           datetime,
         "is_superuser"
                           bool NOT NULL,
         "username"
                           varchar(150) NOT NULL UNIQUE,
         "first_name"
                           varchar(30) NOT NULL,
         "email" varchar(254) NOT NULL,
         "is_staff" bool NOT NULL,
         "is active"
                           bool NOT NULL,
         "date_joined"
                           datetime NOT NULL,
         "last name"
                           varchar(150) NOT NULL
);
CREATE TABLE IF NOT EXISTS "auth_permission" (
                  integer NOT NULL PRIMARY KEY
         "id"
AUTOINCREMENT,
         "content_type_id"
                           integer NOT NULL,
         "codename"
                           varchar(100) NOT NULL,
                 varchar(255) NOT NULL,
         "name"
         FOREIGN KEY("content_type_id") REFERENCES
"django_content_type"("id") DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "django_content_type" (
```

```
integer NOT NULL PRIMARY KEY
AUTOINCREMENT,
         "app_label"
                           varchar(100) NOT NULL,
         "model" varchar(100) NOT NULL
);
CREATE TABLE IF NOT EXISTS "django_admin_log" (
                  integer NOT NULL PRIMARY KEY
         "id"
AUTOINCREMENT,
         "action time"
                           datetime NOT NULL,
         "object_id"
                           text.
         "object repr"
                           varchar(200) NOT NULL,
         "change_message"
                          text NOT NULL,
         "content_type_id"
                           integer,
         "user_id" integer NOT NULL,
                           smallint unsigned NOT NULL
         "action_flag"
CHECK("action_flag">=0),
         FOREIGN KEY("content_type_id") REFERENCES
"django_content_type"("id") DEFERRABLE INITIALLY DEFERRED,
         FOREIGN KEY("user_id") REFERENCES "auth_user"("id")
DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "auth_user_user_permissions" (
                  integer NOT NULL PRIMARY KEY
         "id"
AUTOINCREMENT,
         "user_id" integer NOT NULL,
         "permission_ id"
                           integer NOT NULL,
         FOREIGN KEY("user_id") REFERENCES "auth_user"("id")
DEFERRABLE INITIALLY DEFERRED,
         FOREIGN KEY("permission_id") REFERENCES
"auth permission"("id") DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "auth_user_groups" (
         "id"
                  integer NOT NULL PRIMARY KEY
AUTOINCREMENT.
         "user_id" integer NOT NULL,
                           integer NOT NULL,
         "group id"
```

```
FOREIGN KEY("user_id") REFERENCES "auth_user"("id")
DEFERRABLE INITIALLY DEFERRED,
         FOREIGN KEY("group_id") REFERENCES "auth_group"("id")
DEFERRABLE INITIALLY DEFERRED
);
CREATE TABLE IF NOT EXISTS "auth_group_permissions" (
                  integer NOT NULL PRIMARY KEY
         "id"
AUTOINCREMENT,
         "group_id"
                            integer NOT NULL,
         "permission_id"
                            integer NOT NULL,
         FOREIGN KEY("group_id") REFERENCES "auth_group"("id")
DEFERRABLE INITIALLY DEFERRED,
         FOREIGN KEY("permission_id") REFERENCES
"auth_permission"("id") DEFERRABLE INITIALLY DEFERRED
CREATE TABLE IF NOT EXISTS "django_migrations" (
                  integer NOT NULL PRIMARY KEY
         "id"
AUTOINCREMENT,
         "app"
                  varchar(255) NOT NULL,
         "name"
                  varchar(255) NOT NULL,
         "applied" datetime NOT NULL
);
INSERT INTO "API_proveedor" VALUES
(1,'asasas','asasas','asasas','asas','1');
INSERT INTO "API_proveedor" VALUES
(2,'asasasa','asasasa','aasasas','Activo');
INSERT INTO "API proveedor" VALUES
(3,'asasasa','sasasa','sasas,','asasasas','Activo');
INSERT INTO "API proveedor" VALUES (4,'Leche Rica','Distibuidor de
lacteos', 'Autopista Duarte', '809-255-6035', 'Activo');
INSERT INTO "API_proveedor" VALUES (5,'Coca Cola','Compañía de
Refrescos', 'Autopista Mella', '809-444-3253', 'Activo');
INSERT INTO "API producto" VALUES
(1,'asasas','2020-04-22',0,0,10,'2020-04-22','No
activo',1,'asasas','2020-04-02');
INSERT INTO "API_producto" VALUES
```

```
(2,'asasa','2020-04-22',0,0,10,'2020-04-22','No
activo',1,'sasas','2020-04-22');
INSERT INTO "API_producto" VALUES
(3,'asasas','2020-04-22',0,0,10,'2020-04-22','No
activo',1,'asasas','2020-04-02');
INSERT INTO "API_producto" VALUES
(4,'asasasa','2020-04-23',0,0,10,'2020-04-23','No
activo',1,'asasas','2020-04-23');
INSERT INTO "API_producto" VALUES
(5,'asasasa','2020-04-23',0,0,10,'2020-04-23','No
activo',1,'sasasas','2020-04-23');
INSERT INTO "API_producto" VALUES
(6,'Leche','2020-04-23',0,0,100,'2020-04-23','No
activo',2,'Lacteos','2020-04-23');
INSERT INTO "API_producto" VALUES
(7,'asasasa','2020-04-23',0,0,5,'2020-04-23','No
activo',1,'sasas','2020-04-23');
INSERT INTO "API_producto" VALUES
(8,'asasas','2020-04-23',0,0,10,'2020-04-23','No
activo',1,'asasasas','2020-04-23');
INSERT INTO "API_producto" VALUES
(9,'asasas','2020-03-11',0,0,20,'2020-04-30','No
activo',1,'asasas','2020-04-23');
INSERT INTO "API_producto" VALUES
(10,'asasas','2020-04-23',100,100,20,'2020-04-23','No
activo',1,'asasas','2020-04-23');
INSERT INTO "API_producto" VALUES
(11, 'asasas', '2020-04-23', 5, 5, 60, '2020-04-23', 'No
activo',3,'asasas','2020-04-23');
INSERT INTO "API_producto" VALUES
(12,'asasas','2020-04-23',5,5,30,'2020-04-23','No
activo',2,'asasasas','2020-04-23');
INSERT INTO "API_producto" VALUES
(13,'asasas','2020-04-23',10,10,10,'2020-04-23','No
activo',1,'sasasas','2020-04-23');
INSERT INTO "API_producto" VALUES
```

```
(14,'Leche','2020-04-23',25,30,50,'2020-04-23','No
activo',2,'Lacteos','2020-04-23');
INSERT INTO "API producto" VALUES
(15,'Huevos','2020-04-01',5,10,100,'2020-04-09','No activo',1,'Huevos de
gallina','2020-04-23');
INSERT INTO "API_producto" VALUES
(16,'Leche','2020-04-01',22,23,20,'2020-04-30','Activo',2,'Leche de Vaca
RICA','2020-04-23');
INSERT INTO "API producto" VALUES
(17,'Pollo','2020-04-01',50,50,5,'2020-04-30','No
activo',1,'Pollo','2020-04-23');
INSERT INTO "API_producto" VALUES (18,'Botella de
agua','2020-04-01',10,15,20,'2020-04-09','Activo',1,'Botella de
agua','2020-04-23');
INSERT INTO "API_producto" VALUES (19,'Refresco Coca Cool
negro','2020-03-11',15,20,100,'2020-06-25','Activo',1,'Coca Cool negro of
refresco negro','2020-04-23');
INSERT INTO "API_tipoproducto" VALUES (1,'Huevos','Huevos');
INSERT INTO "API_tipoproducto" VALUES (2,'Leche','Lacteos');
INSERT INTO "API tipoproducto" VALUES (3, 'Sardinas', 'Pescados');
INSERT INTO "django_site" VALUES (1,'example.com','example.com');
INSERT INTO "django_session" VALUES
('ad3xtf94u6qvuerliqcp7utgtjdumsfr','MDJiM2ExMTq2YWJhZjdlZDJlZjA2M
DdiMjlhNTq0MDA0OGY1NDc0Yzp7Il9zZXNzaW9uX2V4cGlyeSI6MH0=','2
020-02-14 03:39:24.945207');
INSERT INTO "django_session" VALUES
('uzetngrocrnckxth0l8wkgwg6bmv62z6','NTI1M2ZjZDQ0OTRkYjg5NTNjNjQ
0OWVlZGNkMmJiNjNkYWMzOWU4Mjp7Il9hdXRoX3VzZXJfaWQiOiIzIiwiX
2F1dGhfdXNlcl9iYWNrZW5kIjoiZGphbmdvLmNvbnRyaWIuYXV0aC5iYWNr
ZW5kcy5Nb2RlbEJhY2tlbmQiLCJfYXV0aF91c2VyX2hhc2qiOiI1NDM1YWI0
ZWRjOWZkMWUwM2VhNzNiYTM0NTJmOTkzOGZhMzMwMmVjIn0=','202
0-02-16 03:24:12.509174');
INSERT INTO "django session" VALUES
('iib4fnvayzjve6dsch85z8x6hawe32np','NGIwNWMxY2MwODhkYTdhODAzN
zEzM2M4YWYyNmQzYTVlNjhiN2U2YTp7Il9hdXRoX3VzZXJfaWQiOiIyIiwi
X2F1dGhfdXNlcl9iYWNrZW5kIjoiZGphbmdvLmNvbnRyaWIuYXV0aC5iYW
```

```
NrZW5kcy5Nb2RlbEJhY2tlbmQiLCJfYXV0aF91c2VyX2hhc2giOiIyMGZjYW JkN2JjYWEzNTVkM2I1NmZmZTE2MzdhNzg1ZmI0NDhiMjlkIn0=','2020-03-06 02:51:38.730915');
```

INSERT INTO "authtoken_token" VALUES

('da28bfc38140231aa33e719d90badcc4b8e8b540','2019-10-18

17:06:05.355498',1);

INSERT INTO "authtoken token" VALUES

('f1505ef12705498710c99374813c5afede9cb0dc','2020-01-29

04:42:19.544452',2);

INSERT INTO "authtoken token" VALUES

('cd834a3c822426841ecc216cd0bbae8cba692e01','2020-02-04

02:03:03.768515',4);

INSERT INTO "authtoken_token" VALUES

('74f219d1092c200f591249d46727386e8f07b22c','2020-02-21

03:03:14.723144',3);

INSERT INTO "authtoken token" VALUES

('174304bfbb90223cb99d372c6ade9e92cdde4909','2020-03-06

03:42:36.674912',5);

INSERT INTO "auth_user" VALUES

(1,'pbkdf2_sha256\$150000\$z6uLoNSaFTwl\$i8Kt3Av1xYyrlrOLz607CgCDkn HDu73SVvaUmHVrwX8=',NULL,1,'manni','',',1,1,'2019-10-18 03:12:37.993167','');

INSERT INTO "auth_user" VALUES

(2,'pbkdf2_sha256\$180000\$z6MxFOM4X6ma\$VDL9KWQMyEOUTN+pJsW Q2hYLKApTG65tPutqc7/XAWg=','2020-02-21

02:51:38.553479',1,'admin','','enrique.solis@snovaservice.com',1,1,'2020-01-27 18:53:21.106152','');

INSERT INTO "auth_user" VALUES

(3,'pbkdf2_sha256\$150000\$Sb6sAUsLtMC2\$z20qkzPMPre0StIKGecm1Jfo6+brrjMbJaajH4QpKaY=','2020-02-01

03:56:52.610659',1,'enriquesolis','','acostaenrique954@gmail.com',1,1,'2020 -02-01 03:00:45.345104','');

INSERT INTO "auth_user" VALUES

(4,'pbkdf2_sha256\$150000\$5vlj6J1wD9pH\$tXiUQw7zeyf0KUVBBUTBNcF RgHquV6wHNfGhN+lBEfY=',NULL,1,'manuel','','',1,1,'2020-02-04 02:02:30.915802',''); INSERT INTO "auth user" VALUES

(5,'pbkdf2_sha256\$180000\$NBHNgf378317\$HfLOO+uty6FR36Y50jkaIeLS F/F3CJYYglgYAnhTp74=',NULL,0,'enrique','','enrique123',0,1,'2020-03-06 03:40:47.833107','');

INSERT INTO "auth user" VALUES

(6,'pbkdf2_sha256\$180000\$WGrmNBXY2fPX\$T2TTrPuo1bJZcNna+Sgsgyg REXf4c+zKuSkp4Lfwels=',NULL,0,'enrique1111','','enrique123',0,1,'2020-03 -07 22:22:28.084065','');

INSERT INTO "auth_user" VALUES

(7,'pbkdf2_sha256\$180000\$djAVFUTkOx1q\$NppR2yQYRewLSjSlghj4zmRvuVNO3pCb288wWfReiGs=',NULL,0,'asasas','','sasas',0,1,'2020-03-0722:25:38.001214','');

INSERT INTO "auth_user" VALUES

(8,'pbkdf2_sha256\$180000\$xTJMSekJds69\$TzQa7lpJkeHvo92o5tme/BqDgAP+ZRaYREi/BGQ89FI=',NULL,0,'asasasasasas','','asasasas',0,1,'2020-03-0722:26:06.426680','');

INSERT INTO "auth_user" VALUES

(9,'pbkdf2_sha256\$180000\$xsMHzME3KsnZ\$oJmypGqHijqgO68U7dcFmiT NFLMS7AFtBCgg1h4vGvw=',NULL,0,'asasas123','','asasas',0,1,'2020-03-07 22:37:07.472497','');

INSERT INTO "auth_permission" VALUES (1,1,'add_logentry','Can add log
entry');

INSERT INTO "auth_permission" VALUES (2,1,'change_logentry','Can change log entry');

INSERT INTO "auth_permission" VALUES (3,1,'delete_logentry','Can delete log entry');

INSERT INTO "auth_permission" VALUES (4,1,'view_logentry','Can view log entry');

INSERT INTO "auth_permission" VALUES (5,2,'add_permission','Can add permission');

INSERT INTO "auth_permission" VALUES (6,2,'change_permission','Can change permission');

INSERT INTO "auth_permission" VALUES (7,2,'delete_permission','Can
delete permission');

INSERT INTO "auth_permission" VALUES (8,2,'view_permission','Can view permission');

- INSERT INTO "auth_permission" VALUES (9,3,'add_group','Can add
 group');
- INSERT INTO "auth_permission" VALUES (10,3,'change_group','Can change group');
- INSERT INTO "auth_permission" VALUES (11,3,'delete_group','Can delete
 group');
- INSERT INTO "auth_permission" VALUES (12,3,'view_group','Can view
 group');
- INSERT INTO "auth_permission" VALUES (13,4,'add_user','Can add user'); INSERT INTO "auth_permission" VALUES (14,4,'change_user','Can change

user');

- INSERT INTO "auth_permission" VALUES (15,4,'delete_user','Can delete
 user');
- INSERT INTO "auth_permission" VALUES (16,4,'view_user','Can view
 user');
- INSERT INTO "auth_permission" VALUES (17,5,'add_contenttype','Can add content type');
- INSERT INTO "auth_permission" VALUES (18,5,'change_contenttype','Can change content type');
- INSERT INTO "auth_permission" VALUES (19,5,'delete_contenttype','Can delete content type');
- INSERT INTO "auth_permission" VALUES (20,5,'view_contenttype','Can view content type');
- INSERT INTO "auth_permission" VALUES (21,6,'add_session','Can add session');
- INSERT INTO "auth_permission" VALUES (22,6,'change_session','Can change session');
- INSERT INTO "auth_permission" VALUES (23,6,'delete_session','Can delete session');
- INSERT INTO "auth_permission" VALUES (24,6,'view_session','Can view session');
- INSERT INTO "auth_permission" VALUES (25,7,'add_goals','Can add
 goals');
- INSERT INTO "auth_permission" VALUES (26,7,'change_goals','Can change goals');
- INSERT INTO "auth_permission" VALUES (27,7,'delete_goals','Can delete

goals');

INSERT INTO "auth_permission" VALUES (28,7,'view_goals','Can view
goals');

INSERT INTO "auth_permission" VALUES (29,8,'add_goaldetail','Can add goal detail');

INSERT INTO "auth_permission" VALUES (30,8,'change_goaldetail','Can change goal detail');

INSERT INTO "auth_permission" VALUES (31,8,'delete_goaldetail','Can delete goal detail');

INSERT INTO "auth_permission" VALUES (32,8,'view_goaldetail','Can view goal detail');

INSERT INTO "auth_permission" VALUES (33,9,'add_token','Can add Token');

INSERT INTO "auth_permission" VALUES (34,9,'change_token','Can change
Token');

INSERT INTO "auth_permission" VALUES (35,9,'delete_token','Can delete Token');

INSERT INTO "auth_permission" VALUES (36,9,'view_token','Can view Token');

INSERT INTO "auth_permission" VALUES (37,10,'add_account','Can add account');

INSERT INTO "auth_permission" VALUES (38,10,'change_account','Can change account');

INSERT INTO "auth_permission" VALUES (39,10,'delete_account','Can delete account');

INSERT INTO "auth_permission" VALUES (40,10,'view_account','Can view account');

INSERT INTO "auth_permission" VALUES (41,11,'add_emailaddress','Can add email address');

INSERT INTO "auth_permission" VALUES

(42,11,'change_emailaddress','Can change email address');

INSERT INTO "auth_permission" VALUES (43,11,'delete_emailaddress','Can delete email address');

INSERT INTO "auth_permission" VALUES (44,11,'view_emailaddress','Can view email address');

INSERT INTO "auth_permission" VALUES

```
(45,12,'add_emailconfirmation','Can add email confirmation');
```

INSERT INTO "auth_permission" VALUES

(46,12,'change_emailconfirmation','Can change email confirmation');

INSERT INTO "auth_permission" VALUES

(47,12,'delete_emailconfirmation','Can delete email confirmation');

INSERT INTO "auth_permission" VALUES

(48,12,'view_emailconfirmation','Can view email confirmation');

INSERT INTO "auth_permission" VALUES (49,13,'add_socialaccount','Can add social account');

INSERT INTO "auth_permission" VALUES

(50,13,'change_socialaccount','Can change social account');

INSERT INTO "auth_permission" VALUES

(51,13,'delete_socialaccount','Can delete social account');

INSERT INTO "auth_permission" VALUES (52,13,'view_socialaccount','Can view social account');

INSERT INTO "auth_permission" VALUES (53,14,'add_socialapp','Can add social application');

INSERT INTO "auth_permission" VALUES (54,14,'change_socialapp','Can change social application');

INSERT INTO "auth_permission" VALUES (55,14,'delete_socialapp','Can delete social application');

INSERT INTO "auth_permission" VALUES (56,14,'view_socialapp','Can view social application');

INSERT INTO "auth_permission" VALUES (57,15,'add_socialtoken','Can add social application token');

INSERT INTO "auth_permission" VALUES (58,15,'change_socialtoken','Can change social application token');

INSERT INTO "auth_permission" VALUES (59,15,'delete_socialtoken','Can delete social application token');

INSERT INTO "auth_permission" VALUES (60,15,'view_socialtoken','Can view social application token');

INSERT INTO "auth_permission" VALUES (61,16,'add_site','Can add site');

INSERT INTO "auth_permission" VALUES (62,16,'change_site','Can change
site');

INSERT INTO "auth_permission" VALUES (63,16,'delete_site','Can delete
site');

- INSERT INTO "auth_permission" VALUES (64,16,'view_site','Can view site');
- INSERT INTO "auth_permission" VALUES (65,17,'add_progress','Can add
 progress');
- INSERT INTO "auth_permission" VALUES (66,17,'change_progress','Can change progress');
- INSERT INTO "auth_permission" VALUES (67,17,'delete_progress','Can delete progress');
- INSERT INTO "auth_permission" VALUES (68,17,'view_progress','Can view progress');
- INSERT INTO "auth_permission" VALUES (69,18,'add_cliente','Can add cliente');
- INSERT INTO "auth_permission" VALUES (70,18,'change_cliente','Can change cliente');
- INSERT INTO "auth_permission" VALUES (71,18,'delete_cliente','Can delete cliente');
- INSERT INTO "auth_permission" VALUES (72,18,'view_cliente','Can view cliente');
- INSERT INTO "auth_permission" VALUES (73,19,'add_departamento','Can add departamento');
- INSERT INTO "auth_permission" VALUES
- (74,19,'change_departamento','Can change departamento');
- INSERT INTO "auth_permission" VALUES
- (75,19,'delete_departamento','Can delete departamento');
- INSERT INTO "auth_permission" VALUES (76,19,'view_departamento','Can view departamento');
- INSERT INTO "auth_permission" VALUES (77,20,'add_factura','Can add factura');
- INSERT INTO "auth_permission" VALUES (78,20,'change_factura','Can change factura');
- INSERT INTO "auth_permission" VALUES (79,20,'delete_factura','Can delete factura');
- INSERT INTO "auth_permission" VALUES (80,20,'view_factura','Can view factura');
- INSERT INTO "auth_permission" VALUES (81,21,'add_persona','Can add
 persona');

- INSERT INTO "auth_permission" VALUES (82,21,'change_persona','Can change persona');
- INSERT INTO "auth_permission" VALUES (83,21,'delete_persona','Can
 delete persona');
- INSERT INTO "auth_permission" VALUES (84,21,'view_persona','Can view
 persona');
- INSERT INTO "auth_permission" VALUES (85,22,'add_sucursal','Can add sucursal');
- INSERT INTO "auth_permission" VALUES (86,22,'change_sucursal','Can change sucursal');
- INSERT INTO "auth_permission" VALUES (87,22,'delete_sucursal','Can
 delete sucursal');
- INSERT INTO "auth_permission" VALUES (88,22,'view_sucursal','Can view sucursal');
- INSERT INTO "auth_permission" VALUES (89,23,'add_proveedor','Can add
 proveedor');
- INSERT INTO "auth_permission" VALUES (90,23,'change_proveedor','Can change proveedor');
- INSERT INTO "auth_permission" VALUES (91,23,'delete_proveedor','Can delete proveedor');
- INSERT INTO "auth_permission" VALUES (92,23,'view_proveedor','Can view proveedor');
- INSERT INTO "auth_permission" VALUES (93,24,'add_producto','Can add producto');
- INSERT INTO "auth_permission" VALUES (94,24,'change_producto','Can change producto');
- INSERT INTO "auth_permission" VALUES (95,24,'delete_producto','Can delete producto');
- INSERT INTO "auth_permission" VALUES (96,24,'view_producto','Can view producto');
- INSERT INTO "auth_permission" VALUES (97,25,'add_tipoproducto','Can add tipoproducto');
- INSERT INTO "auth_permission" VALUES
- (98,25,'change_tipoproducto','Can change tipoproducto');
- INSERT INTO "auth_permission" VALUES (99,25,'delete_tipoproducto','Can delete tipoproducto');

- INSERT INTO "auth_permission" VALUES (100,25,'view_tipoproducto','Can view tipoproducto');
- INSERT INTO "auth_permission" VALUES (101,26,'add_telefono','Can add telefono');
- INSERT INTO "auth_permission" VALUES (102,26,'change_telefono','Can change telefono');
- INSERT INTO "auth_permission" VALUES (103,26,'delete_telefono','Can delete telefono');
- INSERT INTO "auth_permission" VALUES (104,26,'view_telefono','Can view telefono');
- INSERT INTO "auth_permission" VALUES (105,27,'add_empleado','Can add empleado');
- INSERT INTO "auth_permission" VALUES (106,27,'change_empleado','Can change empleado');
- INSERT INTO "auth_permission" VALUES (107,27,'delete_empleado','Can delete empleado');
- INSERT INTO "auth_permission" VALUES (108,27,'view_empleado','Can view empleado');
- INSERT INTO "auth_permission" VALUES (109,28,'add_cargo','Can add cargo');
- INSERT INTO "auth_permission" VALUES (110,28,'change_cargo','Can change cargo');
- INSERT INTO "auth_permission" VALUES (111,28,'delete_cargo','Can delete cargo');
- INSERT INTO "auth_permission" VALUES (112,28,'view_cargo','Can view cargo');
- INSERT INTO "auth_permission" VALUES (113,29,'add_tipotelefono','Can add tipotelefono');
- INSERT INTO "auth_permission" VALUES
- (114,29,'change_tipotelefono','Can change tipotelefono');
- INSERT INTO "auth_permission" VALUES (115,29,'delete_tipotelefono','Can delete tipotelefono');
- INSERT INTO "auth_permission" VALUES (116,29,'view_tipotelefono','Can view tipotelefono');
- INSERT INTO "auth_permission" VALUES (117,30,'add_detalle','Can add detalle');

```
INSERT INTO "auth_permission" VALUES (118,30,'change_detalle','Can
change detalle');
INSERT INTO "auth permission" VALUES (119,30,'delete detalle','Can
delete detalle');
INSERT INTO "auth permission" VALUES (120,30,'view detalle','Can view
detalle');
INSERT INTO "django content type" VALUES (1,'admin','logentry');
INSERT INTO "django_content_type" VALUES (2,'auth','permission');
INSERT INTO "django_content_type" VALUES (3,'auth','group');
INSERT INTO "django_content_type" VALUES (4,'auth','user');
INSERT INTO "django content type" VALUES
(5,'contenttypes','contenttype');
INSERT INTO "django_content_type" VALUES (6,'sessions','session');
INSERT INTO "django_content_type" VALUES (7,'API','goals');
INSERT INTO "django_content_type" VALUES (8,'API','goaldetail');
INSERT INTO "django_content_type" VALUES (9,'authtoken','token');
INSERT INTO "django content type" VALUES (10,'API','account');
INSERT INTO "django_content_type" VALUES (11,'account','emailaddress');
INSERT INTO "django_content_type" VALUES
(12, 'account', 'emailconfirmation');
INSERT INTO "django_content_type" VALUES
(13, 'socialaccount', 'socialaccount');
INSERT INTO "django_content_type" VALUES
(14, 'socialaccount', 'socialapp');
INSERT INTO "django_content_type" VALUES
(15, 'socialaccount', 'socialtoken');
INSERT INTO "django_content_type" VALUES (16,'sites','site');
INSERT INTO "django_content_type" VALUES (17,'API','progress');
INSERT INTO "django content type" VALUES (18,'API','cliente');
INSERT INTO "django_content_type" VALUES (19,'API','departamento');
INSERT INTO "django_content_type" VALUES (20,'API','factura');
INSERT INTO "django_content_type" VALUES (21,'API','persona');
INSERT INTO "django content type" VALUES (22,'API','sucursal');
INSERT INTO "django_content_type" VALUES (23,'API','proveedor');
INSERT INTO "django content type" VALUES (24,'API','producto');
INSERT INTO "django_content_type" VALUES (25,'API','tipoproducto');
```

```
INSERT INTO "django_content_type" VALUES (26,'API','telefono');
INSERT INTO "django_content_type" VALUES (27,'API','empleado');
INSERT INTO "django_content_type" VALUES (28,'API','cargo');
INSERT INTO "django_content_type" VALUES (29,'API','tipotelefono');
INSERT INTO "django_content_type" VALUES (30,'API','detalle');
INSERT INTO "django_admin_log" VALUES (1,'2020-02-02
03:24:12.107310','2','admin','[{"changed": {"fields":
["password"]}}]',4,3,2);
INSERT INTO "django_migrations" VALUES
(1,'API','0001_initial','2019-10-14 00:41:21.435852');
INSERT INTO "django migrations" VALUES
(2,'contenttypes','0001_initial','2019-10-14 00:41:21.580615');
INSERT INTO "django_migrations" VALUES
(3,'auth','0001_initial','2019-10-14 00:41:21.693857');
INSERT INTO "django_migrations" VALUES
(4,'admin','0001 initial','2019-10-14 00:41:21.826811');
INSERT INTO "django migrations" VALUES
(5, 'admin', '0002_logentry_remove_auto_add', '2019-10-14
00:41:21.966226');
INSERT INTO "django migrations" VALUES
(6, 'admin', '0003_logentry_add_action_flag_choices', '2019-10-14
00:41:22.131624');
INSERT INTO "django_migrations" VALUES
(7,'contenttypes','0002_remove_content_type_name','2019-10-14
00:41:22.324162');
INSERT INTO "django migrations" VALUES
(8,'auth','0002 alter permission name max length','2019-10-14
00:41:22.526329');
INSERT INTO "django migrations" VALUES
(9,'auth','0003 alter user email max length','2019-10-14
00:41:22.680695');
INSERT INTO "django_migrations" VALUES
(10,'auth','0004 alter user username opts','2019-10-14 00:41:22.855528');
INSERT INTO "django_migrations" VALUES
(11,'auth','0005_alter_user_last_login_null','2019-10-14 00:41:23.032087');
INSERT INTO "django_migrations" VALUES
```

```
(12,'auth','0006_require_contenttypes_0002','2019-10-14 00:41:23.185424');
INSERT INTO "django migrations" VALUES
(13,'auth','0007_alter_validators_add_error_messages','2019-10-14
00:41:23.299740');
INSERT INTO "django migrations" VALUES
(14, 'auth', '0008_alter_user_username_max_length', '2019-10-14
00:41:23.449546');
INSERT INTO "django migrations" VALUES
(15, 'auth', '0009_alter_user_last_name_max_length', '2019-10-14
00:41:23.605877');
INSERT INTO "django migrations" VALUES
(16, 'auth', '0010_alter_group_name_max_length', '2019-10-14
00:41:23.797698');
INSERT INTO "django_migrations" VALUES
(17,'auth','0011_update_proxy_permissions','2019-10-14 00:41:24.052940');
INSERT INTO "diango migrations" VALUES
(18,'authtoken','0001 initial','2019-10-14 00:41:24.171499');
INSERT INTO "django_migrations" VALUES
(19,'authtoken','0002_auto_20160226_1747','2019-10-14
00:41:24.359006');
INSERT INTO "django_migrations" VALUES
(20,'sessions','0001_initial','2019-10-14 00:41:24.471858');
INSERT INTO "django_migrations" VALUES
(21,'API','0002_account','2020-01-29 04:34:08.298119');
INSERT INTO "django_migrations" VALUES
(22,'account','0001 initial','2020-01-31 03:02:29.094774');
INSERT INTO "django migrations" VALUES
(23,'account','0002_email_max_length','2020-01-31 03:02:29.224786');
INSERT INTO "django migrations" VALUES
(24,'sites','0001 initial','2020-01-31 03:02:29.376731');
INSERT INTO "django_migrations" VALUES
(25, 'sites', '0002_alter_domain_unique', '2020-01-31 03:02:29.473938');
INSERT INTO "django migrations" VALUES
(26, 'socialaccount', '0001 initial', '2020-01-31 03:02:29.645693');
INSERT INTO "django migrations" VALUES
(27, 'socialaccount', '0002_token_max_lengths', '2020-01-31
```

```
03:02:29.850831');
INSERT INTO "django migrations" VALUES
(28, 'socialaccount', '0003_extra_data_default_dict', '2020-01-31
03:02:30.021654');
INSERT INTO "django migrations" VALUES
(29,'API','0003_delete_account','2020-02-02 04:31:08.645664');
INSERT INTO "django migrations" VALUES
(30,'API','0004 goals time line','2020-02-21 16:39:11.004278');
INSERT INTO "django_migrations" VALUES
(31,'API','0005_auto_20200224_0025','2020-02-24 04:25:38.061720');
INSERT INTO "django migrations" VALUES
(32,'API','0006_auto_20200226_2122','2020-02-27 01:26:00.070219');
INSERT INTO "django_migrations" VALUES
(33,'API','0007_goaldetail_status','2020-03-01 21:17:28.402690');
INSERT INTO "django_migrations" VALUES
(34,'API','0008_progress','2020-03-02 01:02:55.536322');
INSERT INTO "django migrations" VALUES
(35,'API','0009_auto_20200403_2303','2020-04-04 03:04:10.633618');
INSERT INTO "django_migrations" VALUES
(36,'API','0010 auto 20200422 1245','2020-04-22 16:53:54.608499');
INSERT INTO "django_migrations" VALUES
(37,'API','0011_producto_fec_compra','2020-04-22 20:10:04.331683');
INSERT INTO "django_migrations" VALUES
(38,'API','0012_auto_20200423_0401','2020-04-23 08:33:43.811965');
INSERT INTO "django_migrations" VALUES
(39,'API','0013_proveedor_status','2020-04-23 08:44:25.762946');
INSERT INTO "django_migrations" VALUES
(40,'API','0014_auto_20200423_0610','2020-04-23 10:10:39.117543');
CREATE INDEX IF NOT EXISTS
"API_producto_id_tipo_producto_id_af644ab9" ON "API_producto" (
          "id_tipo_producto_id"
);
CREATE INDEX IF NOT EXISTS
"API_cargo_id_departamento_id_ea6a05a5" ON "API_cargo" (
          "id departamento id"
);
```

```
CREATE INDEX IF NOT EXISTS "API_cliente_id_persona_id_5d908070"
ON "API cliente" (
         "id persona id"
);
CREATE INDEX IF NOT EXISTS "API_detalle_id_producto_id_7d22099b"
ON "API_detalle" (
         "id producto id"
);
CREATE INDEX IF NOT EXISTS "API detalle id factura id 6fa1cb0f" ON
"API_detalle" (
         "id factura id"
);
CREATE INDEX IF NOT EXISTS "API_detalle_id_empleado_id_a8b54231"
ON "API_detalle" (
         "id_empleado_id"
);
CREATE INDEX IF NOT EXISTS "API detalle id cliente id 0302891b"
ON "API_detalle" (
         "id cliente id"
);
CREATE INDEX IF NOT EXISTS
"API_empleado_id_sucursal_id_59595eeb" ON "API_empleado" (
         "id sucursal id"
);
CREATE INDEX IF NOT EXISTS "API_empleado_id_persona_id_f412cb22"
ON "API_empleado" (
         "id persona id"
);
CREATE INDEX IF NOT EXISTS "API empleado id cargo id c88b482d"
ON "API empleado" (
         "id_cargo_id"
);
CREATE INDEX IF NOT EXISTS "API factura id sucursal id fcd66cd0"
ON "API_factura" (
         "id sucursal id"
);
```

```
CREATE INDEX IF NOT EXISTS "API_factura_id_empleado_id_4b4e4126"
ON "API factura" (
         "id_empleado_id"
);
CREATE INDEX IF NOT EXISTS
"API_factura_id_departamento_id_2993333a" ON "API_factura" (
         "id departamento id"
);
CREATE INDEX IF NOT EXISTS "API_factura_id_cliente_id_32086fac" ON
"API_factura" (
         "id cliente id"
);
CREATE INDEX IF NOT EXISTS "API_telefono_id_tipo_id_cf9a74ab" ON
"API_telefono" (
         "id_tipo_id"
);
CREATE INDEX IF NOT EXISTS "API_telefono_id_persona_id_b208b9a5"
ON "API_telefono" (
         "id_persona_id"
);
CREATE INDEX IF NOT EXISTS
"socialaccount socialaccount user id 8146e70c" ON
"socialaccount_socialaccount" (
         "user id"
);
CREATE UNIQUE INDEX IF NOT EXISTS
"socialaccount_socialaccount_provider_uid_fc810c6e_uniq" ON
"socialaccount_socialaccount" (
         "provider",
          "uid"
);
CREATE INDEX IF NOT EXISTS
"socialaccount socialtoken app id 636a42d7" ON
"socialaccount_socialtoken" (
         "app_id"
);
```

```
CREATE INDEX IF NOT EXISTS
"socialaccount socialtoken account id 951f210e" ON
"socialaccount_socialtoken" (
          "account id"
);
CREATE INDEX IF NOT EXISTS
"socialaccount socialapp sites site id 2579dee5" ON
"socialaccount socialapp sites" (
          "site id"
);
CREATE INDEX IF NOT EXISTS
"socialaccount_socialapp_sites_socialapp_id_97fb6e7d" ON
"socialaccount_socialapp sites" (
          "socialapp_id"
);
CREATE UNIQUE INDEX IF NOT EXISTS
"socialaccount socialapp sites socialapp id site id 71a9a768 unig" ON
"socialaccount_socialapp_sites" (
          "socialapp_id",
          "site id"
CREATE UNIQUE INDEX IF NOT EXISTS
"socialaccount_socialtoken_app_id_account_id_fca4e0ac_uniq" ON
"socialaccount_socialtoken" (
          "app_id",
          "account id"
CREATE INDEX IF NOT EXISTS
"account emailaddress user id 2c513194" ON "account emailaddress" (
          "user id"
);
CREATE INDEX IF NOT EXISTS
"account emailconfirmation email address id 5b7f8c58" ON
"account_emailconfirmation" (
          "email address id"
);
```

```
CREATE INDEX IF NOT EXISTS "django_session_expire_date_a5c62663"
ON "django_session" (
         "expire date"
);
CREATE INDEX IF NOT EXISTS
"auth_permission_content_type_id_2f476e4b" ON "auth_permission" (
         "content_type_id"
);
CREATE UNIQUE INDEX IF NOT EXISTS
"auth_permission_content_type_id_codename_01ab375a_uniq" ON
"auth permission" (
         "content_type_id",
         "codename"
CREATE UNIQUE INDEX IF NOT EXISTS
"django_content_type_app_label_model_76bd3d3b_uniq" ON
"django content type" (
         "app_label",
         "model"
CREATE INDEX IF NOT EXISTS "django_admin_log_user_id_c564eba6"
ON "django_admin_log" (
         "user id"
);
CREATE INDEX IF NOT EXISTS
"django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" (
         "content type id"
);
CREATE INDEX IF NOT EXISTS
"auth_user_user_permissions_permission_id_1fbb5f2c" ON
"auth_user_user_permissions" (
         "permission id"
CREATE INDEX IF NOT EXISTS
"auth user user permissions user id a95ead1b" ON
"auth_user_user_permissions" (
```

```
"user id"
);
CREATE UNIQUE INDEX IF NOT EXISTS
"auth_user_user_permissions_user_id_permission_id_14a6b632_uniq" ON
"auth_user_user_permissions" (
         "user_id",
         "permission id"
);
CREATE INDEX IF NOT EXISTS "auth_user_groups_group_id_97559544"
ON "auth_user_groups" (
         "group id"
);
CREATE INDEX IF NOT EXISTS "auth_user_groups_user_id_6a12ed8b"
ON "auth_user_groups" (
         "user id"
);
CREATE UNIOUE INDEX IF NOT EXISTS
"auth_user_groups_user_id_group_id_94350c0c_unig" ON
"auth_user_groups" (
         "user_id",
         "group id"
);
CREATE INDEX IF NOT EXISTS
"auth_group_permissions_permission_id_84c5c92e" ON
"auth_group_permissions" (
         "permission id"
CREATE INDEX IF NOT EXISTS
"auth_group_permissions_group_id_b120cbf9" ON
"auth_group_permissions" (
         "group_id"
);
CREATE UNIOUE INDEX IF NOT EXISTS
"auth_group_permissions_group_id_permission_id_0cd325b0_unig" ON
"auth group permissions" (
         "group_id",
```

```
"permission_id"
);
COMMIT;
```