

Climate Data Homogenization

Usage within NMHSs & other organizations

From: WMO Expert Team on Data Development and Stewardship
ET-DDS

Date: *Day/Month/Year*

Information from the homogenized data producers

17 organizations responded to the questionnaire from March to August 2025: BoM, Environment and Climate Change Canada, Czech Hydrometeorological Institute, DWD, Météo-France, Hellenic National Meteorological Service, HungaroMet, BMKG, Latvian Environment, Slovak Hydrometeorological Institute, AEMET, Universidad de Zaragoza, SMHI, UK Met Office, Ukrainian Hydrometeorological Institute and NOAA.

Such organizations have specified their homogenized data usage according to 4 categories:

1. Homogenized Datasets catalogue, fill in data gap, data rescue
2. Report / Trend / Indices / Diagnostic/ on historical and present data
3. Model verification/calibration (climate model, reanalysis, seasonal forecast, etc.)
4. Other specific climate services (health, energy, agriculture, etc.), Analysis, Research




Questionnaire results

Categories	%
Produce homogenized data series	100
Report / Trend / Indices / Diagnostic for historical and present data	82
Model verification/calibration	35
Specific climate services, Analysis, Research	24


The answers to the questionnaire are available at this address:

https://github.com/ET-DRC/Home/blob/main/consultation/homogenization/Products_Homogenization_V7.xlsx

Samples



Température moyenne annuelle : écart à la référence 1961-1990
France métropolitaine



Ecart à la référence de la température moyenne
Moyenne glissante sur 11 ans

