


사용하시는 PC의 고장으로 인해 본체/메인보드/네트워크 카드 교체 등의 사유로 Mac Address가 변경 된 경우에는 기존에 등록한 Mac Address를 Rehost 하여 새로운 라이선스 파일을 발급 받아야만 소프트웨어 사용이 가능합니다.

## 유의사항:


1. ETAS 라이선스 정책 상 Rehost 기능은 **6개월에 한 번** 밖에 사용할 수 없습니다. 만약 Rehost 가 정상적으로 진행이 되지 않을 경우 기간 제한으로 인한 오류이오니 별도 문의 바랍니다.
2. Machine-named 유형 (Nodelock) 의 라이선스를 도입하신 고객은 Rehost를 통해 라이선스를 재발행 받은 경우, **기존 사용하던 라이선스는 필히 폐기**하여야 하며 새로 발행받은 라이선스만 유효합니다.
3. Rehost 완료 후에도 기존 발급받은 라이선스 파일을 폐기하지 않고 이를 계속해서 병행 사용 하는 것은 정상 구매를 초과하여 라이선스를 사용하는 부정 사용에 해당되오며 이에 따른 서비스 제한 및 별도의 제약을 받을 수 있습니다.


## 리호스트

1. [ETAS License & Download Portal](#) 로그인 후,  
상단의 Licenses 메뉴에서 ① List Licenses를 선택해 주세요.



2. 다음으로 ② Rehost 할 라이선스를 선택한 후,
3. Action의 ③ Rehost 를 클릭해 주세요.



4. 아래  아이콘을 클릭해 주세요.

## Rehost Licenses

Rehost licenses for fulfillment FID\_ [redacted] a. To valid

### Activation Details

Activation ID [redacted]  
 Order ID [redacted]  
 Product Name ISW\_INCA\_LIC-MP , Version [redacted]  
 Part Number F [redacted]  
 Start Date A [redacted]  
 Expiration Date A [redacted]

### Fulfillment Details

Nodelocked Host \* [redacted]  
 Original Hosts C [redacted]

### New Nodelocked Hosts

Server hosts: (no license hosts selected) [redacted]

[+]

5. + 아이콘 클릭 시 아래 창이 생성됩니다.  
 공란에 MAC Address를 입력해 주세요.

### Create License Host

Please select a license host type and enter an appropriate value.

Nodelocked hosts:: ETHERNET - [redacted]

[OK] Cancel

6. OK 클릭 후 입력한 MAC Address가 화면에 표시되면 Rehost를 클릭 해 주세요.

# Rehost Licenses

Rehost licenses for fulfillment FID\_37a. To valid

## Activation Details

Activation ID

Order ID

Product Name ISW\_INCA\_LIC-MP , Version

Part Number F-00000000

Start Date A

Expiration Date A

## Fulfillment Details

Nodelocked Host \*

Original Hosts

### New Nodelocked Hosts

MAC Address

Server hosts:



Rehost

Cancel