

Release Notes for MPLAB® Code Configurator v3.65.1

1 Core versions bundled with this MCC release

Core v4.55
Core v4.45.7
Core v4.35.7
Core v4.26.7
Core v4.15.7

2 What is MPLAB Code Configurator (MCC)

The MPLAB® Code Configurator generates seamless, easy to understand code that is inserted into your project. It enables, configures and utilizes a rich set of peripherals and libraries across select devices. It is integrated into MPLAB® X IDE to provide a very powerful and extremely easy to use development platform.

3 System Requirements

- MPLAB® X IDE v5.00 or later

4 Documentation Support

The MPLAB® Code Configurator v3 User's Guide may be found on the MPLAB® Code Configurator page on the Microchip web site. <http://www.microchip.com/mcc>

5 Installing MPLAB® Code Configurator

Basic steps for installing MPLAB® Code Configurator v3 Plugin are given here.

To install the MPLAB® Code Configurator v3 Plugin:

1. In the MPLAB® X IDE, select **Plugins** from the Tools menu
2. Select the **Available Plugins** tab
3. Check the box for the MPLAB® Code Configurator v3, and click on **Install**

6 What's New

6.1 Notifications window focus

Whenever a notification with a Warning or Severe alert level has been thrown, the Notifications window will come into focus. This allows for an immediate check of the current situation during the configuration process and taking the recommended actions that would resolve the future issues which might appear if these notifications would not be treated at that point in time.

7 Repairs and Enhancements

This section lists the repairs and enhancements for the plugin and core. For library specific issues, please look at the individual library release notes.

#	ID	Description
1.	MCCV3XX-7897	Added "Add Core/Library" and "Remove Core/Library" buttons to MCC XPress
2.	MCCV3XX-7495	Generating when file is not saved causes an exception
3.	MCCV3XX-7932	MPLAB X IDE freezes when clicking on the Product Page link from the MCC Device Resources area on Ubuntu 16.04
4.	MCCV3XX-5964	Overlapping, Competing Context Menus
5.	MCCV3XX-7541	Until Generate Code button is hit, MCC does not load the previously saved configuration file
6.	MCCV3XX-7653	Configurations settings saved in config file is not reloaded when the project is reopened in MPLABX
7.	MCCV3XX-7654	The device's name label is too small for the body of the component.

8 Known Issues

This section lists the known issues for the plugin, for library specific issues please look at the individual library release notes.

8.1 Workarounds

#	ID	Description
1.	MCCV3XX-7356	Exception thrown when deleting an MPLAB IDE Project while MCC is opened. <u>Workaround</u> : Close MCC before deleting a project.
2.	MCCV3XX-8013	MCC Interrupt Syntax Compatibility with XC8 v2.00. <u>Workaround</u> : If you are using MPLAB XC8 v2.00 to compile an MCC project and there are errors generated regarding interrupt syntax, please add the command line argument <code>-std=c90</code> . If you're using the MPLABX IDE: right-click on your project and open your project properties, go to your active project configuration and from the XC8 Global options select the C Standard C90 option.

8.2 Open

#	ID	Description
1.	MCCV3XX-4354	Multiple MPLAB X configurations are not supported
2.	MCCV3XX-2621	Multiple initialization functions (with custom names) for a peripheral not supported in MCC v3.xx
3.	MCCV3XX-7719	Pin Manager: Output pins get linked together when selected from "Pin Module" pane viewer

9 Frequently Asked Questions

For frequently asked questions, please refer to the FAQ post on the [MCC Forum](#).

10 Supported Families

For the list of supported families, refer to the release notes of respective libraries.

This version of MCC is distributed with the core versions specified in the table shown in Chapter 1 of this document. The following libraries are also distributed with core compatibility as shown in the table below:

Library	Core Compatibility				
	Core v4.15.7	Core v4.26.7	Core v4.35.7	Core v4.45.7	Core v4.55
PIC10/PIC12/PIC16/PIC18 v1.75				✓	✓
AVR MCUs v1.00					✓
PIC24/dsPIC33/PIC32MM v1.65				✓	✓
PIC32MX v1.35	✓	✓	✓	✓	✓
8-bit Bootloader v2.2.31	✓	✓	✓	✓	✓
LIN v2.30					✓
mTouch® v2.50.1					✓
USB Framework Lite v1.26					✓
FoundationServices v0.1.27					✓
MikroElektronika Clicks® v1.0.27					✓
MCP19XXX v1.1					✓
UCS211X v1.1					✓

Additional and archived libraries can be found at: <http://www.microchip.com/mcc>.

11 Customer Support

11.1 MCC Support

For any MCC-related issue or inquiry please write to MCC_Support@microchip.com.

11.2 The Microchip Web Site

Microchip provides online support via our web site at <http://www.microchip.com>. This web site is used as a means to make files and information easily available to customers. Accessible by using your favorite Internet browser, the web site contains the following information:

- **Product Support** – Data sheets and errata, application notes and sample programs, design resources, user's guides and hardware support documents, latest software releases and archived software
- **General Technical Support** – Frequently Asked Questions (FAQs), technical support requests, online discussion groups/forums (<http://forum.microchip.com>), Microchip consultant program member listing
- **Business of Microchip** – Product selector and ordering guides, latest Microchip press releases, listing of seminars and events, listings of Microchip sales offices, distributors and factory representatives

11.3 Additional Support

Users of Microchip products can receive assistance through several channels:

- Distributor or Representative
- Local Sales Office
- Field Application Engineering (FAE)
- Technical Support

Customers should contact their distributor, representative or field application engineer (FAE) for support. Local sales offices are also available to help customers. A listing of sales offices and locations is available on our web site.

Generic technical support is available through the web site at: <http://support.microchip.com>.

12 Appendix: Supported Devices

For the list of supported devices, please refer to the release notes of respective libraries.