

# **B.M.S. COLLEGE OF ENGINEERING**

**(Autonomous College under VTU)**

**Bull Temple Road, Basavanagudi, Bangalore – 560019**



A project report on

***“BMSCE Learn, A Learning Management System”***

Submitted in partial fulfillment of the requirements for the award of the degree

**BACHELOR OF ENGINEERING  
IN  
INFORMATION SCIENCE AND ENGINEERING**

By

Sughosh S Durg, 1BM19IS159

Roshan Warrier, 1BM18IS085

Under the guidance of  
Dr. Shubha Rao V, Associate Professor

**Department of Information Science and Engineering**

**2021-22**

**B.M.S. COLLEGE OF ENGINEERING**  
**(Autonomous College under VTU)**  
**Bull Temple Road, Basavanagudi, Bangalore – 560019**



**Department of Information Science and Engineering**

**CERTIFICATE**

This is to certify that the project entitled “BMSCE Learn, A Learning Management System” is a bonafide work carried out by Sughosh S Durg (**1BM19IS159**) and Roshan Warrier (**1BM18IS085**) in partial fulfillment for the award of the degree of Bachelor of Engineering in **Information Science and Engineering** from **Visvesvaraya Technological University, Belgaum** during the year **2020-2021**. It is certified that all corrections/suggestions indicated for Internal Assessments have been incorporated in the report deposited in the departmental library. The project report has been approved as it satisfies the academic requirements in respect of project work prescribed for the Bachelor of Engineering Degree.

**Signature of the Faculty**  
**Dr. Shubha Rao V, Associate Professor**

**Signature of the HOD**  
**Dr. Dakshayini, Professor**

## **TABLE OF CONTENTS**

<b>Topic</b>	<b>Page No.</b>
<b>Abstract</b>	4
1. Introduction	5
2. System Architecture	6
i. Use-Case Diagram	7
ii. Activity Diagram	8
3. User Interface (UI) and Navigation	9
4. Implementation	14
5. Results	26
6. Test Suite	32
7. References	36

## **ABSTRACT**

Recently the popularity of smartphones has promoted communication for daily life, but it also brings new challenges for current classroom teaching. For example, some students spend too much time playing with phones instead of learning in the classroom. How to effectively instruct students to use phones and promote teaching becomes a very tricky problem. In order to deal with this problem, we propose a new real-time interaction platform for classroom teaching based on a smartphone APP, which adopts the extensive multilayer framework and the quantifiable real-time interaction. In this platform, it's easy for teachers to post assignments, announcements, and manage courses and for the student to keep track of important announcements, assignments, and manage courses. What's more, this platform can strengthen the interaction between teachers and students, and stimulate the interest of all students to participate in classroom learning.

## **INTRODUCTION**


In recent years, with the rapid development of network information technology, many new teaching modes and methods have emerged in education such as network courses, MOOCs, and flipped classrooms. Though these new modes can make teaching convenient for cross-regions, classroom teaching is still a very important teaching model in the current education environment. To deal with the shortcomings of the existing classroom teaching, we propose a new real-time interactive teaching method, which constructs a real-time interaction platform for classroom teaching based on a smartphone application. The application was developed using Java, XML, SQLite (database), and Android Studio as the IDE. The application runs on any Android Device that has Lollipop 5.0 and above.

## **SYSTEM ARCHITECTURE**


In order to ensure the robustness and extendibility of the platform, we adopted a multilayer framework in the real-time interactive classroom teaching platform.

Based on the smartphone APP, this platform combines real-time interaction in class with the real-time evaluation of teaching quality. The core businesses of the platform include teacher-side data management, student-side answer management. They are explained as below:

1. Teacher-side data management includes the importing of existing data, student management, question management, exercise set, exercise start, answer information view, and so on.
2. Student-side answer management includes answering questions according to the teacher's exercise tasks, submitting the assignments, viewing historical answers, and so on.




## USE-CASE DIAGRAM



This interactive function can be used to assess students' mastery of knowledge. Meanwhile, it can also be used to assess the teaching methods of teachers. The platform can send questions to students on the spot through the APP-based platform immediately after the teacher has finished teaching a certain knowledge point. Students can submit their answers within a specified time. Teachers can accurately grasp the students' acceptance of the knowledge point and timely evaluate the teaching effect of the knowledge point.

## ACTIVITY DIAGRAM



There are two types of login i.e two types of users can log into the BMSCE Learn course management app: Teachers and Students. Courses Teachers can add/edit a course. Students can only view the courses they have enrolled in. Teachers can add/edit/delete an assignment and can view submitted works by students. Students can only view the assignments and upload their works. Announcements Teachers can add/edit/delete announcements. Students can only view the announcements.

## **USER INTERFACE (UI) DESIGN AND NAVIGATION**

Providing a user-friendly interface is of the functional requirements of the application and hence care has been taken to use best practices while designing the overall UI.

The Various UI components used are the following :

1. **TextView:** It is used to display texts which are meant to be not editable by the user by default. This has been used for headings in the app.
2. **EditText:** It is used to collect text from the user. It's an editable text box where users can enter values.
3. **ImageView:** ImageView is used to display images in Android applications. An image can be displayed by assigning it to the ImageView control and including the android: src attribute in the XML definition. Images can be assigned dynamically.
4. **Buttons:** A UI component that when clicked performs a certain task.
5. **Intent:** A navigation component used for communication and navigating from one activity to another.
6. **Toast:** A toast provides simple feedback about an operation in a small popup. It automatically disappears after a timeout.
7. **List View:** A list view is an adapter view that does not know the details, such as type and contents, of the views it contains. Instead, list view requests.
8. **Menus:** Used to present user actions and other options in the activities.
9. **Layouts:** the types of layouts used are:- Linear layout and Constraint layout.
  - i) **Linear Layout** - LinearLayout is a view group that aligns all children in a single direction, vertically or horizontally.
  - ii) **Constraint Layout** - it is a ViewGroup (i.e. a view that holds other views) that allows us to create large and complex layouts with a flat view hierarchy, and also allows us to position and size widgets in a very flexible way.




Fig 3.1 Main Activity




Fig 3.2 Login Activity




Fig 3.3 Send Message Activity




Fig 3.4 Post Announcements Activity




Fig 3.5 Course Activity




Fig 3.6 Course Menu Activity

**Post**

CourseID  
Post Name  
Post Content

**ADD**

PostID

**EDIT**

**DELETE**

**POST**

courseid  
postname  
postcontent

**ADD**

postid

**EDIT**

**DELETE**

Fig 3.7 Post Activity

Course ID

Post ID

Comment Content

Name

Surname

**ADD COMMENT**

editedID

edited1

edited2

edited3

edited4

**ADD COMMENT**

Fig 3.8 Add Comment Activity

## **IMPLEMENTATION**

GitHub Repository Link - <https://github.com/sughosh-durg/MAD-Project>

### **1. MainActivity.java**

```
package com.example.madlabproject;

import androidx.appcompat.app.AppCompatActivity;
import androidx.constraintlayout.widget.ConstraintLayout;

import android.content.Intent;
import android.graphics.drawable.AnimationDrawable;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;

public class MainActivity extends AppCompatActivity {

    Button admin,login_teacher,login_student;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        admin=(Button)findViewById(R.id.btn_admin);
        login_teacher=(Button)findViewById(R.id.btn_teacher);
        login_student=(Button)findViewById(R.id.btn_student);

        admin.setOnClickListener(new Clik());
        login_teacher.setOnClickListener(new Clik());
        login_student.setOnClickListener(new Clik());

    }
}
```

```

public class Clik implements View.OnClickListener{

    @Override
    public void onClick(View v) {

        switch (v.getId()){
            case R.id.btn_admin:
                openAdmin();
                break;
            case R.id.btn_teacher:
                openLoginTeacher();
                break;
            case R.id.btn_student:
                openLoginStudent();
                break;
            default:
        }
    }

    public void openAdmin(){
        Intent intent = new Intent(this,Admin.class);
        startActivity(intent);
    }

    public void openLoginTeacher(){
        Intent intent = new Intent(this,Teacher_Login.class);
        startActivity(intent);
    }

    public void openLoginStudent(){
        Intent intent = new Intent(this,Log.class);
        startActivity(intent);
    }
}

```

## 2. Course.java

```

package com.example.madlabproject;

import androidx.appcompat.app.AppCompatActivity;

```

```

import android.os.Bundle;
import android.text.TextUtils;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

public class Course extends AppCompatActivity {
    EditText coursename,student1,student2,student3,courseid;
    Button add,delete,edit;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_course);

        coursename=findViewById(R.id.course_name);
        student1=findViewById(R.id.student1);
        student2=findViewById(R.id.student2);
        student3=findViewById(R.id.student3);
        courseid=findViewById(R.id.course_deleteid);

        add=findViewById(R.id.course_add);
        delete=findViewById(R.id.course_delet);
        edit=findViewById(R.id.course_edit);
    }
}

```

### **3. Assignment.java**

```

package com.example.madlabproject;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.text.TextUtils;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

```

```

public class Assigment extends AppCompatActivity {

    EditText asssing_courseid,assing_name,assing_content,assing_id,deudate;
    Button add,delete,edit;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_assigment);

        asssing_courseid=findViewById(R.id.assign_courseid);
        assing_name=findViewById(R.id.assign_name);
        assing_content=findViewById(R.id.assing_content);
        deudate=findViewById(R.id.duedate);
        assing_id=findViewById(R.id.assing_id);

        add=findViewById(R.id.assing_add);
        delete=findViewById(R.id.assing_delete);
        edit=findViewById(R.id.assing_edit);

        add.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                String x = asssing_courseid.getText().toString();
                String y = assing_name.getText().toString();
                String z = assing_content.getText().toString();
                String w = deudate.getText().toString();

                if (TextUtils.isEmpty(x)){
                    Toast.makeText(Assigment.this,"Error. enter the course code.",Toast.LENGTH_SHORT).show();
                }
                else if (TextUtils.isEmpty(y)){
                    Toast.makeText(Assigment.this,"Error. Enter the assignment name.",Toast.LENGTH_SHORT).show();
                }
                else if (TextUtils.isEmpty(z)){
                    Toast.makeText(Assigment.this,"Error. Enter the assignment

```

```

content.",Toast.LENGTH_SHORT).show();
    }

else{
    Databasehelper databaseHelper = new Databasehelper(Assigment.this);
    boolean success =databaseHelper.addAssignment(x,y,z,w);
    Toast.makeText(Assigment.this,"Adding assignment
successful.",Toast.LENGTH_SHORT).show();
    assing_courseid.setText("");
    assing_name.setText("");
    assing_content.setText("");
    deudate.setText(" ");
}

});

edit.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        String x = assing_courseid.getText().toString();
        String y = assing_name.getText().toString();
        String z = assing_content.getText().toString();
        String w = deudate.getText().toString();
        String a = assing_id.getText().toString();

        if (TextUtils.isEmpty(x)){
            Toast.makeText(Assigment.this,"Error. Enter the course
code.",Toast.LENGTH_SHORT).show();
        }
        else if (TextUtils.isEmpty(y)){
            Toast.makeText(Assigment.this,"Error. Enter the assignment
name.",Toast.LENGTH_SHORT).show();
        }
        else if (TextUtils.isEmpty(z)){
            Toast.makeText(Assigment.this,"Error. Enter the assignment
content.",Toast.LENGTH_SHORT).show();
        }

    }

}

```

```

Databasehelper databaseHelper = new Databasehelper(Assigment.this);
boolean success =databaseHelper.updateAssingment(a,x,y,z,w);
Toast.makeText(Assigment.this,"Editing assignment
successful.",Toast.LENGTH_SHORT).show();
asssing_courseid.setText("");
assing_name.setText("");
assing_content.setText("");
deudate.setText(" ");
}
}
});

```

#### **4. Send\_Message.java**

```

package com.example.madlabproject;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.text.TextUtils;
import android.view.View;
import android.widget.ArrayAdapter;
import android.widget.Button;
import android.widget.EditText;
import android.widget.ListView;
import android.widget.TextView;
import android.widget.Toast;

import java.util.List;

public class MessageStudent extends AppCompatActivity {
    TextView textView, textView2, textView3;
    EditText x2, y2, z2, w2, a2, b2;
    Button addmessage;
    ListView studentInbox;

    @Override
    protected void onCreate(Bundle savedInstanceState) {

```

```

super.onCreate(savedInstanceState);
setContentView(R.layout.activity_message_student);

textView=findViewById(R.id.textView35);
textView2=findViewById(R.id.textView42);
textView3=findViewById(R.id.textView44);
x2=findViewById(R.id.receiverTeacherD);
y2=findViewById(R.id.senderTeacherName);
z2=findViewById(R.id.senderTeacherSurname);
w2=findViewById(R.id.receiverTeacherName);
a2=findViewById(R.id.receiverStudentSurname);
b2=findViewById(R.id.messageStudentContent);
studentInbox=findViewById(R.id.studentInbox);

addmessage=findViewById(R.id.sendTeacherMessageButton);

final String Temp=getIntent().getStringExtra("ClickedCourse");
textView.setText(Temp);
final String Temp2=getIntent().getStringExtra("ClickedCourse2");
textView2.setText(Temp2);
final String Temp3=getIntent().getStringExtra("ClickedCourse3");
textView3.setText(Temp3);

Databasehelper databaseHelper=new Databasehelper(MessageStudent.this);
final List<String> everyone5=databaseHelper.SurnameSearch1(Temp3);
final ArrayAdapter studentttttt = new
ArrayAdapter<String>(MessageStudent.this,android.R.layout.simple_list_item_1, everyone5);
studentInbox.setAdapter(studentttttt);

addmessage.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        String x = x2.getText().toString();
        String y = y2.getText().toString();
        String z = z2.getText().toString();
        String w = w2.getText().toString();
        String a = a2.getText().toString();
    }
});

```

```
String b = b2.getText().toString();
```

## 5. Announcement.java

```
package com.example.madlabproject;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.text.TextUtils;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

public class Announcement extends AppCompatActivity {
    EditText annocourseid,anno_name,anno_content,anno_id;
    Button add,delete,edit;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_announcement);

        annocourseid=findViewById(R.id.edit_courseid);
        anno_name=findViewById(R.id.announcement_name);
        anno_content=findViewById(R.id.announcement_content);
        anno_id=findViewById(R.id.announcementid);

        add=findViewById(R.id.anno_add);
        delete=findViewById(R.id.anno_delete);
        edit=findViewById(R.id.anno_edit);

        add.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                String x = annocourseid.getText().toString();
                String y = anno_name.getText().toString();
                String z = anno_content.getText().toString();
                String id = anno_id.getText().toString();
                // Logic to save data to database or file
            }
        });
    }
}
```

```
String z = anno_content.getText().toString();
```

## 6. Post.java

```
package com.example.madlabproject;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.text.TextUtils;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

public class Post extends AppCompatActivity {

    Button add,delete,edit;
    EditText courseid,postname,postcontent,postid;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_post);
        add=findViewById(R.id.post_add);
        delete=findViewById(R.id.post_delete);
        edit=findViewById(R.id.post_edit);
        courseid=findViewById(R.id.courseidd);
        postname=findViewById(R.id.postnameeee);
        postcontent=findViewById(R.id.postcontentttt);
        postid=findViewById(R.id.postidd);

        add.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                String x = courseid.getText().toString();
                String y = postname.getText().toString();
                String z = postcontent.getText().toString();
                if (TextUtils.isEmpty(x)){

```

```

        Toast.makeText(Post.this,"Error. Enter the course
code.",Toast.LENGTH_SHORT).show();
    }
    else if (TextUtils.isEmpty(y)){
        Toast.makeText(Post.this,"Error. Enter the post
name.",Toast.LENGTH_SHORT).show();
    }
    else if (TextUtils.isEmpty(z)){
        Toast.makeText(Post.this,"Error. Enter the post
content.",Toast.LENGTH_SHORT).show();
    }
    else{
        Databasehelper databaseHelper = new Databasehelper(Post.this);
        boolean success =databaseHelper.addPost(x,y,z);
        Toast.makeText(Post.this,"Adding post
successful.",Toast.LENGTH_SHORT).show();
        courseId.setText("");
        postname.setText("");
        postcontent.setText("");
    }
}
});
```

## 7. List\_Students.java

```

package com.example.madlabproject;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.widget.ArrayAdapter;
import android.widget.ListView;

import java.util.List;

public class List_Student extends AppCompatActivity {
    ListView list_student;

    @Override
```

```

protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_list_student);
    list_student=findViewById(R.id.list_student);
    final Databasehelper databaseHelper=new Databasehelper(List_Student.this);
    final List<Student> everyone=databaseHelper.geteveryone();

                final ArrayAdapter studentArrayAdapter = new
ArrayAdapter<Student>(List_Student.this, android.R.layout.simple_list_item_1, everyone);
    list_student.setAdapter(studentArrayAdapter);

```

## 8. Login.java

```

package com.example.madlabproject;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.os.Bundle;
import android.text.TextUtils;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

public class Log extends AppCompatActivity {
    EditText studentId,studentLogName,studentLogSurname;
    EditText password;

    Button log;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_log);

        studentId = findViewById(R.id.editstudent);
        password = findViewById(R.id.editpassword);
        studentLogName= findViewById(R.id.studentLogName);

```

```

studentLogSurname= findViewById(R.id.studentLogSurname);

log = findViewById(R.id.editlog);

log.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        String x = studentId.getText().toString();
        String y = password.getText().toString();
        String z = studentLogName.getText().toString();
        String w = studentLogSurname.getText().toString();

        if (TextUtils.isEmpty(x)) {
            Toast.makeText(Log.this, "Error. Enter the student's ID.", Toast.LENGTH_SHORT).show();
        } else if (TextUtils.isEmpty(y)) {
            Toast.makeText(Log.this, "Error. Enter the password.", Toast.LENGTH_SHORT).show();
        } else {
            Databasehelper databasehelper = new Databasehelper(Log.this);
            boolean success = databasehelper.searchlogStudent(x);
            if (success == false) {
                Intent intent = new Intent(Log.this, Student_Menu.class);
                String id = x;
                String id2=z;
                String id3=w;
                intent.putExtra("ClickedCourse",id);
                intent.putExtra("ClickedCourse2",id2);
                intent.putExtra("ClickedCourse3",id3);
                startActivity(intent);
            } else {
                Toast.makeText(Log.this, "There is no student with this ID.", Toast.LENGTH_SHORT).show();
            }
        }
    });
}

```

## RESULTS




Fig 4.1 Home Screen




Fig 4.2 Faculty Registration




Fig 4.3 List of Faculty




Fig 4.4 List of Students




Fig 4.5 Student Dashboard




Fig 4.6 Faculty Dashboard




Fig 4.7 Course Updates




Fig 4.8 Comment on a Post




Fig 4.9 Sending a Message




Fig 4.10 Receiving the Message




Fig 4.11 Replying to a Comment

## TEST SUITE

### > Login

<b>Test Scenario ID</b>	Login-1	<b>Test Case ID</b>	Login-1A				
<b>Test Case Description</b>	Login- Successful Case	<b>Test Priority</b>	High				
<b>Prerequisite</b>	Valid User Account	<b>Post-Requisite</b>	Nil				
Test Execution Steps:							
S.No	Action	Inputs/Actions	Expected Output	Actual Output	Test Phone	Test Result	Test Comments
1.	Launch the Application	Press the app icon	App Start Screen Displayed	App Start Screen Displayed	Xiaomi Redmi Note 9	Pass	[Sughosh Durg - 20/01/22 1:20 PM]: Launch successful
2.	Navigate to Login Form and enter credentials	Faculty ID and Student ID Password-*****	Login Successful	Authentication Successful	Xiaomi Redmi Note 9	Pass	[Sughosh Durg - 20/01/22 1:40 PM]: Login successful

<b>Test Scenario ID</b>	Login-1	<b>Test Case ID</b>	Login-1B				
<b>Test Case Description</b>	Login- Unsuccessful Case	<b>Test Priority</b>	High				
<b>Prerequisite</b>	invalid User Account	<b>Post-Requisite</b>	Nil				
Test Execution Steps:							
S.No	Action	Inputs/Actions	Expected Output	Actual Output	Test Phone	Test Result	Test Comments
1.	Launch the Application	Press the app icon	App Start Screen Displayed	App Start Screen Displayed	Poco F1	Pass	[Roshan Warrier - 20/01/22 2:20 PM]: Launch successful
2.	Navigate to Login Form and enter credentials	Faculty ID and Student ID Password-*****	Login Failed	Authentication Successful	Poco F1	Pass	[Roshan Warrier - 20/01/22 2:30 PM]: Login Failed

## ➤ Sending and Receiving a Message

<b>Test Scenario ID</b>	Message - 1	<b>Test Case ID</b>	Communication-1
<b>Test Case Description</b>	Send and Receive Message	<b>Test Priority</b>	Very High
<b>Prerequisite</b>	Valid user account and enrolled in a class.	<b>Post-Requisite</b>	Check inbox

Test Execution Steps:

S.No	Action	Inputs/Actions	Expected Output	Actual Output	Test Phone	Test Result	Test Comments
1.	Launch the Application	Press the app icon	App Start Screen Displayed	App Start Screen Displayed	Xiaomi Redmi Note 9	Pass	[Sughosh Durg - 20/01/22 5:20 PM]: Launch successful
2.	Login as a Student or a Faculty	Faculty ID and Student ID Password-*****	Login Successful	Authentication Successful	Xiaomi Redmi Note 9	Pass	[Sughosh Durg - 20/01/22 5:30 PM]: Login Successful
3.	Send a message as a student or a faculty	Receiver ID, Sender Name, Receiver Name and the Message	Message is sent successfully	Message is sent successfully	Xiaomi Redmi Note 9	Pass	[Sughosh Durg - 20/01/22 5:40 PM]: Message sent
4.	Login as a Student or a Faculty	Faculty ID and Student ID Password-*****	Login Successful	Authentication Successful	Xiaomi Redmi Note 9	Pass	[Sughosh Durg - 20/01/22 5:45 PM]: Login Successful
5.	Check the inbox	Navigate to the inbox	Message received	Message received	Xiaomi Redmi Note 9	Pass	[Sughosh Durg - 20/01/22 5:50 PM]: Message Received

## > Adding, Editing, and Deleting a Course

<b>Test Scenario ID</b>	Course-1	<b>Test Case ID</b>	CourseManagement
<b>Test Case Description</b>	Add, Edit, and Delete a course	<b>Test Priority</b>	High
<b>Prerequisite</b>	Valid user account and teacher handling a class.	<b>Post-Requisite</b>	Nil

Test Execution Steps:

S.No	Action	Inputs/Actions	Expected Output	Actual Output	Test Phone	Test Result	Test Comments
1.	Launch the Application	Press the app icon	App Start Screen Displayed	App Start Screen Displayed	Poco F1	Pass	[Roshan Warrier - 20/01/22 7:20 PM]: Launch successful
2.	Login as a Faculty	Faculty ID and Password-*****	Login Successful	Authentication Successful	Poco F1	Pass	[Roshan Warrier - 20/01/22 7:25 PM]: Login Successful
3.	Add a course	Course ID, Student 1, Student 2, and Student 3	Course added successfully	Course added successfully	Poco F1	Pass	[Roshan Warrier - 20/01/22 7:30 PM]: Course added
4.	Edit a course	Course ID	Course edited successfully	Course edited successfully	Poco F1	Pass	[Roshan Warrier - 20/01/22 7:40 PM]: Course added
5.	Delete a course	Course ID	Course deleted successfully	Course deleted successfully	Poco F1	Pass	[Roshan Warrier - 20/01/22 7:50 PM]: Course deleted

## > Creating and Uploading an Assignment

<b>Test Scenario ID</b>	Assignment-01	<b>Test Case ID</b>	assignment1
<b>Test Case Description</b>	Creating and uploading an assignment	<b>Test Priority</b>	High
<b>Prerequisite</b>	Valid user account, Student enrolled in the class and teacher handling the class.	<b>Post-Requisite</b>	Grade the assignment

Test Execution Steps:

S.No	Action	Inputs/Actions	Expected Output	Actual Output	Test Phone	Test Result	Test Comments
1.	Launch the Application	Press the app icon	App Start Screen Displayed	App Start Screen Displayed	Xiaomi Redmi Note 9	Pass	[Sughosh Durg - 20/01/22 9:20 PM]: Launch successful
2.	Login as a Faculty	Faculty ID and Password-*****	Login Successful	Authentication Successful	Xiaomi Redmi Note 9	Pass	[Sughosh Durg - 20/01/22 9:25 PM]: Login Successful
3.	Create an assignment	Course ID, Assignment name, Assignment Content and Due Date	Assignment created successfully	Assignment created successfully	Xiaomi Redmi Note 9	Pass	[Sughosh Durg- 20/01/22 9:40 PM]: Assignment Created
4.	Login as a Student	Student ID and Password-*****	Login Successful	Authentication Successful	Xiaomi Redmi Note 9	Pass	[Sughosh Durg - 20/01/22 9:55 PM]: Login Successful
5.	Upload the assignment as a PDF or a doc file	Navigate to course menu	Assignment uploaded successfully	Error in uploading PDF and DOC file	Xiaomi Redmi Note 9	Fail	[Sughosh Durg - 20/01/22 10:00 PM]: Upload failed

## **REFERENCES**

1. <https://www.geeksforgeeks.org/how-to-create-and-add-data-to-sqlite-database-in-android/>
2. <https://www.studytonight.com/post/gradient-drawable-in-android-create-gradient-backgrounds>
3. <https://developer.android.com/reference/android/widget/ArrayAdapter>
4. <https://stackoverflow.com/questions/736571/using-intent-in-an-android-application-to-how-another-activity>
5. [https://www.tutorialspoint.com/android/android\\_user\\_interface\\_layouts.htm](https://www.tutorialspoint.com/android/android_user_interface_layouts.htm)
6. <https://developer.android.com/reference/android/widget/ListView>
7. <https://www.lucidchart.com/pages/uml-use-case-diagram>
8. <https://developer.android.com/reference/android/util/Xml>