Dicicilaja API Documentation

Requirements

All APIs should be accessed with HTTPS and via https://api.dicicilaja.com/ domain. All header should be accepted application/json, content-type should be application/json if it required a token, the token should be passed as Authorization Bearer Token. All data exchange type should be JSON (JavaScript Object Notation)

Example:

Key	Value
Authorization	Bearer 111sdsadsada
✓ Accept	application/json
✓ Content-Type	application/json

Here are list of URL Endpoints that will be accessible to public:

URL	HTTP Verb	Need Token?	Functionality
/area	GET	NO	Get all area
/branch/{area_id}	GET	NO	Get all branch based on area
/coleteral	GET	NO	Get all colleteral (jaminan)
/tenor	GET	NO	Get all available tenor
/program	GET	NO	Get all available program
/request/new	POST	YES	Create new request (pengajuan) to Dicicilaja

Request parameter:

Key	Data-Type	Required?
product	string	Yes
program	Id (integer)	Yes

warranty	Id (integer)	Yes
merk	string	Yes
year	integer	Yes
daterange	integer	Yes
total	integer	Yes
area	Id (integer)	Yes
branch	Id (integer)	Yes
client	string	Yes
hp	string	Yes
email	string	Yes
address	string	Yes
district	string	Yes
city	string	Yes
province	string	Yes
ktp	file	Yes
bpkb	file	Yes
no_ktp	string	Yes

Results Expected: