

How to access the Eurostat & EEA data

Pulling the primary-source series behind the Indicator Database

Generated 2026-06-03. This is the companion to *Indicator-Database-Post-Report-Update.pdf*: it shows how to retrieve the exact, scope-matched figures that the automated update could not — the ones living only in the Eurostat API and the EEA greenhouse-gas data viewer.

Why the automated run came up short. In the Claude Code web sandbox, requests to `ec.europa.eu` and `eea.europa.eu` are blocked by the environment network allowlist (HTTP 403 / “Host not in allowlist”). The recipes below work from any unrestricted machine, from the deployed app server, or once those hosts are added to the allowlist (`code.claude.com/docs/en/claude-code-on-the-web`).

1. Eurostat — dissemination API (JSON-stat)

Free, key-less REST API returning JSON-stat 2.0. This repo already speaks it in `src/lib/project-workspace/eurostat.ts`. Base URL:

```
https://ec.europa.eu/eurostat/api/dissemination/statistics/1.0/data/<DATASET>
```

Pin every dimension except **time** to one code and the response collapses to a clean year→value series. Example — renewable energy share (`nrg_ind_ren`):

```
curl -s 'https://ec.europa.eu/eurostat/api/dissemination/statistics/1.0/data/\n nrg_ind_ren?format=JSON&geo=EU27_2020&nrg_bal=REN&unit=PC'
```

Minimal Python parser (mirrors `parseSeries()` in `eurostat.ts`):

```
import requests
ds, filt = "nrg_ind_ren", {"geo": "EU27_2020", "nrg_bal": "REN", "unit": "PC"}
url = f"https://ec.europa.eu/eurostat/api/dissemination/statistics/1.0/data/{ds}"
j = requests.get(url, params={"format": "JSON", "lang": "EN", **filt}).json()
idx = j["dimension"]["time"]["category"]["index"] # {"2010": 0, ...}
val = j["value"] # {"0": 12.5, ...}
series = {int(y): val[str(i)] for y, i in idx.items() if val.get(str(i)) is not None}
```

Find codes: data browser `ec.europa.eu/eurostat/databrowser/` (code is in the URL); append `?format=JSON` and omit a dimension to list its allowed codes. Units: PC=percent, MTOE, GWH, TJ... Convert to repo units (Mtoe×11.63→TWh; PJ÷3.6→TWh; shares stored as **fractions**). Geo: always EU27_2020.

2. EEA — greenhouse-gas data viewer (the GHG inventory)

Headline emissions (O1, E1, E6, I1, T1, B1, A1, L1, LULUCF sub-lines) come from the EU GHG inventory. This repo pulls it in `fetchEeaInventory()`. Stable CSV download (row per year×sector×gas×country):

```
https://www.eea.europa.eu/en/datahub/datahubitem-view/\n 3b7fe76c-524a-439a-bfd2-a6e4046302a2/download?format=csv&country=EU27
```

Slice by **CRF sector code** (a code matches its sub-codes: “1.A.1” ⊃ “1.A.1.a”), filter the **gas** column (“All greenhouse gases - (CO₂ equivalent)”, or CH₄ / N₂O), and sum the emissions column per year. Sinks are already negative. Viewer UI: `eea.europa.eu/en/analysis/maps-and-charts/greenhouse-gases-viewer-data-viewers`.

3. The shortcut — “Refresh from source” in the app

Deployed (open-egress) MethodHub has a **Refresh from source** button that runs these pulls server-side and upserts points. Recipes live in `live-sources.ts` (47 entries). **Note:** the registry is keyed by ECNO ids (ghg-total-net, power-sector-ghg...), not the `esabcc-*` ids — to give an ESABCC indicator a refresh button, add an entry under its `esabcc-...` id (copy the matching ECNO recipe).

4. Recipes for the indicators left empty

Indicator	Source	Recipe
O1 Total GHG (Climate-Law)	EEA viewer	excl-LULUCF total + memo intl aviation+navigation; CO ₂ -eq
E1 Energy supply GHG	EEA viewer	CRF 1.A.1 + 1.B; CO ₂ -eq
E6 Energy methane	EEA viewer	CRF 1; gas = CH ₄
I1 Industry GHG	EEA viewer	CRF 1.A.2 + 2; CO ₂ -eq
T1 Transport GHG	EEA viewer	CRF 1.A.3; CO ₂ -eq
B1 Buildings GHG	EEA viewer	CRF 1.A.4; CO ₂ -eq
A1 Agriculture non-CO ₂	EEA viewer	CRF 3; gases CH ₄ +N ₂ O

Indicator	Source	Recipe
L3/L4/L5 land areas	UNFCCC CRF tables	activity data (kha), CRF Table 4.* — not in emissions viewer
L6 forest biomass sink	EEA viewer	CRF 4.A living-biomass pool
L7 non-forest LULUCF	EEA viewer	CRF 4 minus 4.A
E2 fossil / RES mix	Eurostat	nrg_bal_peh, geo=EU27_2020, unit=PC; fossil siec=CF
E3 electricity GHG intensity	EEA	indicator "GHG emission intensity of electricity generation, EU level"
E5 electrification rate	Eurostat	nrg_bal_s, nrg_bal=FC_E, siec=E7000, unit=PC
T6a fossil transport share	Eurostat	nrg_bal_c transport fuels ÷ total transport energy
L8 total bioenergy	Eurostat	nrg_bal_c, sum of bio SIEC codes
A3 (use) fertiliser N	Eurostat	aei_fm_usefert, geo=EU27_2020, nutrient N
T2a/b, T3a/b demand	DG MOVE	EU Transport in Figures — Statistical Pocketbook (Excel)
T5b zero-emission lorries	EAFO	.../european-union-eu27/electricity/vehicles-and-fleet?format=csv
B6 heat-pump stock	EHPA	market report — confirm EU-27 (vs 21-country) scope
I4 intensities; F2/F4/F5	mixed	derived ratios / publication PDFs — no open API

Once pulled, add points to `src/data/esabcc-indicators.ts` with `afterReport: true` so they render as the latest (orange) values, and record the source URL in the verification sheet.